



ANCHORS

| | |
|-----------------------------------|------------|
| VERTICAL HANGERS | 134 |
| SEISMIC SCREW BOLTS | 135 |
| SEISMIC THROUGH BOLTS | 136 |
| SEISMIC CHEMICAL ANCHORS | 137 |
| SLEEVE ANCHORS | 138 |
| SCREW BOLT ANCHORS | 140 |
| WEDGE ANCHORS (THRU BOLTS) | 142 |
| DROP IN ANCHORS | 143 |
| NAIL IN ANCHORS | 144 |

**KEEPING BUSINESS'S
MOVING & MAKING**

 www.fdg.nz.com
 sales@fdg.nz.com
 0800 555 464

SEISMIC VERTICAL HANGER - CONCRETE

| CODE | DESCRIPTION | PACK QTY | FINISH | APPROVAL TYPE |
|--------------|----------------|----------|-------------|---------------|
| MVT6X40Z | M10 Rod Hanger | 100 | Zinc/Galv | C1 |
| MVT6X57Z | M10 Rod Hanger | 100 | Zinc | C1 |
| MVT8X50Z | M10 Rod Hanger | 100 | Zinc/Galv | C1/C2 |
| MVT8X50Z-M12 | M12 Rod Hanger | 100 | Zinc / Galv | C1/C2 |



VERTICAL HANGER - SDM

| CODE | DESCRIPTION | PACK QTY | FINISH |
|----------|-------------|----------|--------|
| MVSDMM10 | 1/4" X 25 | 100 | Zinc |

SIDE HANGER - SDM

| CODE | DESCRIPTION | PACK QTY | FINISH |
|--------|-------------|----------|--------|
| MVSM10 | 1/4" X 25 | 100 | Zinc |



VERTICAL HANGER - WOOD

| CODE | DESCRIPTION | PACK QTY | FINISH |
|-------------|-------------|----------|--------|
| MVT17M10-25 | 14g X 25 | 100 | Zinc |
| MVT17M10-50 | 14g X 50 | 100 | Zinc |

SIDE HANGER - WOOD

| CODE | DESCRIPTION | PACK QTY | FINISH |
|-----------|-------------|----------|--------|
| MVT17SM10 | 14g X 50 | 100 | Zinc |



ZINC FLAKE HEX HEAD SCREW BOLT — C1/C2 SEISMIC RATED

| SIZE | LENGTH | PRODUCT CODE | APPROVAL TYPE |
|------|--------|---------------|----------------|
| 6mm | 40 | MXB6X40ZF-s | ETA/Fire |
| 6mm | 50 | MXB6X50ZF-S | ETA/Fire/C1 |
| 6mm | 60 | MXB6X60ZF-S | ETA/Fire/C1 |
| 6mm | 75 | MXB6X75ZF-S | ETA/Fire/C1 |
| 6mm | 90 | MXB6X90ZF-S | ETA/Fire/C1 |
| 6mm | 100 | MXB6X100ZF-S | ETA/Fire/C1 |
| 6mm | 130 | MXB6X130ZF-S | ETA/Fire/C1 |
| 8mm | 75 | MXB8X75ZF-S | ETA/Fire/C1/C2 |
| 8mm | 90 | MXB8X90ZF-S | ETA/Fire/C1/C2 |
| 8mm | 100 | MXB8X100ZF-S | ETA/Fire/C1/C2 |
| 8mm | 120 | MXB8X120ZF-S | ETA/Fire/C1/C2 |
| 8mm | 130 | MXB8X130ZF-S | ETA/Fire/C1/C2 |
| 8mm | 150 | MXB8X150ZF-S | ETA/Fire/C1/C2 |
| 10mm | 60 | MXB10X60ZF-S | ETA/Fire/C1 |
| 10mm | 70 | MXB10X70ZF-S | ETA/Fire/C1 |
| 10mm | 80 | MXB10X80ZF-S | ETA/Fire/C1 |
| 10mm | 90 | MXB10X90ZF-S | ETA/Fire/C1/C2 |
| 10mm | 100 | MXB10X100ZF-S | ETA/Fire/C1/C2 |
| 10mm | 120 | MXB10X120ZF-S | ETA/Fire/C1/C2 |
| 10mm | 140 | MXB10X140ZF-S | ETA/Fire/C1/C2 |
| 10mm | 180 | MXB10X180ZF-S | ETA/Fire/C1/C2 |
| 10mm | 200 | MXB10X200ZF-S | ETA/Fire/C1/C2 |
| 12mm | 70 | MXB12X70ZF-S | ETA/Fire/C1/C2 |
| 12mm | 90 | MXB12X90ZF-S | ETA/Fire/C1/C2 |
| 12mm | 110 | MXB12X110ZF-S | ETA/Fire/C1/C2 |
| 12mm | 130 | MXB12X130ZF-S | ETA/Fire/C1/C2 |
| 12mm | 150 | MXB12X150ZF-S | ETA/Fire/C1/C2 |
| 14mm | 75 | MXB14X75ZF-S | ETA/Fire/C1/C2 |
| 14mm | 100 | MXB14X100ZF-S | ETA/Fire/C1/C2 |
| 14mm | 130 | MXB14X130ZF-S | ETA/Fire/C1/C2 |
| 14mm | 150 | MXB14X150ZF-S | ETA/Fire/C1/C2 |
| 14mm | 180 | MXB14X180ZF-S | ETA/Fire/C1/C2 |



*Zinc Flake Coating superior to HDG Coating. Standard Zinc Plate and A4 Stainless Steel finishes also available.



| ZINC FLAKE THROUGH BOLTS (WEDGE ANCHORS) - C1/C2 SEISMIC RATED | | | |
|--|--------|---------------|----------------|
| SIZE | LENGTH | PRODUCT CODE | APPROVAL TYPE |
| M8 | 65 | MTB8X65ZF-S | ETA/Fire |
| M8 | 80 | MTB8X80ZF-S | ETA/Fire |
| M8 | 100 | MTB8X100ZF-S | ETA/Fire |
| M8 | 115 | MTB8X115ZF-S | ETA/Fire |
| M10 | 65 | MTB10X65ZF-S | ETA/Fire/C1/C2 |
| M10 | 80 | MTB10X80ZF-S | ETA/Fire/C1/C2 |
| M10 | 95 | MTB10X95ZF-S | ETA/Fire/C1/C2 |
| M10 | 115 | MTB10X115ZF-S | ETA/Fire/C1/C2 |
| M10 | 130 | MTB10X130ZF-S | ETA/Fire/C1/C2 |
| M12 | 80 | MTB12X80ZF-S | ETA/Fire/C1/C2 |
| M12 | 100 | MTB12X100ZF-S | ETA/Fire/C1/C2 |
| M12 | 120 | MTB12X120ZF-S | ETA/Fire/C1/C2 |
| M12 | 135 | MTB12X135ZF-S | ETA/Fire/C1/C2 |
| M12 | 150 | MTB12X150ZF-S | ETA/Fire/C1/C2 |
| M16 | 105 | MTB16X105ZF-S | ETA/Fire/C1/C2 |
| M16 | 125 | MTB16X125ZF-S | ETA/Fire/C1/C2 |
| M16 | 140 | MTB16X140ZF-S | ETA/Fire/C1/C2 |
| M16 | 180 | MTB16X180ZF-S | ETA/Fire/C1/C2 |
| M16 | 220 | MTB16X220ZF-S | ETA/Fire/C1/C2 |
| M20 | 125 | MTB20X125ZF-S | ETA/Fire/C1/C2 |
| M20 | 160 | MTB20X160ZF-S | ETA/Fire/C1/C2 |
| M20 | 200 | MTB20X200ZF-S | ETA/Fire/C1/C2 |

*Zinc Flake Coating superior to HDG Coating. Standard Zinc Plate and A4 Stainless Steel finishes also available.

| E600+ HIGH STRENGTH SEISMIC RATE PURE EPOXY CHEMICAL ANCHORING | |
|--|-------|
| CODE | SIZE |
| E600+ | 585ml |

- Pure Epoxy resin 3:1 mixing ratio – Pink Colour.
- Extremely high load capacity
- ETA Option 1.
- Seismic C1 & C2.
- 100 Years Working Life.
- Approved for use with Threaded Bar and Rebar.
- Fire Resistance Report F240 (post installed rebar connections).
- Suitable for use Overhead and in dry, wet & flooded holes.

*Caulking Guns Available for Sale



| H200+ FC FAST CURE SEISMIC NEW GENERATION POLYMER CHEMICAL ANCHORING | |
|--|-------|
| CODE | SIZE |
| H200+ FC | 300ml |

- New Generation Polymer Styrene-free Chemical
- Fast Curing
- Colour Change Indicator from Blue to Grey
- ETA Option 1.
- Seismic C1 & C2.
- 100 Years Working Life.
- Approved for use with Threaded Bar and Rebar.
- Suitable for use in dry, wet & flooded holes.

*Caulking Guns Available for Sale





| SLEEVE ANCHORS (DYNABOLTS) | | | | |
|----------------------------|--------|-------------|------------|---------------|
| Ø | LENGTH | YELLOW ZINC | GALVANIZED | 316 STAINLESS |
| 6mm | 18mm | MSA6X18YZ | | |
| 6mm | 25mm | MSA6X25YZ | | |
| 6mm | 36mm | MSA6X36YZ | | |
| 6mm | 40mm | | | MSA6X40A4 |
| 6mm | 55mm | | | MSA6X55A4 |
| 6mm | 75mm | MSA6X75YZ | | |
| 6.5mm | 20mm | MSA6.5X20YZ | MSA6.5X20G | |
| 6.5mm | 25mm | MSA6.5X25YZ | MSA6.5X25G | |
| 6.5mm | 35mm | MSA6.5X35YZ | MSA6.5X35G | MSA6.5X35A4 |
| 6.5mm | 55mm | MSA6.5X55YZ | MSA6.5X55G | MSA6.5X55A4 |
| 6.5mm | 75mm | MSA6.5X75YZ | MSA6.5X75G | MSA6.5X75A4 |
| 8mm | 40mm | MSA8X40YZ | MSA8X40G | MSA8X40A4 |
| 8mm | 50mm | | | MSA8X50A4 |
| 8mm | 65mm | MSA8X65YZ | MSA8X65G | MSA8X65A4 |
| 8mm | 85mm | MSA8X85YZ | MSA8X85G | MSA8X85A4 |
| 8mm | 90mm | | | MSA8X90A4 |
| 10mm | 40mm | MSA10X40YZ | MSA10X40G | MSA10X40A4 |
| 10mm | 50mm | MSA10X50YZ | MSA10X50G | MSA10X50A4 |
| 10mm | 60mm | MSA10X60YZ | MSA10X60G | MSA10X60A4 |
| 10mm | 75mm | MSA10X75YZ | MSA10X75G | MSA10X75A4 |
| 10mm | 95mm | MSA10X95YZ | MSA10X95G | |
| 10mm | 100mm | MSA10X100YZ | MSA10X100G | MSA10X100A4 |
| 10mm | 120mm | MSA10X120YZ | | |
| 10mm | 125mm | MSA10X125YZ | MSA10X125G | |
| 12mm | 60mm | MSA12X60YZ | MSA12X60G | MSA12X60A4 |
| 12mm | 75mm | MSA12X75YZ | MSA12X75G | MSA12X75A4 |
| 12mm | 100mm | MSA12X100YZ | MSA12X100G | MSA12X100A4 |
| 12mm | 130mm | MSA12X130YZ | MSA12X130G | MSA12X130A4 |
| 16mm | 65mm | MSA16X65YZ | MSA16X65G | |
| 16mm | 100mm | | | MSA16X100A4 |
| 16mm | 110mm | MSA16X110YZ | MSA16X110G | |
| 16mm | 111mm | MSA16X111YZ | MSA16X111G | |
| 16mm | 145mm | MSA16X145YZ | MSA16X145G | |
| 20mm | 75mm | MSA20X75YZ | MSA20X75G | |
| 20mm | 105mm | MSA20X105YZ | MSA20X105G | |
| 20mm | 150mm | MSA20X150YZ | MSA20X150G | |

| MASONRY FLUSH HEAD SLEEVE ANCHORS | | | |
|-----------------------------------|--------|--------------|---------------|
| Ø | LENGTH | YELLOW ZINC | 316 STAINLESS |
| 6.5mm | 55mm | MSF6.5X55YZ | |
| 6.5mm | 75mm | MSF6.5X75YZ | |
| 6.5mm | 100mm | MSF6.5X100YZ | |
| 8mm | 45mm | MSF8X45YZ | MSF8X45A4 |
| 8mm | 60mm | MSF8X60YZ | |
| 8mm | 70mm | MSF8X70YZ | MSF8X70A4 |
| 8mm | 85mm | MSF8X85YZ | |
| 8mm | 90mm | MSF8X90YZ | |
| 8mm | 100mm | MSF8X100YZ | |
| 10mm | 40mm | | MSF10X40A4 |
| 10mm | 45mm | MSF10X45YZ | MSF10X45A4 |
| 10mm | 55mm | MSF10X55YZ | |
| 10mm | 60mm | | MSF10X60A4 |
| 10mm | 75mm | MSF10X75YZ | |
| 10mm | 80mm | MSF10X80YZ | MSF10X80A4 |
| 10mm | 100mm | MSF10X100YZ | MSF10X100A4 |
| 12mm | 65mm | MSF12X65YZ | |
| 12mm | 75mm | | MSF12X75A4 |
| 12mm | 80mm | MSF12X80YZ | |
| 12mm | 110mm | MSF12X110YZ | |
| 16mm | 75mm | MSF16X75YZ | |
| 16mm | 110mm | MSF16X110YZ | |

*Note these are not seismic rated

*Note these are not seismic rated

Milwaukee

SDS PLUS DUST TRAP

M-48033035

ADD A SDS PLUS DUST TRAP TO YOUR TOOL ORDER AND KEEP YOUR TEAM SAFE **CALL 0800 555 464**



| MASONRY SCREW BOLT ANCHORS | | | | | |
|----------------------------|--------|-------------|------------|------------|-------------|
| Ø | LENGTH | YELLOW ZINC | ZINC | GALVANIZED | BIMETAL |
| 6mm | 30mm | MXB6X30YZ | | MXB6X30G | |
| 6mm | 45mm | | | | MXB6X45A4 |
| 6mm | 50mm | MXB6X50YZ | | MXB6X50G | |
| 6mm | 60mm | | | | MXB6X60A4 |
| 6mm | 75mm | MXB6X75YZ | | MXB6X75G | |
| 6mm | 80mm | | | | MXB6X80A4 |
| 6mm | 100mm | MXB6X100YZ | | MXB6X100G | |
| 8mm | 60mm | MXB8X60YZ | | MXB8X60G | |
| 8mm | 75mm | MXB8X75YZ | | MXB8X75G | MXB8X75A4 |
| 8mm | 100mm | MXB8X100YZ | | MXB8X100G | |
| 10mm | 60mm | MXB10X60YZ | MXB10X60Z | MXB10X60G | |
| 10mm | 75mm | MXB10X75YZ | | MXB10X75G | MXB10X75A4 |
| 10mm | 80mm | | MXB10X80Z | MXB10X80G | |
| 10mm | 100mm | MXB10X100YZ | | MXB10X100G | MXB10X100A4 |
| 10mm | 115mm | | | | MXB10X115A4 |
| 10mm | 120mm | | MXB10X120Z | | |
| 10mm | 125mm | MXB10X125YZ | | MXB10X125G | |
| 10mm | 150mm | MXB10X150YZ | | MXB10X150G | MXB12X150A4 |
| 12mm | 75mm | MXB12X75YZ | MXB12X75Z | MXB12X75G | |
| 12mm | 100mm | MXB12X100YZ | | MXB12X100G | |
| 12mm | 110mm | | MXB12X110Z | MXB12X110G | |
| 12mm | 130mm | | MXB12X130Z | | |
| 12mm | 150mm | MXB12X150YZ | | MXB12X150G | |
| 12mm | 230mm | MXB12X230YZ | | | |
| 16mm | 100mm | MXB16X100YZ | | MXB16X100G | |
| 16mm | 130mm | | MXB16X130Z | MXB16X130G | |
| 16mm | 150mm | MXB16X150YZ | MXB16X150Z | MXB16X150G | |
| 16mm | 200mm | MXB16X200YZ | | | |
| 20mm | 200mm | MXB20X200YZ | | | |
| 20mm | 300mm | MXB20X300YZ | | | |

*Note these are not seismic rated



| COUNTERSUNK | | | |
|-------------|--------|--------------|-------------|
| Ø | LENGTH | YELLOW ZINC | GALVANIZED |
| 6mm | 50mm | MXC6X50YZ | MXC6X50G |
| 6mm | 75mm | MXC6X75YZ | |
| 6mm | 100mm | MXC6X100YZ | |
| 6.5mm | 50mm | MXC6.5X50YZ | MXC6.5X50G |
| 6.5mm | 75mm | MXC6.5X75YZ | MXC6.5X75G |
| 6.5mm | 100mm | MXC6.5X100YZ | MXC6.5X100G |
| 8mm | 50mm | MXC8X50YZ | MXC8X50G |
| 8mm | 60mm | | MXC8X60G |
| 8mm | 75mm | MXC8X75YZ | MXC8X75G |
| 8mm | 100mm | MXC8X100YZ | |
| 10mm | 60mm | MXC10X60YZ | MXC10X60G |
| 10mm | 75mm | MXC10X75YZ | |
| 10mm | 100mm | MXC10X100YZ | MXC10X100G |
| 12mm | 75mm | MXC12X75YZ | MXC12X75G |
| 12mm | 100mm | MXC12X100YZ | MXC12X100G |
| 12mm | 110mm | MXC12X110YZ | |
| 12mm | 150mm | MXC12X150YZ | MXC12X150G |



| EYE SCREW BOLT | | | |
|----------------|--------|-------------|------------|
| Ø | LENGTH | YELLOW ZINC | GALVANIZED |
| 8mm | 55mm | MXE8X55YZ | MXE8X55G |
| 10mm | 65mm | MXE10X65YZ | MXE10X65G |
| 12mm | 75mm | MXE12X75YZ | MXE12X75G |

*Note these are not seismic rated





| MASONRY WEDGE ANCHORS/THROUGH BOLTS | | | | |
|-------------------------------------|--------|-------------|------------|---------------|
| Ø | LENGTH | YELLOW ZINC | GALVANIZED | 316 STAINLESS |
| 8mm | 50mm | | MTB8X50G | |
| 8mm | 65mm | | MTB8X65G | |
| 8mm | 90mm | | MTB8X90G | |
| 10mm | 60mm | | MTB10X60G | |
| 10mm | 75mm | | MTB10X75G | MTB10X75A4 |
| 10mm | 90mm | | MTB10X90G | MTB10X90A4 |
| 10mm | 120mm | | MTB10X120G | |
| 12mm | 80mm | MTB12X80YZ | MTB12X80G | MTB12X80A4 |
| 12mm | 100mm | MTB12X100YZ | MTB12X100G | MTB12X100A4 |
| 12mm | 120mm | MTB12X120YZ | MTB12X120G | MTB12X120A4 |
| 12mm | 140mm | MTB12X140YZ | MTB12X140G | MTB12X140A4 |
| 12mm | 180mm | MTB12X180YZ | MTB12X180G | MTB12X180A4 |
| 16mm | 100mm | MTB16X100YZ | MTB16X100G | MTB16X100A4 |
| 16mm | 105mm | | MTB16X105G | MTB16X105A4 |
| 16mm | 110mm | | MTB16X110G | |
| 16mm | 125mm | MTB16X125YZ | MTB16X125G | MTB16X125A4 |
| 16mm | 140mm | MTB16X140YZ | MTB16X140G | MTB16X140A4 |
| 16mm | 180mm | | MTB16X180G | MTB16X180A4 |
| 20mm | 120mm | MTB20X120YZ | MTB20X120G | MTB20X120A4 |
| 20mm | 125mm | MTB20X125YZ | MTB20X125G | |
| 20mm | 160mm | MTB20X160YZ | MTB20X160G | MTB20X160A4 |
| 20mm | 173mm | | MTB20X173G | |
| 20mm | 180mm | | MTB20X180G | |
| 20mm | 200mm | | MTB20X200G | |
| 20mm | 215mm | | MTB20X215G | |

*Note these are not seismic rated

Come visit us online to find out more about our products & services.

FDGNZ.COM

DROP (KNOCK) PIN ANCHOR

| Ø | YELLOW ZINC | | 316 STAINLESS |
|------|--------------|---------------|---------------|
| | | LIPPED | |
| 6mm | MDIAM6X8YZ | | MDIAM6A4 |
| 8mm | MDIAM8X10YZ | | MDIAM8A4 |
| 10mm | MDIAM10X40YZ | MDIALM10X30YZ | MDIAM10A4 |
| 12mm | MDIAM12X50YZ | MDIALM12X50YZ | MDIAM12A4 |
| 16mm | MDIAM16X65YZ | | MDIAM16A4 |
| 20mm | MDIAM20X80YZ | | |

CHEMSET STUDS

| Ø | YELLOW ZINC | GALVANIZED | 316 STAINLESS |
|------|-------------|------------|---------------|
| 8mm | MKSC8Y | MKSC8G | MKSC8A4 |
| 10mm | MKSC10Y | MKSC10G | MKSC10A4 |
| 12mm | MKSC12Y | MKSC12G | MKSC12A4 |
| 16mm | MKSC16Y | MKSC16G | MKSC16A4 |
| 20mm | MKSC20Y | MKSC20G | MKSC20A4 |
| 24mm | MKSC24Y | MKSC24G | MKSC24A4 |

*CUSTOM CUT STUDS AVAILABLE

METAL PIN ANCHORS

| Ø | LENGTH | ZINC | 304 STAINLESS |
|-------|--------|------------|---------------|
| 5mm | 22mm | MPA5X22Z | MPA5X22SS |
| 6mm | 25mm | MPA6X25Z | |
| 6mm | 32mm | MPA6X32Z | MPA6.5X32SS |
| 6mm | 40mm | MPA6X40Z | |
| 6mm | 50mm | MPA6X50Z | |
| 6.5mm | 25mm | MPA6.5X25Z | |
| 6.5mm | 40mm | MPA6.5X40Z | |
| 6.5mm | 50mm | MPA6.5X50Z | |





| Ø | LENGTH | MUSHROOM HEAD | | COUNTERSUNK | ROUND HEAD | |
|-------|--------|---------------|---------------|-------------|------------|---------------|
| | | ZINC | 316 STAINLESS | ZINC | ZINC | 316 STAINLESS |
| 5mm | 19mm | MNM5X19Z | | | | |
| 5mm | 25mm | MNM5X25Z | MNM5X25SS | MNC5X25Z | MNR5X25Z | MNR5X25SS |
| 5mm | 40mm | MNM5X40Z | | MNC5X40Z | MNR5X40Z | |
| 6mm | 25mm | MNM6X25Z | MNM6X25SS | MNC6X25Z | | |
| 6mm | 40mm | | MNM6X40SS | MNC6X40Z | | |
| 6mm | 50mm | | | MNC6X50Z | | |
| 6mm | 75mm | | | MNC6X75Z | | |
| 6.5mm | 10mm | MNM6.5X10Z | | | | |
| 6.5mm | 25mm | MNM6.5X25Z | | | MNR6.5X25Z | |
| 6.5mm | 40mm | MNM6.5X40Z | | | MNR6.5X40Z | MNR6.5X40SS |
| 6.5mm | 50mm | MNM6.5X50Z | | | MNR6.5X50Z | |
| 6.5mm | 75mm | MNM6.5X75Z | | | MNR6X75Z | |



| Ø | LENGTH | MUSHROOM HEAD | | COUNTERSUNK HEAD | |
|-------|--------|---------------|---------------|------------------|---------------|
| | | ZINC | 316 STAINLESS | ZINC | 316 STAINLESS |
| 5mm | 38mm | MDS5X25Z | | | |
| 5mm | 50mm | | MDS5X38A4 | | |
| 5mm | 38mm | | MDS5X50A4 | | |
| 6mm | 50mm | MDS6X38Z | | MDSC6X38Z | MDSC6X38A4 |
| 6mm | 65mm | MDS6X50Z | | | MDSC6X50A4 |
| 6mm | 75mm | | | | MDSC6X65A4 |
| 6mm | 100mm | | | | MDSC6X75A4 |
| 6mm | 25mm | | | | MDSC6X100A4 |
| 6.5mm | 38mm | MDS6.5X25Z | | | |
| 6.5mm | 40mm | MDS6.5X38Z | MDS6.5X38A4 | | |
| 6.5mm | 50mm | MDS6.5X40Z | | MDSC6.5X40Z | MDSC6.5X40A4 |
| 6.5mm | 65mm | MDS6.5X50Z | MDS6.5X50A4 | MDSC6.5X50Z | MDSC6.5X50A4 |
| 6.5mm | 75mm | MDS6.5X65Z | | MDSC6.5X65Z | MDSC6.5X65A4 |
| 6.5mm | 100mm | MDS6.5X75Z | | MDSC6.5X75Z | MDSC6.5X75A4 |
| 6.5mm | 100mm | MDS6.5X100Z | | | MDSC6.5X100A4 |

