



TOOLS & ACCESSORIES

DRILLS	182
HOLESAWS	185
CONCRETE DRILL BITS	186
DRIVER BITS	189
CRC & ABRASIVES	192
BOSTIK	198
SABRE	199

**KEEPING BUSINESS'S
MOVING & MAKING**

 www.fdg.nz.com
 sales@fdg.nz.com
 0800 555 464



Ø	GOLD	Ø	GOLD	Ø	GOLD	Ø	GOLD
0.3mm	TDJ0.3G	3.3mm	TDJ3.3G	6.5mm	TDJ6.5G	9.8mm	TDJ9.8G
0.4mm	TDJ0.4G	3.4mm	TDJ3.4G	6.6mm	TDJ6.6G	9.9mm	TDJ9.9G
0.5mm	TDJ0.5G	3.5mm	TDJ3.5G	6.7mm	TDJ6.7G	10mm	TDJ10.0G
0.58mm	TDJ0.58G	3.6mm	TDJ3.6G	6.8mm	TDJ6.8G	10.1mm	TDJ10.1G
0.6mm	TDJ0.6G	3.7mm	TDJ3.7G	6.9mm	TDJ6.9G	10.2mm	TDJ10.2G
0.7mm	TDJ0.7G	3.8mm	TDJ3.8G	7mm	TDJ7.0G	10.3mm	TDJ10.3G
0.8mm	TDJ0.8G	3.9mm	TDJ3.9G	7.1mm	TDJ7.1G	10.4mm	TDJ10.4G
0.9mm	TDJ0.9G	4mm	TDJ4.0G	7.2mm	TDJ7.2G	10.5mm	TDJ10.5G
1mm	TDJ1.0G	4.1mm	TDJ4.1G	7.3mm	TDJ7.3G	10.6mm	TDJ10.6G
1.1mm	TDJ1.1G	4.2mm	TDJ4.2G	7.4mm	TDJ7.4G	10.7mm	TDJ10.7G
1.2mm	TDJ1.2G	4.3mm	TDJ4.3G	7.5mm	TDJ7.5G	10.8mm	TDJ10.8G
1.3mm	TDJ1.3G	4.4mm	TDJ4.4G	7.6mm	TDJ7.6G	10.9mm	TDJ10.9G
1.4mm	TDJ1.4G	4.5mm	TDJ4.5G	7.7mm	TDJ7.7G	11mm	TDJ11.0G
1.5mm	TDJ1.5G	4.6mm	TDJ4.6G	7.8mm	TDJ7.8G	11.1mm	TDJ11.1G
1.6mm	TDJ1.6G	4.7mm	TDJ4.7G	7.9mm	TDJ7.9G	11.2mm	TDJ11.2G
1.7mm	TDJ1.7G	4.8mm	TDJ4.8G	8mm	TDJ8.0G	11.3mm	TDJ11.3G
1.8mm	TDJ1.8G	4.9mm	TDJ4.9G	8.1mm	TDJ8.1G	11.4mm	TDJ11.4G
1.9mm	TDJ1.9G	5mm	TDJ5.0G	8.2mm	TDJ8.2G	11.5mm	TDJ11.5G
2mm	TDJ2.0G	5.1mm	TDJ5.1G	8.3mm	TDJ8.3G	11.6mm	TDJ11.6G
2.1mm	TDJ2.1G	5.2mm	TDJ5.2G	8.4mm	TDJ8.4G	11.7mm	TDJ11.7G
2.2mm	TDJ2.2G	5.3mm	TDJ5.3G	8.5mm	TDJ8.5G	11.8mm	TDJ11.8G
2.25mm	TDJ2.25G	5.4mm	TDJ5.4G	8.6mm	TDJ8.6G	11.9mm	TDJ11.9G
2.3mm	TDJ2.3G	5.5mm	TDJ5.5G	8.7mm	TDJ8.7G	12mm	TDJ12.0G
2.4mm	TDJ2.4G	5.6mm	TDJ5.6G	8.8mm	TDJ8.8G	12.1mm	TDJ12.1G
2.5mm	TDJ2.5G	5.7mm	TDJ5.7G	8.9mm	TDJ8.9G	12.2mm	TDJ12.2G
2.6mm	TDJ2.6G	5.8mm	TDJ5.8G	9mm	TDJ9.0G	12.3mm	TDJ12.3G
2.7mm	TDJ2.7G	5.9mm	TDJ5.9G	9.1mm	TDJ9.1G	12.4mm	TDJ12.4G
2.75mm	TDJ2.75G	6mm	TDJ6.0G	9.2mm	TDJ9.2G	12.5mm	TDJ12.5G
2.8mm	TDJ2.8G	6.1mm	TDJ6.1G	9.3mm	TDJ9.3G	12.6mm	TDJ12.6G
2.9mm	TDJ2.9G	6.15mm	TDJ6.15G	9.4mm	TDJ9.4G	12.7mm	TDJ12.7G
3mm	TDJ3.0G	6.2mm	TDJ6.2G	9.5mm	TDJ9.5G	12.8mm	TDJ12.8G
3.1mm	TDJ3.1G	6.3mm	TDJ6.3G	9.6mm	TDJ9.6G	12.9mm	TDJ12.9G
3.2mm	TDJ3.2G	6.4mm	TDJ6.4G	9.7mm	TDJ9.7G	13mm	TDJ13.0G
						13.5mm	TDJ13.5G

ALPHA HEX SHANK	
Ø	GOLD
1.5mm	TDQ1.5
2mm	TDQ2.0
2.4mm	TDQ2.4
3mm	TDQ3.0
3.2mm	TDQ3.2
3.3mm	TDQ3.3
3.5mm	TDQ3.5
3.6mm	TDQ3.6
4mm	TDQ4.0
4.2mm	TDQ4.2
4.5mm	TDQ4.5
4.8mm	TDQ4.8
5mm	TDQ5.0
5.5mm	TDQ5.5
5.6mm	TDQ5.6
6mm	TDQ6.0
6.3mm	TDQ6.3
6.5mm	TDQ6.5

ALPHA DOUBLE END PANEL DRILL	
Ø	GOLD
No 11 - 4.85mm	TDDN11G
No 20 - 4.09mm	TDDN20G
No 30 - 3.26mm	TDDN30G

ALPHA STEP DRILL SPIRAL FLUTE	
Ø	GOLD
4-12mm	TD9STSF4-12S
4-20mm	TD9STSF4-20S
6-30mm	TD9STSF6-30S
6-36mm	TD9STSF6-36S





Ø x L	SHIPPER AUGER DRILL	Ø x L	SHIPPER AUGER DRILL
6mm x 200mm	TDWA6X200	22mm x 200mm	TDWA22X200
6mm x 450mm	TDWA6X450	22mm x 220mm	TDWA22X220
8mm x 200mm	TDWA8X200	22mm x 450mm	TDWA22X450
8mm x 450mm	TDWA8X450	22mm x 600mm	TDWA22X600
8mm x 600mm	TDWA8X600	24mm x 200mm	TDWA24X200
10mm x 200mm	TDWA10X200	24mm x 450mm	TDWA24X450
10mm x 250mm	TDWA10X250	24mm x 600mm	TDWA24X600
10mm x 450mm	TDWA10X450	25mm x 200mm	TDWA25X200
10mm x 600mm	TDWA10X600	25mm x 450mm	TDWA25X450
12mm x 200mm	TDWA12X200	25mm x 600mm	TDWA25X600
12mm x 450mm	TDWA12X450	26mm x 200mm	TDWA26X200
12mm x 600mm	TDWA12X600	26mm x 450mm	TDWA26X450
13mm x 290mm	TDWA13X290	26mm x 600mm	TDWA26X600
14mm x 200mm	TDWA14X200	28mm x 200mm	TDWA28X200
14mm x 460mm	TDWA14X460	28mm x 450mm	TDWA28X450
14mm x 600mm	TDWA14X600	28mm x 460mm	TDWA28X460
15mm x 200mm	TDWA15X200	28mm x 600mm	TDWA28X600
16mm x 450mm	TDWA16X450	30mm x 200mm	TDWA30X200
16mm x 600mm	TDWA16X600	30mm x 450mm	TDWA30X450
18mm x 200mm	TDWA18X200	30mm x 600mm	TDWA30X600
18mm x 450mm	TDWA18X450	32mm x 200mm	TDWA32X200
18mm x 600mm	TDWA18X600	32mm x 600mm	TDWA32X600
19mm x 200mm	TDWA19X200	34mm x 600mm	TDWA34X600
20mm x 200mm	TDWA20X200	35mm x 200mm	TDWA35X200
20mm x 450mm	TDWA20X450	36mm x 200mm	TDWA36X200
20mm x 600mm	TDWA20X600	36mm x 600mm	TDWA36X600
21mm x 210mm	TDWA21X210		

Ø	MULTI-PURPOSE	Ø	BI METAL	Ø	BI METAL
16mm	THSTCT16	14mm	THSV14	68mm	THSV68
20mm	THSTCT20	16mm	THSV16	70mm	THSV70
22mm	THSTCT22	17mm	THSV17	73mm	THSV73
25mm	THSTCT25	19mm	THSV19	75mm	THSV75
27mm	THSTCT27	20mm	THSV20	76mm	THSV76
30mm	THSTCT30	21mm	THSV21	79mm	THSV79
32mm	THSTCT32	22mm	THSV22	83mm	THSV83
35mm	THSTCT35	24mm	THSV24	86mm	THSV86
38mm	THSTCT38	25mm	THSV25	89mm	THSV89
40mm	THSTCT40	27mm	THSV27	92mm	THSV92
44mm	THSTCT44	29mm	THSV29	95mm	THSV95
45mm	THSTCT45	30mm	THSV30	98mm	THSV98
50mm	THSTCT50	32mm	THSV32	100mm	THSV100
51mm	THSTCT51	33mm	THSV33	102mm	THSV102
54mm	THSTCT54	35mm	THSV35	105mm	THSV105
55mm	THSTCT55	37mm	THSV37	108mm	THSV108
57mm	THSTCT57	38mm	THSV38	111mm	THSV111
60mm	THSTCT60	40mm	THSV40	114mm	THSV114
64mm	THSTCT64	41mm	THSV41	121mm	THSV121
67mm	THSTCT67	43mm	THSV43	127mm	THSV127
68mm	THSTCT68	44mm	THSV44	140mm	THSV140
70mm	THSTCT70	45mm	THSV45	146mm	THSV146
73mm	THSTCT73	46mm	THSV46	152mm	THSV152
76mm	THSTCT76	48mm	THSV48	160mm	THSV160
80mm	THSTCT80	52mm	THSV52	168mm	THSV168
82mm	THSTCT82	54mm	THSV54	177mm	THSV177
86mm	THSTCT86	55mm	THSV55	185mm	THSV185
89mm	THSTCT89	57mm	THSV57	200mm	THSV200
92mm	THSTCT92	59mm	THSV59	210mm	THSV210
102mm	THSTCT102	64mm	THSV64	250mm	THSV250
114mm	THSTCT114	67mm	THSV67		
125mm	THSTCT125				
140mm	THSTCT140				
152mm	THSTCT152				



DESCRIPTION	DART 9 PIECE HOLE SAW KIT
Cutting Depth: 38mm Diameter (mm): 19, 22, 29, 38, 44, 51, 57mm	THDPHK9

Come follow us!



Keep in touch with **News, Job opportunities and Product Features** by following FDG on LinkedIn.



SDS PLUS MASONRY DRILL BIT

Ø x L	MASONRY DRILL BIT	Ø x L	MASONRY DRILL BIT	Ø x L	MASONRY DRILL BIT
4mm x 110mm	TDMSP4X110	10mm x 110mm	TDMSP10X110	16mm x 160mm	TDMSP16X160
4mm x 160mm	TDMSP4X160	10mm x 160mm	TDMSP10X160	16mm x 210mm	TDMSP16X210
5mm x 110mm	TDMSP5X110	10mm x 210mm	TDMSP10X210	16mm x 260mm	TDMSP16X260
5mm x 160mm	TDMSP5X160	10mm x 260mm	TDMSP10X260	16mm x 310mm	TDMSP16X310
5mm x 210mm	TDMSP5X210	10mm x 310mm	TDMSP10X310	16mm x 450mm	TDMSP16X450
5.5mm x 110mm	TDMSP5.5X110	10mm x 350mm	TDMSP10X350	16mm x 600mm	TDMSP16X600
5.5mm x 160mm	TDMSP5.5X160	10mm x 450mm	TDMSP10X450	16mm x 800mm	TDMSP16X800
5.5mm x 210mm	TDMSP5.5X210	10mm x 600mm	TDMSP10X600	16mm x 1000mm	TDMSP16X1000
5.5mm x 310mm	TDMSP5.5X310	10mm x 1000mm	TDMSP10X1000	18mm x 200mm	TDMSP18X200
6mm x 110mm	TDMSP6X110	11mm x 260mm	TDMSP11X260	18mm x 300mm	TDMSP18X300
6mm x 160mm	TDMSP6X160	12mm x 160mm	TDMSP12X160	18mm x 450mm	TDMSP18X450
6mm x 210mm	TDMSP6X210	12mm x 210mm	TDMSP12X210	18mm x 600mm	TDMSP18X600
6mm x 310mm	TDMSP6X310	12mm x 260mm	TDMSP12X260	18mm x 1000mm	TDMSP18X1000
6mm x 460mm	TDMSP6X460	12mm x 310mm	TDMSP12X310	20mm x 200mm	TDMSP20X200
6.5mm x 110mm	TDMSP6.5X110	12mm x 360mm	TDMSP12X360	20mm x 300mm	TDMSP20X300
6.5mm x 160mm	TDMSP6.5X160	12mm x 450mm	TDMSP12X450	20mm x 450mm	TDMSP20X450
6.5mm x 210mm	TDMSP6.5X210	12mm x 600mm	TDMSP12X600	20mm x 600mm	TDMSP20X600
6.5mm x 260mm	TDMSP6.5X260	12mm x 1000mm	TDMSP12X1000	22mm x 250mm	TDMSP22X250
6.5mm x 310mm	TDMSP6.5X310	13mm x 160mm	TDMSP13X160	22mm x 450mm	TDMSP22X450
7mm x 160mm	TDMSP7X160	13mm x 210mm	TDMSP13X210	22mm x 600mm	TDMSP22X600
7mm x 250mm	TDMSP7X250	13mm x 310mm	TDMSP13X310	23mm x 450mm	TDMSP23X450
7mm x 450mm	TDMSP7X450	13mm x 450mm	TDMSP13X450	24mm x 250mm	TDMSP24X250
8mm x 110mm	TDMSP8X110	13mm x 600mm	TDMSP13X600	24mm x 450mm	TDMSP24X450
8mm x 160mm	TDMSP8X160	14mm x 260mm	TDMSP14X260	25mm x 250mm	TDMSP25X250
8mm x 210mm	TDMSP8X210	14mm x 310mm	TDMSP14X310	25mm x 450mm	TDMSP25X450
8mm x 260mm	TDMSP8X260	14mm x 450mm	TDMSP14X450	25mm x 600mm	TDMSP25X600
8mm x 310mm	TDMSP8X310	14mm x 600mm	TDMSP14X600	26mm x 250mm	TDMSP26X250
8mm x 460mm	TDMSP8X460	14 mm x 1000mm	TDMSP14X1000	26mm x 450mm	TDMSP26X450
8mm x 600mm	TDMSP8X600	15mm x 260mm	TDMSP15X260		
9mm x 210mm	TDMSP9X210	15mm x 450mm	TDMSP15X450		

SDS PLUS ZENTRO DRILL BIT

Ø x L	4 CUTTER	Ø x L	4 CUTTER
5mm x 110mm	TDMSPZ5X110	14mm x 260mm	TDMSPZ14X260
5mm x 160mm	TDMSPZ5X160	14mm x 450mm	TDMSPZ14X450
5.5mm x 110mm	TDMSPZ5.5X110	16mm x 260mm	TDMSPZ16X260
5.5mm x 160mm	TDMSPZ5.5X160	16mm x 450mm	TDMSPZ16X450
6mm x 110mm	TDMSPZ6x110	18mm x 250mm	TDMSPZ18X250
6mm x 160mm	TDMSPZ6X160	18mm x 450mm	TDMSPZ18X450
6mm x 210mm	TDMSPZ6X210	20mm x 250mm	TDMSPZ20X250
6.5mm x 110mm	TDMSPZ6.5X110	20mm x 450mm	TDMSPZ20X450
6.5mm x 160mm	TDMSPZ6.5X160	22mm x 250mm	TDMSPZ22X250
6.5mm x 210mm	TDMSPZ6.5X210	22mm x 450mm	TDMSPZ22X450
8mm x 160mm	TDMSPZ8X160	24mm x 250mm	TDMSPZ24X250
8mm x 210mm	TDMSPZ8X210	24mm x 450mm	TDMSPZ24X450
10mm x 160mm	TDMSPZ10X160	25mm x 250mm	TDMSPZ25X250
10mm x 210mm	TDMSPZ10X210	25mm x 450mm	TDMSPZ25X450
10mm x 260mm	TDMSPZ10X260	28mm x 250mm	TDMSPZ28X250
12mm x 160mm	TDMSPZ12X160	28mm x 450mm	TDMSPZ28X450
12mm x 210mm	TDMSPZ12X210	30mm x 250mm	TDMSPZ30X250
12mm x 260mm	TDMSPZ12X260	30mm x 450mm	TDMSPZ30X450
12mm x 310mm	TDMSPZ12X310	32mm x 450mm	TDMSPZ32X450
12mm x 450mm	TDMSPZ12X450		



SDS MAX MASONRY DRILL BIT			
Ø x L	4 CUTTER	Ø x L	4 CUTTER
12mm x 340mm	TDMSPM12X340	25mm x 920mm	TDMSPM25X920
12mm x 540mm	TDMSPM12X540	26mm x 300mm	TDMSPM26X300
14mm x 340mm	TDMSPM14X340	26mm x 520mm	TDMSPM26X520
14mm x 540mm	TDMSPM14X540	28mm x 370mm	TDMSPM28X370
14mm x 920mm	TDMSPM14X920	28mm x 570mm	TDMSPM28X570
15mm x 340mm	TDMSPM15X340	28mm x 920mm	TDMSPM28X920
15mm x 540mm	TDMSPM15X540	30mm x 370mm	TDMSPM30X370
16mm x 340mm	TDMSPM16X340	30mm x 570mm	TDMSPM30X570
16mm x 540mm	TDMSPM16X540	32mm x 370mm	TDMSPM32X370
16mm x 920mm	TDMSPM16X920	32mm x 570mm	TDMSPM32X570
18mm x 340mm	TDMSPM18X340	32mm x 920mm	TDMSPM32X920
18mm x 540mm	TDMSPM18X540	35mm x 570mm	TDMSPM35X570
18mm x 920mm	TDMSPM18X920	35mm x 920mm	TDMSPM35X920
20mm x 320mm	TDMSPM20X320	37mm x 570mm	TDMSPM37X570
20mm x 520mm	TDMSPM20X520	38mm x 370mm	TDMSPM38X370
20mm x 920mm	TDMSPM20X920	38mm x 570mm	TDMSPM38X570
22mm x 320mm	TDMSPM22X320	40mm x 370mm	TDMSPM40X370
22mm x 520mm	TDMSPM22X520	40mm x 570mm	TDMSPM40X570
22mm x 920mm	TDMSPM22X920	40mm x 920mm	TDMSPM40X920
24mm x 320mm	TDMSPM24X320	45mm x 570mm	TDMSPM45X570
24mm x 520mm	TDMSPM24X520	50mm x 570mm	TDMSPM50X570
25mm x 320mm	TDMSPM25X320	52mm x 570mm	TDMSPM52X570
25mm x 520mm	TDMSPM25X520		

DRIVERS S SERIES		
#	LENGTH	SQUARE
0	50mm	TDBSQ050S
0	89mm	TDBSQ089S
1	25mm	TDBSQ125S
1	50mm	TDBSQ150S
1	75mm	TDBSQ175S
1	90mm	TDBSQ190S
1	100mm	TDBSQ1100S
1	150mm	TDBSQ1150S
2	25mm	TDBSQ225S
2	50mm	TDBSQ250S
2	75mm	TDBSQ275S
2	90mm	TDBSQ290S
2	100mm	TDBSQ2100S
2	132mm	TDBSQ2132S
2	150mm	TDBSQ2150S
3	25mm	TDBSQ325S
3	50mm	TDBSQ350S
3	75mm	TDBSQ375S
3	100mm	TDBSQ3100S
3	150mm	TDBSQ3150S

DRIVERS S SERIES		
#	LENGTH	POZI
1	25mm	TDBPZ125S
1	50mm	TDBPZ150S
1	75mm	TDBPZ175S
1	150mm	TDBPZ1150S
2	25mm	TDBPZ225S
2	50mm	TDBPZ250S
2	75mm	TDBPZ275S
2	89mm	TDBPZ289S
2	120mm	TDBPZ2120S
2	150mm	TDBPZ2150S
3	25mm	TDBPZ325S
3	50mm	TDBPZ350S
3	75mm	TDBPZ375S
3	89mm	TDBPZ389S

DRIVERS S SERIES		
#	LENGTH	PHILLIPS
0	75mm	TDBPH075S
1	25mm	TDBPH125S
1	50mm	TDBPH150S
1	75mm	TDBPH175S
1	92mm	TDBPH192S
1	100mm	TDBPH1100S
1	150mm	TDBPH1150S
2	25mm	TDBPH225S
2	50mm	TDBPH250S
2	65mm	TDBPH265S
2	75mm	TDBPH275S
2	92mm	TDBPH292S
2	100mm	TDBPH2100S
2	150mm	TDBPH2150S
2	200mm	TDBPH2200S
2	250mm	TDBPH2250S
3	25mm	TDBSQ325S
3	50mm	TDBPH350S
3	75mm	TDBPH375S
3	100mm	TDBPH3100S
3	150mm	TDBPH3150S

DRIVERS S SERIES					
#	LENGTH	SLOT	#	LENGTH	TORX
3	50mm	TDBSL350S	20	50mm	TDBT 2050S
5	50mm	TDBSL550S	20	75mm	TDBT 2075S
5	75mm	TDBSL575S	25	50mm	TDBT 2550S
6	50mm	TDBSL650S	25	75mm	TDBT 2575S
8	50mm	TDBSL850S	30	50mm	TDBT 3050S
			30	75mm	TDBT 3075S
			30	100mm	TDBT 30100S

CUTTING TIPS GUIDE ON MASONRY DRILLS

SDS PLUS & OTHER MASONRY DRILLS

ZENTRO & MAX DRILLS

FDG

DRIVERS THUNDERZONE

#	LENGTH	SQUARE	#	LENGTH	PHILLIPS	#	LENGTH	POZI
1	50mm	TDBSQ150SS	1	25mm	TDBCPH125SS	1	50mm	TDBPH150SS
2	25mm	TDBSQ225SS	1	50mm	TDBCPH150SS	2	25mm	TDBPH225SS
2	50mm	TDBSQ250SS	2	25mm	TDBCPH225SS	2	50mm	TDBPH250SS
2	75mm	TDBSQ275SS	2	50mm	TDBCPH250SS	2	75mm	TDBPH275SS
2	90mm	TDBSQ290SS	2	100mm	TDBCPH2100SS	2	100mm	TDBPH2100SS
2	100mm	TDBSQ2100SS	2	150mm	TDBCPH2150SS	2	150mm	TDBPH2150SS
2	150mm	TDBSQ2150SS	3	50mm	TDBCPH350SS			

DOUBLE ENDED BIT

#	LENGTH	PHILLIPS	#	LENGTH	POZI	#	LENGTH	PHILLIPS + SLOT
1	45mm	TDBPH145D	1	65mm	TDBPZ165D	1	65mm	TDBPH1SL445D
1	75mm	TDBPH175D	2	45mm	TDBPZ245D	2	45mm	TDBPH2SL645D
2	45mm	TDBPH245D	2	65mm	TDBPZ265D	2	65mm	TDBPH2SL665D
2	65mm	TDBPH265D	2	75mm	TDBPZ275D	2	75mm	TDBPH2SL860D
2	75mm	TDBPH275D						
2	100mm	TDBPH2100D						
2	150mm	TDBPH2150D						
2	300mm	TDBPH2300D						
2	400mm	TDBPH2400D						

DOUBLE ENDED BIT

#	LENGTH	PHILLIPS + SQUARE	#	LENGTH	POZI + SLOT
2	50mm	TDBPH2SQ250D	2	50mm	TDBPZ2SQ250D
2	89mm	TDBPH2SQ289D	2	89mm	TDBPZ2SQ289D

MAGNETIC BIT HOLDER

DRIVER	LENGTH	MAGNETIC BIT HOLDER	DRIVER	LENGTH	MAG BIT HOLDER SS
1/4"	54mm	TDBMBHC54	1/4"	54mm	TDBMBHCS54
1/4"	75mm	TDBMBHC75	1/4"	75mm	TDBMBHCS75
1/4"	150mm	TDBMBHC150			
1/4"	300mm	TDBMBHC300			

MAGNETIC NUTSETTER

HEX SIZE	LENGTH	METRIC	HEX SIZE	LENGTH	IMPERIAL
7mm	65mm	TBDNS765A	1/4"	42mm	TBDNS1442A
8mm	65mm	TBDNS865A	1/4"	65mm	TBDNS1465A
10mm	65mm	TBDNS1065A	1/4"	100mm	TBDNS14100A
12mm	55mm	TBDNS1255A	5/16"	42mm	TBDNS1642A
13mm	55mm	TBDNS1355A	5/16"	65mm	TBDNS51665A
			5/16"	100mm	TBDNS16100A
			5/16"	150mm	TBDNS16150A
			5/16"	200mm	TBDNS516200A
			5/16"	300mm	TBDNS516300A
			3/8"	42mm	TBDNS3842A
			3/8"	65mm	TBDNS3865A
			3/8"	150mm	TBDNS38150A
			7/16"	65mm	TBDNS71665A
			9/16"	65mm	TBDNS91665A

HEX BITS

HEX SIZE	LENGTH	HEX DRIVER	HEX SIZE	LENGTH	MAX DRIVE TORSION
2.5mm	25mm	TDBHEX2525S	4mm	50mm	TDHEX450ST
2.5mm	50mm	TDBHEX2550S	5mm	30mm	TDHEX530ST
3mm	30mm	TDBHEX330S	5mm	50mm	TDHEX550ST
3mm	50mm	TDBHEX350S	6mm	50mm	TDHEX650ST
4mm	30mm	TDBHEX430S			
4mm	50mm	TDBHEX450S			
5mm	30mm	TDBHEX530S			
5mm	50mm	TDBHEX550S			
5mm	75mm	TDBHEX575S			
5mm	100mm	TDBHEX5100S			
5mm	150mm	TDBHEX5150S			
6mm	32mm	TDBHEX632S			
6mm	60mm	TDBHEX660S			
8mm	32mm	TDBHEX832S			
10mm	32mm	TDBHEX1032S			

CRC Coloured Zinc's unique formulation combines superior rust inhibiting properties of zinc with a tough but flexible enamel coating. The coloured satin finish comes in recognised safety colours which resists undercutting and blistering from corrosion by forming an effective corrosion barrier. MPI Approved C23.

CRC BLACK ZINC AEROSOL

CODE	SIZE	PACK QTY
048000056	400ml	6

Recommended as a top coat for added corrosion control, on fabricated metals, engine parts, starter motors, radiators and much more. Coloured zincs are quick drying, primer less topcoats, reinforced with zinc complex.



CRC CLEAR ZINC AEROSOL

CODE	SIZE	PACK QTY
048000614	400ml	6

CRC Clear Zinc's advanced protective coating technology protects surfaces from chemical, environmental and ultraviolet damage preventing rust, oxidation, corrosion, staining, and fading, for up to 27 months. CRC Clear Zinc is an easy to use, long lasting, high performance protective clear coating that can be applied to almost any surface.



CRC ZINC IT AEROSOL

CODE	SIZE	PACK QTY
048000497	350g	6

Easy to apply, CRC ZINC IT is a single component zinc rich compound with a special epoxy binder and contains 93% of the highest purity zinc in the dried film, to give galvanic rust prevention. This galvanic rust protection offers the same advantages as hot-dip galvanizing.



CRC BRIGHT ZINC AEROSOL

CODE	SIZE	PACK QTY
048000070	400ml	6

Quick dry coating that combines rust inhibiting properties of Zinc with a flexible enamel coating. CRC Bright Zinc provides a gloss top-coat finish but unlike standard paint systems, resists undercutting and blistering from corrosion. It is ideal for touch-up and repair of damaged galvanised surfaces and effective long-term rust protection with the bright look of a newly galvanised surface.



CRC SILICONE AEROSOL 808

CODE	SIZE	PACK QTY
048000018	500mls	6

CRC 808 Silicone is a multi-purpose silicone spray for general lubrication. It leaves a thin, clear, odourless film that lubricates, waterproofs and revives without damaging treated surfaces or leaving stains. CRC 808 Silicone eliminates squeaking and binding caused by friction and is ideal for use on metals, plastics, rubber, fabrics, wood, glass, and painted surfaces.



CRC CDT CUTTING OIL AEROSOL

CODE	SIZE	PACK QTY
048000085	400ml	6

CRC CDT Cutting compounds are superior neat cutting, drilling tapping, and reaming lubricants, formulated for hand and machine cutting on all types of metal. They significantly reduce friction and wear, increase cutting speeds, protect and extend tool life, and ensure consistent, high quality surface finish. Recommended for metal cutting operations, drilling, tapping, reaming and general workshop applications.



CRC Industrial Food Grade products have been developed to conform with the highest standards of relevant food authorities, including MPI, NZ AsureQuality and NSF International. CRC Industries follows strict guidelines in all areas of research, development and production, making CRC Food Grade range The Professional's Choice.

CRC SILICONE AEROSOL 5.56

CODE	SIZE	PACK QTY
04800005	550mls	6



CRC 5.56 forms a thin film that lubricates moving parts for smooth action and silences annoying squeaks and squeals. Superior penetrating power breaks through rust and corrosion, loosens rusted parts, displaces water from wet equipment and cleans away scale and dirt. It protects metals from corrosion caused by humidity, salt air and other corrosive atmospheres.

CRC AEROSOL BRAKLEEN

CODE	SIZE	PACK QTY
04800062	600gm	6



CRC Brakleen Brake and Parts Cleaner formulated to quickly and safely remove brake fluid, grease, oil and other contaminant from brake linings, pads, drums and callipers. Recommended for the cleaning and effective removal of grease and oil from mechanical brake linings, drums, brake shoes, disc brake pads, discs, wedge brakes, springs, callipers, clutches, clutch discs, chains, wire ropes, dies, moulds, parts and bearings.

CRC PAINT MARKER PEN

CODE	COLOUR	PACK QTY
048000358	BLACK	6
048000359	BLUE	6
048000360	GOLD	6
048000361	GREEN	6
048000362	ORANGE	6
048000363	RED	6
048000364	SILVER	6
048000365	WHITE	6
048000366	YELLOW	6



CRC Paint Marker Pen uses solvent based paint formula for durable marking on multiple surfaces in all weather conditions. It shows excellent coverage and is an ideal product for every toolbox. Fast drying and can be used on Wood, metal, concrete, stone, bricks, rubber, glass, textile, paper, enamel, plastic, cardboard, some tiles, etc.

CRC COMPLETE RANGE AVAILABLE



The Maxabrase range of cutting and grinding discs are made to perform when cutting and grinding mild-steel and stainless steel. Tested under European testing criteria and manufactured to meet EN 12413 Standards you can have confidence when using Maxabrase discs for your next job. Long lasting, with a fibreglass backing, these are a must have for your tool kit.

GOLD SERIES CUTTING DISCS

CODE	SIZE	MAX RPM	PACK QTY
036503065	75 x 1.0mm	20,370	25
036503064	100 x 1.0mm	15,300	25
036503063	115 x 1.0mm	13,300	25
036503062	115 x 1.6mm	13,300	25
036503061	125 x 1.0mm	12,250	25
036503060	125 x 1.6mm	12,250	25
036503086	125 x 2.5mm	12,250	25
036503058	180 x 1.6mm	8,500	25
036503057	180 x 2.5mm	8,500	25
036503056	230 x 1.9mm	6,650	25



- High quality Stainless steel grade cutting discs.
- Lower machine load extends tool life.
- Narrow cutting joints.
- Stainless steel and general metal cutting.
- Xtra Life, Xtra Balance, OSA Approved.



SILVER SERIES CUTTING DISCS

CODE	SIZE	MAX RPM	PACK QTY
036503055	100 x 1.0mm	15,300	50
036503054	100 x 2.4mm	15,300	50
036503053	115 x 1.0mm	13,300	50
036503050	125 x 1.0mm	12,250	50
036503048	125 x 1.6mm	12,250	50
036503059	125 x 2.5mm	12,250	50
036503092	180 x 2.0mm	8,500	25
036503045	230 x 2.0mm	6,650	25
036503044	230 x 2.4mm	6,650	25
036503043	300 x 4.0mm	6,400	10
036503042	355 x 2.8mm	4,350	10
036503041	400 x 4.0mm	4,800	5



- Excellent quality Stainless Steel grade cutting disc.
- MPA tested in Hanover Germany.
- Manufactured to EN12413 Standards.
- Well balanced discs.

SILVER SERIES GRINDING DISCS

CODE	SIZE	MAX RPM	PACK QTY
036503093	100 x 6.0mm	15,300	10
036502947	115 x 6.0mm	13,300	10
036502946	125 x 6.0mm	12,250	10
036502945	180 x 6.0mm	8,500	10
036503094	230 x 6.0mm	6,650	10

- High Quality industrial grade grinding discs.
- MPA Tested in Hannover Germany.
- Manufactured to EN12413 Standards.
- Depressed centre, suitable for all general purpose grinding.
- Well balanced and long lasting.



SILVER SERIES FLAP DISCS

CODE	SIZE	GRIT	MAX RPM	PACK QTY
036503018	100mm	Z40	15,300	10
036503017	100mm	Z60	15,300	10
036503016	100mm	Z80	15,300	10
036503019	100mm	Z120	15,300	10
036503014	115mm	Z40	13,300	10
036503013	115mm	Z60	13,300	10
036503012	115mm	Z80	13,300	10
036503015	115mm	Z120	13,300	10
036503010	125mm	Z40	12,250	10
036503009	125mm	Z60	12,250	10
036503008	125mm	Z80	12,250	10
036503011	125mm	Z120	12,250	10
036503006	178mm	Z40	8,500	10
036503005	178mm	Z60	8,500	10
036503004	178mm	Z80	8,500	10
036503007	178mm	Z120	8,500	10

- The ultimate performer on mild steel and stainless steel.
- Up to 15% more abrasive than other brands.
- Type 29 (15%) style with built-in grinding angle.
- Strong fibreglass backing wears as disc is consumed.





BOSTIK MS SAFE CLEAR PAINTABLE

CODE	COLOUR	SIZE	PACK QTY
048200008	BLACK	300ml Cartridge	12
048200009	WHITE	300ml Cartridge	12
048200010	GREY	300ml Cartridge	12
048200014	BLACK	600ml Sausage	12
048200015	WHITE	600ml Sausage	12
048200016	GREY	600ml Sausage	12



Bostik MS Safe Seal is a multipurpose odour free, isocyanate free & solvent free sealant for construction & building. Safe Seal is fully paintable according to DIN 52452, PT4.

Recommended Uses:

- Sealing expansion joints
- Sealing in general construction
- Sealing most building materials

SABRE DUCT SEAL

CODE	COLOUR	SIZE	PACK QTY
02001589	Grey	300ml	20

Sabre Duct Seal is a solvent-free, water-based adhesive and sealant. It is designed specifically for sealing high-velocity sheet metal ductwork in ventilation and heating systems.

Recommended Uses:

- High-velocity ducting
- Ventilation grills/jointing
- General HVAC ducting
- Roofing joints



BOSTIK FR DUCT SEALER FAST DRY GREY

CODE	COLOUR	SIZE	PACK QTY
CSBADS-FC-317G	GREY	375ml Cartridge	20



Bostik FR Duct sealer is a non-slump, fast drying adhesive/sealer. Once fully dried FR Duct Sealer remains fully flexible performing over a wide temperature range on both internal and external surfaces.

Key Features:

- Good adhesion to wide range of substrates
- Fast drying
- Non slump
- Flexible
- Paintable

SABRE NEUTRAL CLEAR SILICONE

CODE	COLOUR	SIZE	PACK QTY
CSNScart	Clear	300ml	20

Sabre Neutral Clear Silicone sealant adheres to a wide range of porous and non-porous surfaces without the need for priming. It is suitable for use in weather sealing and glazing applications on most common construction substrates and has high UV and weathering resistance.

Recommended Uses:

- Roofing and plumbing seals
- Soft metals
- General glazing sealing
- Window frames
- Waterproofing
- Glass and aluminium
- Precast formwork
- Plastic trims and components
- Pool fittings





AUTHORISED DISTRIBUTOR OF MILWAUKEE

