



TOOLS & ACCESSORIES

***KEEPING BUSINESS'S
MOVING & MAKING***

 www.fdg.nz.com
 sales@fdg.nz.com
 0800 555 464



8

PIECE
PACK



M18 FUEL™ 8 PIECE POWER PACK 8A2	
CODE	DESCRIPTION
M-M18FPP8A2-503B	This 8 piece Power Packs caters for a wide array of applications including drilling, cutting, shaping, sanding, grinding, and more. Best in class POWERSTATE Brushless Motor, REDLITHIUM™ battery technology and exclusive REDLINK™ Intelligence are all included in this pack. Heavy duty, professional power tools, ideal for construction, mechanics, engineers, farmers or anyone wanting quality brushless power tools. All Power Packs include of a set of tools, battery pack and charger.

M18 FUEL™ 1/4" HEX
IMPACT DRIVER (TOOL
ONLY)

M-M18FID2-0



M18™ LED WORK LIGHT
(TOOL ONLY)

M-M18TLED-0



M18 FUEL™ 125MM
(5") ANGLE GRINDER
(TOOL ONLY)

M-M18CAG125XPD-0



M18 FUEL™ 13MM
HAMMER DRILL/DRIV-
ER (TOOL ONLY)

M-M18FID2-0



M18™ 5.0AH
REDLITHIUM™-ION
EXTENDED CAPACITY
BATTERY

M-M18B5



* 3 units



M18™ & M12™ RAPID
CHARGER

M-M12-18FC



M18 FUEL™ SAWZALL™
RECIPROCATING SAW (TOOL ONLY)

M-M18CSX-0



M18 FUEL™ 26MM SDS
PLUS ROTARY HAMMER
(TOOL ONLY)

M-M18CH-0



M18 FUEL™ 165MM
CIRCULAR SAW
(TOOL ONLY)

M-M18CCS55-0



6
PIECE
PACK



M18 FUEL™ 6 PIECE POWER PACK 6A2	
CODE	DESCRIPTION
M-M18FPP6A2-502B	This 6 piece Power Packs caters for a wide array of applications including drilling, cutting, shaping, sanding, grinding, and more. Best in class POWERSTATE Brushless Motor, REDLITHIUM™ battery technology and exclusive REDLINK™ Intelligence are all included in this pack. Power tools for the professional trade, ideal for mechanics, engineers, farmers or anyone wanting quality brushless power tools. All Power Packs include of a set of tools, battery pack and charger.





**M18™ BRUSHLESS 2 PIECE
POWER PACK 2A2**
M-M18BLPP2A2-402C



- Provide Maximum Durability
- Discharge Protection
- Sequential Charging
- REDLINK™ Intelligence
- REDLITHIUM™-ION Battery
- Temperature Management System



- M12™ Rapid Charger
- Lasts longer, with Maximum
- REDLINK PLUS Electronic Intelligence
- Delivers 300Nm of Torque
- POWERSTATE Brushless Motor



**M18 FUEL™ 1/2" IMPACT
WRENCH W/ FRICTION RING KIT**
M-M18FIWF12-502C



**M18 FUEL™ 13MM HAMMER DRILL/
DRIVER W/ ONE-KEY™ (TOOL ONLY)**
M-M18ONEPD2-0



- Easily Toggle
- ONE-KEY™ Compatible
- Anti-Kickback Technology
- REDLITHIUM™-ION Batteries
- POWERSTATE™ Brushless Motor
- REDLINK™ PLUS Intelligence



- Fuel Gauge on Board
- Best in Class Construction
- REDLINK™ Intelligence
- Easily Toggle
- ONE-KEY™ Compatible
- All Weather Performance



**M18 FUEL™ W/ ONE-KEY™ HIGH
TORQUE 3/4" IMPACT WRENCH WITH
FRICTION RING**
M-M18ONEFHIWF34-502C



**M18™ BRUSHLESS 1/4" HEX
IMPACT DRIVER (TOOL ONLY)**
M-M18BLID2-0



- Compact Design
- Optimised for Efficiency
- (Not included) Battery and Charger
- REDLINK™ Intelligence
- REDLITHIUM™-ION Battery



- M18™ REDLITHIUM™-ION
- Powerful 2034Nm Torque
- Friction Ring with Thru-hole Design
- LED Light
- ONE-KEY™Technology
- Battery and Charger (Not included)



**M18 FUEL™ ONE-KEY™ HIGH TORQUE
IMPACT WRENCH 3/4" W/ FRICTION
RING (TOOL ONLY)**
M-M18ONEFHIWF34-0



**M18 FUEL™ 1" HIGH TORQUE
IMPACT WRENCH W/ ONE-KEY™**
M-M18ONEFHIWF1-0



- Greater Portability
- ONE-KEY™ Compatible
- LED Light Safer Use & Easier Storage
- POWERSTATE™ Brushless Motor
- REDLINK™ PLUS Intelligence



- Delivers Faster than Corded Speed
- REDLINK PLUS Intelligence Preventing Overloading
- REDLITHIUM-ION 5.0Ah Battery Packs



**M18 FUEL™ 28MM SDS PLUS
ROTARY HAMMER KIT**
M-M18CHP-502C



**M12 FUEL™ 3/8" DIGITAL TORQUE
WRENCH W/ ONE-KEY™**
M-2465-20



- LCD Screen
- 50% Faster Installation
- M12 Battery Compatible
- LED Light Torque Indicator
- ONE-KEY™ Enabled
- Vibratory Torque Indicator




- Low Vibration Value of 10.3m/s²
- (Not included) Battery and Charger
- REDLINK™ PLUS Intelligence
- Integrated LED Light
- Side Handle



**M18™ 16MM SDS PLUS
ROTARY HAMMER (TOOL ONLY)**
M-M18BH-0



**M18 FUEL™ 26MM SDS PLUS
ROTARY HAMMER KIT**
M-M18CH-502C



- 26mm SDS Plus Rotary Hammer, Faster than Corded Speed
- MILWAUKEE POWERSTATE Brushless Motor
- REDLINK™ Intelligence with Over Load Protection



- 3-Mode: Rotary Hammer
- Mechanical Clutch Protects Tool
- Anti-vibration System
- M18™ REDLITHIUM™-ION battery
- Battery and Charger (Not included)



**M18™ 22MM SDS PLUS ROTARY
HAMMER (TOOL ONLY)**
M-HD18H-0



**M18 FUEL™ 125MM (5")
ANGLE GRINDER KIT**
M-M18CAG125XPD-502C



- FIXTEC™ System
- Anti-Vibration Side Handle
- Cordless Power Tool Electronics
- 2x REDLITHIUM-ION 5.0Ah Battery Pack Motor
- POWERSTATE Brushless Motor



- 135mm (5-3/8") 30T Ferrous Metal Circular Saw Blade
- MILWAUKEE™ POWERSTATE™ Brushless Motor
- Overload Protection and Electronic Clutch



M18 FUEL™ METAL CUTTING CIRCULAR SAW (TOOL ONLY)
M-M18FMCS-0



**M18 FUEL™ 125MM (5") RAPID
STOP™ ANGLE GRINDER WITH DEAD
MAN PADDLE SWITCH**
M-M18FSAG125XPDB-0



- RAPID STOP™ Brake
- Dead Man Paddle Switch
- Delivers up to 9000 RPM
- Anti-vibration Side Handle
- POWERSTATE Brushless Motor
- Protection from Overload, Overheating



- Convenient Carrying Case
- M18 FUEL™ Deep Cut Band Saw (Tool Only)
- M18™ 5.0AH REDLITHIUM™-ION Extendend Capacity Battery



**M18 FUEL™ DEEP CUT
BAND SAW KIT**
M-M18CBS125-502C



**M18 FUEL™ 1/4" DIE
GRINDER (TOOL ONLY)**
M-M18FDG-0



- Longer Battery Life
- Electronic Clutch
- MILWAUKEE™ POWERSTATE
- REDLITHIUM-ION 5.0Ah Battery™ Brushless Motor
- Up to 10X Longer Motor Life



- Allows Efficient Repeated Cuts
- Reverse Button for Unintended Cuts
- Battery and Charger (Not included)
- Cutting Die Set (2 dies)
- Burr-free Cuts Ready for Threading



**M18™ BRUSHLESS THREADED
ROD CUTTER (TOOL ONLY)**
M-M18BLTRC-0X



M18™ 5.0AH REDLITHIUM™-ION EXTENDED CAPACITY BATTERY
M-M18B5



- Powers More Than 150 Milwaukee® M18™ Cordless Power Tools
- Redlink™ Intelligence Ensures Extend Life
- Fuel Gauge Onboard: Displays Remaining Run-time



- Charges Batteries Up to 40% Faster
- Monitors Cell Voltage, Temp & Charge Status
- Charges all M12™ and M18™ Batteries



M18™ & M12™ RAPID CHARGER
M-M12-18FC



M18™ REDLITHIUM™-ION HIGH OUTPUT 6.0AH BATTERY PACK
M-M18HB6



- Great Solution for the Entire Range of M18 Products than 9.0ah
- Provides 50% More Power than 9.0Ah
- Charger (Not included)



- Reduce Downtime, Increase Productivity
- Charges Up To Six Batteries Sequentially
- Battery (Not included)



M18™ SIX PACK SEQUENTIAL CHARGER
M-M1418C6



M18™ REDLITHIUM™-ION HIGH OUTPUT 12.0AH BATTERY PACK
M-M18HB12



- High Output Battery
- Fuel Gauge Onboard
- Charger (Not included)
- Weighs Only 1.6kg
- Redlink™ Intelligence: Provides Optimised Performance



- M18™ Cordless 310ml Caulk and Adhesive Gun (Tool Only)
- M12™ 2.0ah Redlithium™-ion Compact Battery Pack
- M18™ & M12™ Rapid Charger



M18™ CORDLESS 600ML SAUSAGE STYLE CAULK AND ADHESIVE GUN KIT
M-C18PCG600A-201B



M18 FUEL™ PIPE THREADER
W/ ONE-KEY™

M-2874-20



- Featuring a Multi-speed Selector
- Cordless Pipe Threader Features Autostop™
- Cordless Pipe Threader Features Autostop™
- Die Head Lock Preventing Die Head Ejection



- Compact HAMMERVAC & Rotary Hammer Combination
- HEPA Filters 99.97% of All Particles > than 0.3 µm
- Battery and Charger (Not included)



M18™ HAMMERVAC™
DEDICATED DUST
EXTRACTOR (TOOL ONLY)

M-M18CDEX-0



M12™ RIVET TOOL (TOOL ONLY)

M-M12BPRT-0



- 907kgs Pulling Force
- Tool Holds Rivet
- 40mm Nose Length
- Ergonomically Design
- Tool Holds Rivet in Any Orientation
- 20mm Stroke Length



- Universal Inflator/Deflator Attachment
- Lock-on Switch Reduces User Fatigue
- Battery and Charger (Not included)



M18™ CORDLESS COMPACT
BLOWER (TOOL ONLY)

M-M18BBL-0



M18™ LED STAND LIGHT
(TOOL ONLY)

M-M18SAL-0



- Sets up in 10 seconds, 2.2m max. Extension
- (Not included) Battery and Charger
- Impact Resistant, Reinforced Legs



- Stream Music on Bluetooth from Over 30m
- IP54 water, dust protected & impact resistant
- Compatible with the M18™ and M12™ Batteries



M18™/M12™ WIRELESS
JOBSITE SPEAKER (TOOL ONLY)

M-M12-18JSSP-0



**EUROBOOR ECO.30 MAGNETIC
BASE DRILL > 30MM**
ECO.30



Our compact Euroboor ECO.40/2 is the perfect magnetic core drilling machine for twist drills up to 13 mm (1/2"). This magnetic core drilling machine has a powerful 1050 W (9.5 A) motor, integrated slide and two-speed gearbox. This portable drilling machine also benefits from integrated tool cooling and lubrication to make your drilling process more efficient.



Due to its compact size the ECO.30 is the ideal machine to drill holes in small spaces. The ECO.30 measures barely 27.5cm long and weighs only 8.5kg. With its 900W power the ECO.30 cuts holes between 12-30mm easily and quickly.



**EUROBOOR MAGNETIC BASE
DRILL - 2 SPEED 40MM**
ECO.40/2



**EUROBOOR MAGNETIC BASE
DRILL > 32MM**
ECO.32



The Euroboor ECO.50S magnetic core drilling machine converts maximum power through its two speed oil lubricated gearbox. This improves motor efficiency and lifetime of key components. This portable industrial magnetic core drilling machine has an integrated slide which ensures stable support, faster drilling times and more accurate hole sizing.



The ECO.32 has been the best-selling magnetic drilling machine in the recent years. The sufficient basic model has been provided with an eager single speed 1000 W motor. At no more than 12 kg the ECO.32 is the lightest and most compact magnetic drilling machine in the ECO series.



**EUROBOOR MAGNETIC BASE
DRILL - 2 SPEED 50MM**
ECO.50S



**EUROBOOR ECO.36 LOW
PROFILE MAG DRILL
ECO.36**

The Euroboor ECO.36 magnetic core drilling machine is the lowest drilling machine in the market, measuring only 165 mm in height. This magnetic core drilling machine is perfect for drilling in spaces with limited heights such as H-beams, steel structures, plates, profiles, etc. The portable ECO.36 is equipped with a powerful magnet, user friendly Quick Connect cutter fitment system, and easy release / lock feed handle for both left and right operation.



Thanks to its four-speed gearbox our portable Euroboor ECO.80/4 magnetic core drilling machine is able to tackle twist drilling tasks just as easily as big diameter annular cutter challenges. This magnetic core drilling machine has a Morse Taper 3 spindle with integrated tool cooling and lubrication for the best drilling performance.



**EUROBOOR MAGNETIC
DRILL - 4 SPEED 80MM
ECO.80/4**



**EUROBOOR MAGNETIC
DRILL - VARIABLE SPEED 50MM
ECO.50T**



Our ECO.50-T magnetic core drilling machine is suitable for both drilling and tapping. The Euroboor ECO.50-T with Morse Taper 2 spindle is the ideal magnetic drilling machine for maximum power without sacrificing mobility. This drilling machine has a right/left rotating functionality and electronic speed adjustment.



The Euroboor TUBE.30 with patented shallow-field magnetic technology, is suitable for both flat and pipe material and offers incredibly strong grip, even on steel as thin as 3mm. This magnetic core drilling machine automatically pivots to conform to any pipe of 75mm diameter or larger. The magnet does not require electricity, so all the power goes to the motor. This offers increased safety as the drilling machine will not release from the target material in the event of an unintentional power loss.



**EUROBOOR MAGNETIC BASE
TUBE DRILL - 30MM
ECO-TUBE.30**



ANNULAR CUTTER			
Ø	ANNULAR CUTTER	Ø	ANNULAR CUTTER
12Ø x 30mm	TDA12X30E	26Ø x 55mm	TDA26X55E
12Ø x 55mm	TDA12X55E	27Ø x 30mm	TDA27X30E
13Ø x 30mm	TDA13X30E	27Ø x 55mm	TDA27X55E
13Ø x 55mm	TDA13X55E	28Ø x 30mm	TDA28X30E
14Ø x 30mm	TDA14X30E	28Ø x 55mm	TDA28X55E
14Ø x 55mm	TDA14X55E	28Ø x 100mm	TDA28X100E
15Ø x 30mm	TDA15X30E	29Ø x 30mm	TDA29X30E
15Ø x 55mm	TDA15X55E	29Ø x 55mm	TDA29X55E
16Ø x 30mm	TDA16X30E	30Ø x 30mm	TDA30X30E
16Ø x 55mm	TDA16X55E	30Ø x 55mm	TDA30X55E
17Ø x 30mm	TDA17X30E	31Ø x 30mm	TDA31X30E
17Ø x 55mm	TDA17X55E	31Ø x 55mm	TDA31X55E
17.5Ø x 30mm	TDA17.5X30E	32Ø x 30mm	TDA32X30E
18Ø x 30mm	TDA18X30E	32Ø x 55mm	TDA32X55E
18Ø x 55mm	TDA18X55E	33Ø x 30mm	TDA33X30E
18Ø x 100mm	TDA18X100E	33Ø x 55mm	TDA33X55E
19Ø x 30mm	TDA19X30E	33Ø x 75mm	TDA33X75E
19Ø x 55mm	TDA19X55E	34Ø x 30mm	TDA34X30E
19Ø x 100mm	TDA19X100E	34Ø x 55mm	TDA34X55E
19.5Ø x 55mm	TDA19.5X55E	34Ø x 100mm	TDA34X100E
20Ø x 30mm	TDA20X30E	35Ø x 30mm	TDA35X30E
20Ø x 55mm	TDA20X55E	35Ø x 55mm	TDA35X55E
20Ø x 100mm	TDA20X100E	35Ø x 100mm	TDA35X100E
21Ø x 30mm	TDA21X30E	36Ø x 30mm	TDA36X30E
21Ø x 55mm	TDA21X55E	36Ø x 55mm	TDA36X55E
21Øx100mm	TDA21X100E	37Ø x 30mm	TDA37X30E
22Ø x 30mm	TDA22X30E	37Ø x 55mm	TDA37X55E
22Ø x 55mm	TDA22X55E	38Ø x 30mm	TDA38X30E
23Ø x 30mm	TDA23X30E	38Ø x 55mm	TDA38X55E
23Ø x 55mm	TDA23X55E	38Ø x 100mm	TDA38X100E
23Ø x 100mm	TDA23X100E	39Ø x 30mm	TDA39X30E
24Ø x 30mm	TDA24X30E	39Ø x 55mm	TDA39X55E
24Ø x 55mm	TDA24X55E	40Ø x 30mm	TDA40X30E
24Ø x 100mm	TDA24X100E	40Ø x 55mm	TDA40X55E
25Ø x 30mm	TDA25X30E	40Ø x 100mm	TDA40X100E
25Ø x 55mm	TDA25X55E	41Ø x 30mm	TDA41X30E
26Ø x 30mm	TDA26X30E	41Ø x 55mm	TDA41X55E



ANNULAR CUTTER			
Ø	ANNULAR CUTTER	Ø	ANNULAR CUTTER
42Ø x 30mm	TDA42X30E	53Ø x 55mm	TDA53X55E
42Ø x 55mm	TDA42X55E	54Ø x 55mm	TDA54X55E
43Ø x 30mm	TDA43X30E	55Ø x 55mm	TDA55X55E
43Ø x 55mm	TDA43X55E	56Ø x 55mm	TDA56X55E
44Ø x 30mm	TDA44X30E	57Ø x 55mm	TDA57X55E
44Ø x 55mm	TDA44X55E	58Ø x 55mm	TDA58X55E
45Ø x 30mm	TDA45X30E	59Ø x 55mm	TDA59X55E
45Ø x 55mm	TDA45X55E	60Ø x 55mm	TDA60X55E
46Ø x 30mm	TDA46X30E	60Ø x 100mm	TDA60X100E
46Ø x 55mm	TDA46X55E	61Ø x 55mm	TDA61X55E
47Ø x 30mm	TDA47X30E	62Ø x 55mm	TDA62X55E
47Ø x 55mm	TDA47X55E	63Ø x 55mm	TDA63X55E
48Ø x 30mm	TDA48X30E	64Ø x 55mm	TDA64X55E
48Ø x 55mm	TDA48X55E	65Ø x 55mm	TDA65X55E
49Ø x 30mm	TDA49X30E	68Ø x 55mm	TDA68X55E
49Ø x 55mm	TDA49X55E	70Ø x 55mm	TDA70X55E
50Ø x 30mm	TDA50X30E	74Ø x 55mm	TDA74X55E
50Ø x 55mm	TDA50X55E	78Ø x 55mm	TDA78X55E
51Ø x 30mm	TDA51X30E	80Ø x 55mm	TDA80X55E
51Ø x 55mm	TDA51X55E	90Ø x 55mm	TDA90X55E
52Ø x 55mm	TDA52X55E	100Ø x 55mm	TDA100X55E

EUROBOOR PILOT PIN	
DESCRIPTION	CALIBRI (BODY)
TDEP.80	103 (Suits HCS 61-1)
TDEP.85	90 (Suits HMS 18-50)
TDEP.100	123 (Suits HCL 61-1)
TDEP.90	Ejection Pin Euroboor Short 12-60Øx102m





METRIC GOLD SERIES JOBBER DRILL BIT



Ø	GOLD	Ø	GOLD	Ø	GOLD	Ø	GOLD
0.3mm	TDJ0.3G	3.3mm	TDJ3.3G	6.5mm	TDJ6.5G	9.8mm	TDJ9.8G
0.4mm	TDJ0.4G	3.4mm	TDJ3.4G	6.6mm	TDJ6.6G	9.9mm	TDJ9.9G
0.5mm	TDJ0.5G	3.5mm	TDJ3.5G	6.7mm	TDJ6.7G	10mm	TDJ10.0G
0.58mm	TDJ0.58G	3.6mm	TDJ3.6G	6.8mm	TDJ6.8G	10.1mm	TDJ10.1G
0.6mm	TDJ0.6G	3.7mm	TDJ3.7G	6.9mm	TDJ6.9G	10.2mm	TDJ10.2G
0.7mm	TDJ0.7G	3.8mm	TDJ3.8G	7mm	TDJ7.0G	10.3mm	TDJ10.3G
0.8mm	TDJ0.8G	3.9mm	TDJ3.9G	7.1mm	TDJ7.1G	10.4mm	TDJ10.4G
0.9mm	TDJ0.9G	4mm	TDJ4.0G	7.2mm	TDJ7.2G	10.5mm	TDJ10.5G
1mm	TDJ1.0G	4.1mm	TDJ4.1G	7.3mm	TDJ7.3G	10.6mm	TDJ10.6G
1.1mm	TDJ1.1G	4.2mm	TDJ4.2G	7.4mm	TDJ7.4G	10.7mm	TDJ10.7G
1.2mm	TDJ1.2G	4.3mm	TDJ4.3G	7.5mm	TDJ7.5G	10.8mm	TDJ10.8G
1.3mm	TDJ1.3G	4.4mm	TDJ4.4G	7.6mm	TDJ7.6G	10.9mm	TDJ10.9G
1.4mm	TDJ1.4G	4.5mm	TDJ4.5G	7.7mm	TDJ7.7G	11mm	TDJ11.0G
1.5mm	TDJ1.5G	4.6mm	TDJ4.6G	7.8mm	TDJ7.8G	11.1mm	TDJ11.1G
1.6mm	TDJ1.6G	4.7mm	TDJ4.7G	7.9mm	TDJ7.9G	11.2mm	TDJ11.2G
1.7mm	TDJ1.7G	4.8mm	TDJ4.8G	8mm	TDJ8.0G	11.3mm	TDJ11.3G
1.8mm	TDJ1.8G	4.9mm	TDJ4.9G	8.1mm	TDJ8.1G	11.4mm	TDJ11.4G
1.9mm	TDJ1.9G	5mm	TDJ5.0G	8.2mm	TDJ8.2G	11.5mm	TDJ11.5G
2mm	TDJ2.0G	5.1mm	TDJ5.1G	8.3mm	TDJ8.3G	11.6mm	TDJ11.6G
2.1mm	TDJ2.1G	5.2mm	TDJ5.2G	8.4mm	TDJ8.4G	11.7mm	TDJ11.7G
2.2mm	TDJ2.2G	5.3mm	TDJ5.3G	8.5mm	TDJ8.5G	11.8mm	TDJ11.8G
2.25mm	TDJ2.25G	5.4mm	TDJ5.4G	8.6mm	TDJ8.6G	11.9mm	TDJ11.9G
2.3mm	TDJ2.3G	5.5mm	TDJ5.5G	8.7mm	TDJ8.7G	12mm	TDJ12.0G
2.4mm	TDJ2.4G	5.6mm	TDJ5.6G	8.8mm	TDJ8.8G	12.1mm	TDJ12.1G
2.5mm	TDJ2.5G	5.7mm	TDJ5.7G	8.9mm	TDJ8.9G	12.2mm	TDJ12.2G
2.6mm	TDJ2.6G	5.8mm	TDJ5.8G	9mm	TDJ9.0G	12.3mm	TDJ12.3G
2.7mm	TDJ2.7G	5.9mm	TDJ5.9G	9.1mm	TDJ9.1G	12.4mm	TDJ12.4G
2.75mm	TDJ2.75G	6mm	TDJ6.0G	9.2mm	TDJ9.2G	12.5mm	TDJ12.5G
2.8mm	TDJ2.8G	6.1mm	TDJ6.1G	9.3mm	TDJ9.3G	12.6mm	TDJ12.6G
2.9mm	TDJ2.9G	6.15mm	TDJ6.15G	9.4mm	TDJ9.4G	12.7mm	TDJ12.7G
3mm	TDJ3.0G	6.2mm	TDJ6.2G	9.5mm	TDJ9.5G	12.8mm	TDJ12.8G
3.1mm	TDJ3.1G	6.3mm	TDJ6.3G	9.6mm	TDJ9.6G	12.9mm	TDJ12.9G
3.2mm	TDJ3.2G	6.4mm	TDJ6.4G	9.7mm	TDJ9.7G	13mm	TDJ13.0G
						13.5mm	TDJ13.5G



IMPERIAL GOLD & LONG SERIES JOBBER DRILL BIT



Ø	GOLD	Ø	LONG	Ø	LONG	Ø	LONG
1/64"	TDJ1/64G	2.0mm x 95mm	TDL2.0G	3.0mm x 315mm	TDL3.0X315G	5/64" x 95.5	TDL5/64G
1/32"	TDJ1/32G	2.5mm x 95mm	TDL2.5G	3.3mm x 315mm	TDL3.3X315G	3/32" x 108	TDL3/32G
3/64"	TDJ3/64G	3.0mm x 130mm	TDL3.0G	4.0mm x 315mm	TDL4.0X315G	7/64" x 118	TDL7/64G
1/16"	TDJ1/16G	3.3mm x 106mm	TDL3.3G	5.0mm x 315mm	TDL5.0X315G	1/8" x 131	TDL1/8G
5/64"	TDJ5/64G	3.5mm x 137mm	TDL3.5G	6.0mm x 315mm	TDL6.0X315G	9/64" x 137	TDL9/64G
3/32"	TDJ3/32G	3.8mm x 120mm	TDL3.8G	6.5mm x 315mm	TDL6.5X315G	5/32" x 137	TDL5/32G
7/64"	TDJ7/64G	4.0mm x 146mm	TDL4.0G	8.0mm x 315mm	TDL8.0X315G	11/64" x 146	TDL11/64G
1/8"	TDJ1/8G	4.5mm x 146mm	TDL4.5G	9.0mm x 315mm	TDL9.0X315G	3/16" x 146	TDL3/16G
9/64"	TDJ9/64G	5.0mm x 152mm	TDL5.0G	10.0mm x 315mm	TDL10.0X315G	13/64" x 152	TDL13/64G
5/32"	TDJ5/32G	5.5mm x 152mm	TDL5.5G	11.0mm x 315mm	TDL11.0X315G	7/32" x 152	TDL7/32G
11/64"	TDJ11/64G	6.0mm x 156mm	TDL6.0G	11.5mm x 315mm	TDL11.5X315G	15/64" x 158	TDL15/64G
3/16"	TDJ3/16G	6.5mm x 159mm	TDL6.5G	12.0mm x 315mm	TDL12.0X315G	1/4" x 155	TDL1/4G
13/64"	TDJ13/64G	7.0mm x 159mm	TDL7.0G	12.5mm x 315mm	TDL12.5X315G	17/64" x 159	TDL17/64G
7/32"	TDJ7/32G	7.5mm x 162mm	TDL7.5G	13.0mm x 315mm	TDL13.0X315G	9/32" x 159	TDL9/32G
15/64"	TDJ15/64G	8.0mm x 165mm	TDL8.0G			19/64" x 162	TDL19/64G
1/4"	TDJ1/4G	8.5mm x 165mm	TDL8.5G			5/16" x 162	TDL5/16G
17/64"	TDJ17/64G	9.0mm x 171mm	TDL9.0G			21/64" x 165	TDL21/64G
9/32"	TDJ9/32G	9.5mm x 171mm	TDL9.5G			11/32" x 175	TDL11/32G
19/64"	TDJ19/64G	10.0mm x 178mm	TDL10.0G			23/64" x 175	TDL23/64G
5/16"	TDJ5/16G	10.5mm x 184mm	TDL10.5G			3/8" x 171	TDL3/8G
21/64"	TDJ21/64G	11.0mm x 184mm	TDL11.0G			13/32" x 184	TDL13/32G
11/32"	TDJ11/32G	11.5mm x 184mm	TDL11.5G			7/16" x 181	TDL7/16G
23/64"	TDJ23/64G	12.0mm x 197mm	TDL12.0G			15/32" x 205	TDL15/32G
3/8"	TDJ23/64G	12.5mm x 197mm	TDL12.5G			1/2" x 202	TDL1/2G
25/64"	TDJ25/64G	13.0mm x 203mm	TDL13.0G				
13/32"	TDJ13/32G						
27/64"	TDJ27/64G						
7/16"	TDJ7/16G						
29/64"	TDJ29/64G						
15/32"	TDJ15/32G						
31/64"	TDJ31/64G						
1/2"	TDJ1/2G						





ALPHA HEX SHANK	
Ø	GOLD
1.5mm	TDQ1.5
2mm	TDQ2.0
2.4mm	TDQ2.4
3mm	TDQ3.0
3.2mm	TDQ3.2
3.3mm	TDQ3.3
3.5mm	TDQ3.5
3.6mm	TDQ3.6
4mm	TDQ4.0
4.2mm	TDQ4.2
4.5mm	TDQ4.5
4.8mm	TDQ4.8
5mm	TDQ5.0
5.5mm	TDQ5.5
5.6mm	TDQ5.6
6mm	TDQ6.0
6.3mm	TDQ6.3
6.5mm	TDQ6.5

ALPHA STEP DRILL SPIRAL FLUTE	
Ø	GOLD
4-12mm	TD9STSFM4-12S
4-20mm	TD9STSFM4-20S
6-30mm	TD9STSFM6-30S
6-36mm	TD9STSFM6-36S

ALPHA DOUBLE END PANEL DRILL	
Ø	GOLD
No 11 - 4.85mm	TDDN11G
No 20 - 4.09mm	TDDN20G
No 30 - 3.26mm	TDDN30G



Ø	METRIC REDUCED SHANK	Ø	IMPERIAL REDUCED SHANK
10.5mm	TDR10.5G	13/32"	TDR13/32G
11mm	TDR11.0G	27/64"	TDR27/64G
11.5mm	TDR11.5G	7/16"	TDR7/16G
12mm	TDR12.0G	29/64"	TDR29/64G
12.5mm	TDR12.5G	15/32"	TDR15/32G
13mm	TDR13.0G	31/64"	TDR31/64G
13.5mm	TDR13.5G	1/2"	TDR1/2G
14mm	TDR14.0G	33/64"	TDR33/64G
14.5mm	TDR14.5G	17/32"	TDR17/32G
15mm	TDR15.0G	35/64"	TDR35/64G
15.5mm	TDR15.5G	9/16"	TDR9/16G
16mm	TDR16.0G	37/64"	TDR37/64G
16.5mm	TDR16.5G	19/32"	TDR19/32G
17mm	TDR17.0G	39/64"	TDR39/64G
17.5mm	TDR17.5G	5/8"	TDR5/8G
18mm	TDR18.0G	41/64"	TDR41/64G
18.5mm	TDR18.5G	21/32"	TDR21/32G
19mm	TDR19.0G	43/64"	TDR43/64G
19.5mm	TDR19.5G	11/16"	TDR11/16G
20mm	TDR20.0G	45/64"	TDR45/64G
20.5mm	TDR20.5G	23/32"	TDR23/32G
21mm	TDR21.0G	3/4"	TDR3/4G
21.5mm	TDR21.5G	49/64"	TDR49/64G
22mm	TDR22.0G	25/32"	TDR25/32G
22.5mm	TDR22.5G	51/64"	TDR51/64G
23mm	TDR23.0G	13/16"	TDR13/16G
23.5mm	TDR23.5G	53/64"	TDR53/64G
24mm	TDR24.0G	27/32"	TDR27/32G
24.5mm	TDR24.5G	55/64"	TDR55/64G
25mm	TDR25.0G	7/8"	TDR7/8G
26mm	TDR26.0G	29/32"	TDR29/32G
27mm	TDR27.0G	15/16"	TDR15/16G
28mm	TDR28.0G	31/32"	TDR31/32G
29mm	TDR29.0G	1"	TDR1G
30mm	TDR30.0G	1-1/16"	TDR1-1/16G
32mm	TDR32.0G	1-1/8"	TDR1-1/8G
		1-3/16"	TDR1-3/16G
		1-1/4"	TDR1-1/4G



GOLD DRILL SET & STUB DRILL



DESCRIPTION	METRIC DRILL SET
1.5-6.5 - 13 Piece	TDSM13G
1.0-10.0 - 19 Piece	TDSM19G
1.0-13.0 - 25 Piece	TDSM25G



DESCRIPTION	IMPERIAL DRILL SET
1/16"-1/4" - 13 Piece	TDSI13G
1/16"-3/8" - 21 Piece	TDSI21G
1/16"-1/12" - 29 Piece	TDSI29G



GOLD STUB DRILL		GOLD STUB DRILL	
Ø	METRIC	Ø	IMPERIAL
2mm	TDSB2G	1/8"	TDSB1/8G
2.25mm	TDSB2.25G	5/32"	TDSB5/32G
2.5mm	TDSB2.5G	3/16"	TDSB3/16G
2.75mm	TDSB2.75G	5/64"	TDSB5/64G
3mm	TDSB3G	3/32"	TDSB3/32G
3.5mm	TDSB3.5G	7/64"	TDSB7/64G
4mm	TDSB4G	1/8"	TDSB1/8G
4.5mm	TDSB4.5G	9/64"	TDSB9/64G
4.9mm	TDSB4.9G	5/32"	TDSB5/32G
5mm	TDSB5G	11/64"	TDSB11/64G
5.1mm	TDSB5.1G	3/16"	TDSB3/16G
5.5mm	TDSB5.5G	13/64"	TDSB13/64G
6mm	TDSB6G	7/32"	TDSB7/32G
6.5mm	TDSB6.5G	15/64"	TDSB15/64G
7mm	TDSB7G	1/4"	TDSB1/4G
7.5mm	TDSB7.5G	17/64"	TDSB17/64G
8mm	TDSB8G	9/32"	TDSB9/32G
8.5mm	TDSB8.5G	5/16"	TDSB5/16G
9mm	TDSB9G	11/32"	TDSB11/32G
9.5mm	TDSB9.5G	3/8"	TDSB3/8G
10mm	TDSB10G	13/32"	TDSB13/32G
10.5mm	TDSB10.5G	7/16"	TDSB7/16G
11.5mm	TDSB11.5G	15/32"	TDSB15/32G
12mm	TDSB12G	1/2"	TDSB1/2G
12.5mm	TDSB12.5G		
13mm	TDSB13G		

CENTRE DRILL, CROSS HOLE & SPADE DRILL



Ø	CENTRE DRILL
No.1 -1/8"	TCDC1/8
No.2 - 3/16"	TCDC3/16
No.4 - 5/16"	TCDC5/16
No.6 - 1/2"	TCDC1/2
No.7 - 5/8"	TCDC5/8
No.8 - 3/4"	TCDC3/4

Ø	CROSS HOLE 90°
10mm	TCSCH-10HC
14mm	TCSCH-14HC
21.5mm	TCSCH-21HC
28mm	TCSCH-28HC
35mm	TCSCH-35HC
44mm	TCSCH-44HC

Ø	SPADE BIT	Ø	SPADE BIT
6mm	TS08-06	20mm	TS08-20
8mm	TS08-08	22mm	TS08-22
10mm	TS08-10	24mm	TS08-24
11mm	TS08-11	25mm	TS08-25
12mm	TS08-12	28mm	TS08-28
13mm	TS08-13	30mm	TS08-30
14mm	TS08-14	32mm	TS08-32
15mm	TS08-15	35mm	TS08-35
16mm	TS08-16	38mm	TS08-38
18mm	TS08-18	40mm	TS08-40
19mm	TS08-19		

Ø	SPADE DRILL EXTENSION
150mm	TS08-EXT150
300mm	TS08-EXT300





SHIPPER AUGER DRILL



Ø x L	SHIPPER AUGER DRILL	Ø x L	SHIPPER AUGER DRILL
6mm x 200mm	TDWA6X200	22mm x 200mm	TDWA22X200
6mm x 450mm	TDWA6X450	22mm x 220mm	TDWA22X220
8mm x 200mm	TDWA8X200	22mm x 450mm	TDWA22X450
8mm x 450mm	TDWA8X450	22mm x 600mm	TDWA22X600
8mm x 600mm	TDWA8X600	24mm x 200mm	TDWA24X200
10mm x 200mm	TDWA10X200	24mm x 450mm	TDWA24X450
10mm x 250mm	TDWA10X250	24mm x 600mm	TDWA24X600
10mm x 450mm	TDWA10X450	25mm x 200mm	TDWA25X200
10mm x 600mm	TDWA10X600	25mm x 450mm	TDWA25X450
12mm x 200mm	TDWA12X200	25mm x 600mm	TDWA25X600
12mm x 450mm	TDWA12X450	26mm x 200mm	TDWA26X200
12mm x 600mm	TDWA12X600	26mm x 450mm	TDWA26X450
13mm x 290mm	TDWA13X290	26mm x 600mm	TDWA26X600
14mm x 200mm	TDWA14X200	28mm x 200mm	TDWA28X200
14mm x 460mm	TDWA14X460	28mm x 450mm	TDWA28X450
14mm x 600mm	TDWA14X600	28mm x 460mm	TDWA28X460
15mm x 200mm	TDWA15X200	28mm x 600mm	TDWA28X600
16mm x 450mm	TDWA16X450	30mm x 200mm	TDWA30X200
16mm x 600mm	TDWA16X600	30mm x 450mm	TDWA30X450
18mm x 200mm	TDWA18X200	30mm x 600mm	TDWA30X600
18mm x 450mm	TDWA18X450	32mm x 200mm	TDWA32X200
18mm x 600mm	TDWA18X600	32mm x 600mm	TDWA32X600
19mm x 200mm	TDWA19X200	34mm x 600mm	TDWA34X600
20mm x 200mm	TDWA20X200	35mm x 200mm	TDWA35X200
20mm x 450mm	TDWA20X450	36mm x 200mm	TDWA36X200
20mm x 600mm	TDWA20X600	36mm x 600mm	TDWA36X600
21mm x 210mm	TDWA21X210		

HOLE SAW



Ø	MULTI-PURPOSE	Ø	BI METAL	Ø	BI METAL
16mm	THSTCT16	14mm	THSV14	68mm	THSV68
20mm	THSTCT20	16mm	THSV16	70mm	THSV70
22mm	THSTCT22	17mm	THSV17	73mm	THSV73
25mm	THSTCT25	19mm	THSV19	75mm	THSV75
27mm	THSTCT27	20mm	THSV20	76mm	THSV76
30mm	THSTCT30	21mm	THSV21	79mm	THSV79
32mm	THSTCT32	22mm	THSV22	83mm	THSV83
35mm	THSTCT35	24mm	THSV24	86mm	THSV86
38mm	THSTCT38	25mm	THSV25	89mm	THSV89
40mm	THSTCT40	27mm	THSV27	92mm	THSV92
44mm	THSTCT44	29mm	THSV29	95mm	THSV95
45mm	THSTCT45	30mm	THSV30	98mm	THSV98
50mm	THSTCT50	32mm	THSV32	100mm	THSV100
51mm	THSTCT51	33mm	THSV33	102mm	THSV102
54mm	THSTCT54	35mm	THSV35	105mm	THSV105
55mm	THSTCT55	37mm	THSV37	108mm	THSV108
57mm	THSTCT57	38mm	THSV38	111mm	THSV111
60mm	THSTCT60	40mm	THSV40	114mm	THSV114
64mm	THSTCT64	41mm	THSV41	121mm	THSV121
67mm	THSTCT67	43mm	THSV43	127mm	THSV127
68mm	THSTCT68	44mm	THSV44	140mm	THSV140
70mm	THSTCT70	45mm	THSV45	146mm	THSV146
73mm	THSTCT73	46mm	THSV46	152mm	THSV152
76mm	THSTCT76	48mm	THSV48	160mm	THSV160
80mm	THSTCT80	52mm	THSV52	168mm	THSV168
82mm	THSTCT82	54mm	THSV54	177mm	THSV177
86mm	THSTCT86	55mm	THSV55	185mm	THSV185
89mm	THSTCT89	57mm	THSV57	200mm	THSV200
92mm	THSTCT92	59mm	THSV59	210mm	THSV210
102mm	THSTCT102	64mm	THSV64	250mm	THSV250
114mm	THSTCT114	67mm	THSV67		
125mm	THSTCT125				
140mm	THSTCT140				
152mm	THSTCT152				



DESCRIPTION	DART 9 PIECE HOLE SAW KIT
Cutting Depth: 38mm Diameter (mm): 19, 22, 29, 38, 44, 51, 57mm	THDPHK9



Come follow us!



Keep in touch with **News, Job opportunities and Product Features** by following FDG on LinkedIn.



SDS PLUS DRILL BITS



SDS PLUS MASONRY DRILL BIT					
Ø x L	MASONRY DRILL BIT	Ø x L	MASONRY DRILL BIT	Ø x L	MASONRY DRILL BIT
4mm x 110mm	TDMSP4X110	10mm x 110mm	TDMSP10X110	16mm x 160mm	TDMSP16X160
4mm x 160mm	TDMSP4X160	10mm x 160mm	TDMSP10X160	16mm x 210mm	TDMSP16X210
5mm x 110mm	TDMSP5X110	10mm x 210mm	TDMSP10X210	16mm x 260mm	TDMSP16X260
5mm x 160mm	TDMSP5X160	10mm x 260mm	TDMSP10X260	16mm x 310mm	TDMSP16X310
5mm x 210mm	TDMSP5X210	10mm x 310mm	TDMSP10X310	16mm x 450mm	TDMSP16X450
5.5mm x 110mm	TDMSP5.5X110	10mm x 350mm	TDMSP10X350	16mm x 600mm	TDMSP16X600
5.5mm x 160mm	TDMSP5.5X160	10mm x 450mm	TDMSP10X450	16mm x 800mm	TDMSP16X800
5.5mm x 210mm	TDMSP5.5X210	10mm x 600mm	TDMSP10X600	16mm x 1000mm	TDMSP16X1000
5.5mm x 310mm	TDMSP5.5X310	10mm x 1000mm	TDMSP10X1000	18mm x 200mm	TDMSP18X200
6mm x 110mm	TDMSP6X110	11mm x 260mm	TDMSP11X260	18mm x 300mm	TDMSP18X300
6mm x 160mm	TDMSP6X160	12mm x 160mm	TDMSP12X160	18mm x 450mm	TDMSP18X450
6mm x 210mm	TDMSP6X210	12mm x 210mm	TDMSP12X210	18mm x 600mm	TDMSP18X600
6mm x 310mm	TDMSP6X310	12mm x 260mm	TDMSP12X260	18mm x 1000mm	TDMSP18X1000
6mm x 460mm	TDMSP6X460	12mm x 310mm	TDMSP12X310	20mm x 200mm	TDMSP20X200
6.5mm x 110mm	TDMSP6.5X110	12mm x 360mm	TDMSP12X360	20mm x 300mm	TDMSP20X300
6.5mm x 160mm	TDMSP6.5X160	12mm x 450mm	TDMSP12X450	20mm x 450mm	TDMSP20X450
6.5mm x 210mm	TDMSP6.5X210	12mm x 600mm	TDMSP12X600	20mm x 600mm	TDMSP20X600
6.5mm x 260mm	TDMSP6.5X260	12mm x 1000mm	TDMSP12X1000	22mm x 250mm	TDMSP22X250
6.5mm x 310mm	TDMSP6.5X310	13mm x 160mm	TDMSP13X160	22mm x 450mm	TDMSP22X450
7mm x 160mm	TDMSP7X160	13mm x 210mm	TDMSP13X210	22mm x 600mm	TDMSP22X600
7mm x 250mm	TDMSP7X250	13mm x 310mm	TDMSP13X310	23mm x 450mm	TDMSP23X450
7mm x 450mm	TDMSP7X450	13mm x 450mm	TDMSP13X450	24mm x 250mm	TDMSP24X250
8mm x 110mm	TDMSP8X110	13mm x 600mm	TDMSP13X600	24mm x 450mm	TDMSP24X450
8mm x 160mm	TDMSP8X160	14mm x 260mm	TDMSP14X260	25mm x 250mm	TDMSP25X250
8mm x 210mm	TDMSP8X210	14mm x 310mm	TDMSP14X310	25mm x 450mm	TDMSP25X450
8mm x 260mm	TDMSP8X260	14mm x 450mm	TDMSP14X450	25mm x 600mm	TDMSP25X600
8mm x 310mm	TDMSP8X260	14mm x 600mm	TDMSP14X600	26mm x 250mm	TDMSP26X250
8mm x 460mm	TDMSP8X460	14 mm x 1000mm	TDMSP14X1000	26mm x 450mm	TDMSP26X450
8mm x 600mm	TDMSP8X600	15mm x 260mm	TDMSP15X260		
9mm x 210mm	TDMSP9X210	15mm x 450mm	TDMSP15X450		



SDS ZENTRO DRILL BITS



SDS PLUS ZENTRO DRILL BIT			
Ø x L	4 CUTTER	Ø x L	4 CUTTER
5mm x 110mm	TDMSPZ5X110	14mm x 260mm	TDMSPZ14X260
5mm x 160mm	TDMSPZ5X160	14mm x 450mm	TDMSPZ14X450
5.5mm x 110mm	TDMSPZ5.5X110	16mm x 260mm	TDMSPZ16X260
5.5mm x 160mm	TDMSPZ5.5X160	16mm x 450mm	TDMSPZ16X450
6mm x 110mm	TDMSPZ6x110	18mm x 250mm	TDMSPZ18X250
6mm x 160mm	TDMSPZ6X160	18mm x 450mm	TDMSPZ18X450
6mm x 210mm	TDMSPZ6X210	20mm x 250mm	TDMSPZ20X250
6.5mm x 110mm	TDMSPZ6.5X110	20mm x 450mm	TDMSPZ20X450
6.5mm x 160mm	TDMSPZ6.5X160	22mm x 250mm	TDMSPZ22X250
6.5mm x 210mm	TDMSPMZ6.5X210	22mm x 450mm	TDMSPZ22X450
8mm x 160mm	TDMSPZ8X160	24mm x 250mm	TDMSPZ24X250
8mm x 210mm	TDMSPZ8X210	24mm x 450mm	TDMSPZ24X450
10mm x 160mm	TDMSPZ10X160	25mm x 250mm	TDMSPZ25X250
10mm x 210mm	TDMSPZ10X210	25mm x 450mm	TDMSPZ25X450
10mm x 260mm	TDMSPZ10X260	28mm x 250mm	TDMSPZ28X250
12mm x 160mm	TDMSPZ12X160	28mm x 450mm	TDMSPZ28X450
12mm x 210mm	TDMSPZ12X210	30mm x 250mm	TDMSPZ30X250
12mm x 260mm	TDMSPZ12X260	30mm x 450mm	TDMSPZ30X450
12mm x 310mm	TDMSPZ12X310	32mm x 450mm	TDMSPZ32X450
12mm x 450mm	TDMSPZ12X450		

ALPHA SDS PLUS CHISEL	
CODE	DESCRIPTION
TDMSHO25X250	Alpha SDS Plus Hollow Chisel 25 x 250
TDMSPFC25X250	25x250 SDS Plus Flat Chisel
TDMSPPC250	Alpha SDS Plus Pointed Chisel x 250
TDMSPSC40X250	Alpha SDS Plus Spade Chisel 40 x 250





SDS MAX DRILL BITS



ALPHA MASONRY DRILL BITS



SDS MAX MASONRY DRILL BIT			
Ø x L	4 CUTTER	Ø x L	4 CUTTER
12mm x 340mm	TDMSPM12X340	25mm x 920mm	TDMSPM25X920
12mm x 540mm	TDMSPM12X540	26mm x 300mm	TDMSPM26X300
14mm x 340mm	TDMSPM14X340	26mm x 520mm	TDMSPM26X520
14mm x 540mm	TDMSPM14X540	28mm x 370mm	TDMSPM28X370
14mm x 920mm	TDMSPM14X920	28mm x 570mm	TDMSPM28X570
15mm x 340mm	TDMSPM15X340	28mm x 920mm	TDMSPM28X920
15mm x 540mm	TDMSPM15X540	30mm x 370mm	TDMSPM30X370
16mm x 340mm	TDMSPM16X340	30mm x 570mm	TDMSPM30X570
16mm x 540mm	TDMSPM16X540	32mm x 370mm	TDMSPM32X370
16mm x 920mm	TDMSPM16X920	32mm x 570mm	TDMSPM32X570
18mm x 340mm	TDMSPM18X340	32mm x 920mm	TDMSPM32X920
18mm x 540mm	TDMSPM18X540	35mm x 570mm	TDMSPM35X570
18mm x 920mm	TDMSPM18X920	35mm x 920mm	TDMSPM35X920
20mm x 320mm	TDMSPM20X320	37mm x 570mm	TDMSPM37X570
20mm x 520mm	TDMSPM20X520	38mm x 370mm	TDMSPM38X370
20mm x 920mm	TDMSPM20X920	38mm x 570mm	TDMSPM38X570
22mm x 320mm	TDMSPM22X320	40mm x 370mm	TDMSPM40X370
22mm x 520mm	TDMSPM22X520	40mm x 570mm	TDMSPM40X570
22mm x 920mm	TDMSPM22X920	40mm x 920mm	TDMSPM40X920
24mm x 320mm	TDMSPM24X320	45mm x 570mm	TDMSPM45X570
24mm x 520mm	TDMSPM24X520	50mm x 570mm	TDMSPM50X570
25mm x 320mm	TDMSPM25X320	52mm x 570mm	TDMSPM52X570
25mm x 520mm	TDMSPM25X520		

ALPHA SDS MAX CHISEL							
Ø x L	FLAT	LENGTH	POINTED	LENGTH	HOLLOW	Ø x L	SPADE
25mm x 280mm	TDMSXPC25X280	280mm	TDMSXPC280	300mm	TDMSXPC300	50mm x 400mm	TDMSXPC50X400
25mm x 400mm	TDMSXPC25X400	400mm	TDMSXPC400			80mm x 300mm	TDMSXPC80X300
25mm x 600mm	TDMSXPC25X600	600mm	TDMSXPC600				

Ø x L	STRAIGHT SHANK
3.5mm x 75mm	TDMA3.5X75
3mm x 65mm	TDMA3X65
4.5mm x 150mm	TDMA4.5X150
4.5mm x 65mm	TDMA4.5X65
4mm x 75mm	TDMA4X75
5.5mm x 150mm	TDMA5.5X150
5.5mm x 85mm	TDMA5.5X85
5mm x 150mm	TDMA5X150
5mm x 85mm	TDMA5X85
6.5mm x 100mm	TDMA6.5X100
6.5mm x 150mm	TDMA6.5X150
6.5mm x 300mm	TDMA6.5X300
6mm x 100mm	TDMA6X100
6mm x 150mm	TDMA6X150
7mm x 100mm	TDMA7X100
8mm x 120mm	TDMA8X120
8mm x 150mm	TDMA8X150
8mm x 300mm	TDMA8X300
10mm x 120mm	TDMA10X120
10mm x 150mm	TDMA10X150
10mm x 400mm	TDMA10X400
11mm x 150mm	TDMA11X150
12mm x 150mm	TDMA12X150
12mm x 400mm	TDMA12X400
13mm x 150mm	TDMA13X150
14mm x 210mm	TDMA14X210
16mm x 150mm	TDMA16X150
16mm x 400mm	TDMA16X400

CUTTING TIPS GUIDE ON MASONRY DRILLS

SDS PLUS & OTHER MASONRY DRILLS

ZENTRO & MAX DRILLS





EASY ORDERING ONLINE WITH THE FDG TRADESTORE!

A simple product upload will enable you to search using your own codes or ours. It will also give you the ability to use the express search function or upload your order directly to the site.

TRADE.FDGNZ.COM



SEARCH YOUR OWN CODES

We know how much easier it is to search for products when you can use your own codes. By uploading a CSV file with your codes matched to FDG's at trade.fdg.nz, you can get started immediately.



UPLOAD YOUR OWN ORDER

Save time and reduce errors by removing the need to rekey orders into our Trade Store. Simply upload your product codes into trade.fdg.nz.

Once products and orders are successfully uploaded you will now be ready to receive your delivery!

PLAN, BUILD, CREATE
BETTER

fdg.nz / sales@fdg.nz / 0800 555 464



UNI MASONRY DRILL BITS

Ø x L	STRAIGHT SHANK	Ø	HEX SHANK - MULTI-PURPOSE
3.0mm x 70mm	TDMUNI3X70	3mm	TDMUNIHEX030
4.0mm x 85mm	TDMUNI4X85	4mm	TDMUNIHEX040
5.0mm x 85mm	TDMUNI5X85	5mm	TDMUNIHEX050
5.5mm x 85mm	TDMUNI5.5X85	5.5mm	TDMUNIHEX055
6.0mm x 100mm	TDMUNI6X100	6mm	TDMUNIHEX060
6.5mm x 100mm	TDMUNI6.5X100	6.5mm	TDMUNIHEX065
8.0mm x 120mm	TDMUNI8X120	8mm	TDMUNIHEX080
8.0mm x 310mm	TDMUNI8X310		
10mm x 120mm	TDMUNI10X120		
10mm x 310mm	TDMUNI10X310		
12mm x 150mm	TDMUNI12X150		



CONCRETE CORE CUTTER

Ø x L	METRIC
40mm x 310mm	TBMCCC40X310
40mm x 550mm	TBMCCC40X550
45mm x 310mm	TBMCCC45X310
45mm x 550mm	TBMCCC45X550
55mm x 310mm	TBMCCC55X310
55mm x 550mm	TBMCCC55X550
65mm x 310mm	TBMCCC65X310
65mm x 550mm	TBMCCC65X550
80mm x 310mm	TBMCCC80X310
80mm x 550mm	TBMCCC80X550



**IS THERE SOMETHING ELSE
YOU ARE LOOKING FOR?**

GIVE US A CALL ON 0800 555 464





DRIVERS S SERIES		
#	LENGTH	SQUARE
0	50mm	TDBSQ050S
0	89mm	TDBSQ089S
1	25mm	TDBSQ125S
1	50mm	TDBSQ150S
1	75mm	TDBSQ175S
1	90mm	TDBSQ190S
1	100mm	TDBSQ1100S
1	150mm	TDBSQ1150S
2	25mm	TDBSQ225S
2	50mm	TDBSQ250S
2	75mm	TDBSQ275S
2	90mm	TDBSQ290S
2	100mm	TDBSQ2100S
2	132mm	TDBSQ2132S
2	150mm	TDBSQ2150S
3	25mm	TDBSQ325S
3	50mm	TDBSQ350S
3	75mm	TDBSQ375S
3	100mm	TDBSQ3100S
3	150mm	TDBSQ3150S

DRIVERS S SERIES		
#	LENGTH	POZI
1	25mm	TDBPZ125S
1	50mm	TDBPZ150S
1	75mm	TDBPZ175S
1	150mm	TDBPZ1150S
2	25mm	TDBPZ225S
2	50mm	TDBPZ250S
2	75mm	TDBPZ275S
2	89mm	TDBPZ289S
2	120mm	TDBPZ2120S
2	150mm	TDBPZ2150S
3	25mm	TDBPZ325S
3	50mm	TDBPZ350S
3	75mm	TDBPZ375S
3	89mm	TDBPZ389S

DRIVERS S SERIES		
#	LENGTH	PHILLIPS
0	75mm	TDBPH075S
1	25mm	TDBPH125S
1	50mm	TDBPH150S
1	75mm	TDBPH175S
1	92mm	TDBPH192S
1	100mm	TDBPH1100S
1	150mm	TDBPH1150S
2	25mm	TDBPH225S
2	50mm	TDBPH250S
2	65mm	TDBPH265S
2	75mm	TDBPH275S
2	92mm	TDBPH292S
2	100mm	TDBPH2100S
2	150mm	TDBPH2150S
2	200mm	TDBPH2200S
2	250mm	TDBPH2250S
3	25mm	TDBSQ325S
3	50mm	TDBPH350S
3	75mm	TDBPH375S
3	100mm	TDBPH3100S
3	150mm	TDBPH3150S

DRIVERS S SERIES					
#	LENGTH	SLOT	#	LENGTH	TORX
3	50mm	TDBSL350S	20	50mm	TDBT 2050S
5	50mm	TDBSL550S	20	75mm	TDBT 2075S
5	75mm	TDBSL575S	25	50mm	TDBT 2550S
6	50mm	TDBSL650S	25	75mm	TDBT 2575S
8	50mm	TDBSL850S	30	50mm	TDBT 3050S
			30	75mm	TDBT 3075S
			30	100mm	TDBT 30100S

DRIVERS THUNDERZONE								
#	LENGTH	SQUARE	#	LENGTH	PHILLIPS	#	LENGTH	POZI
1	50mm	TDBSQ150SS	1	25mm	TDBCPH125SS	1	50mm	TDBPH150SS
2	25mm	TDBSQ225SS	1	50mm	TDBCPH150SS	2	25mm	TDBPH225SS
2	50mm	TDBSQ250SS	2	25mm	TDBCPH225SS	2	50mm	TDBPH250SS
2	75mm	TDBSQ275SS	2	50mm	TDBCPH250SS	2	75mm	TDBPH275SS
2	90mm	TDBSQ290SS	2	100mm	TDBCPH2100SS	2	100mm	TDBPH2100SS
2	100mm	TDBSQ2100SS	2	150mm	TDBCPH2150SS	2	150mm	TDBPH2150SS
2	150mm	TDBSQ2150SS	3	50mm	TDBCPH350SS			

DOUBLE ENDED BIT								
#	LENGTH	PHILLIPS	#	LENGTH	POZI	#	LENGTH	PHILLIPS + SLOT
1	45mm	TDBPH145D	1	65mm	TDBPZ165D	1	65mm	TDBPH1SL445D
1	75mm	TDBPH175D	2	45mm	TDBPZ245D	2	45mm	TDBPH2SL645D
2	45mm	TDBPH245D	2	65mm	TDBPZ265D	2	65mm	TDBPH2SL665D
2	65mm	TDBPH265D	2	75mm	TDBPZ275D	2	75mm	TDBPH2SL860D
2	75mm	TDBPH275D						
2	100mm	TDBPH2100D						
2	150mm	TDBPH2150D						
2	300mm	TDBPH2300D						
2	400mm	TDBPH2400D						

DOUBLE ENDED BIT					
#	LENGTH	PHILLIPS + SQUARE	#	LENGTH	POZI + SLOT
2	50mm	TDBPH2SQ250D	2	50mm	TDBPZ2SQ250D
2	89mm	TDBPH2SQ289D	2	89mm	TDBPZ2SQ289D

MAGNETIC BIT HOLDER					
DRIVER	LENGTH	MAGNETIC BIT HOLDER	DRIVER	LENGTH	MAG BIT HOLDER SS
1/4"	54mm	TDBMBHC54	1/4"	54mm	TDBMBHCS54
1/4"	75mm	TDBMBHC75	1/4"	75mm	TDBMBHCS75
1/4"	150mm	TDBMBHC150			
1/4"	300mm	TDBMBHC300			





MAGNETIC NUTSETTER					
HEX SIZE	LENGTH	METRIC	HEX SIZE	LENGTH	IMPERIAL
7mm	65mm	TBDNS765A	1/4"	42mm	TBDNS1442A
8mm	65mm	TBDNS865A	1/4"	65mm	TBDNS1465A
10mm	65mm	TBDNS1065A	1/4"	100mm	TBDNS14100A
12mm	55mm	TBDNS1255A	5/16"	42mm	TBDNS1642A
13mm	55mm	TBDNS1355A	5/16"	65mm	TBDNS1665A
			5/16"	100mm	TBDNS16100A
			5/16"	150mm	TBDNS16150A
			5/16"	200mm	TBDNS516200A
			5/16"	300mm	TBDNS516300A
			3/8"	42mm	TBDNS3842A
			3/8"	65mm	TBDNS3865A
			3/8"	150mm	TBDNS38150A
			7/16"	65mm	TBDNS71665A
			9/16"	65mm	TBDNS91665A



HEX BITS					
HEX SIZE	LENGTH	HEX DRIVER	HEX SIZE	LENGTH	MAX DRIVE TORSION
2.5mm	25mm	TDBHEX2525S	4mm	50mm	TDHEX450ST
2.5mm	50mm	TDBHEX2550S	5mm	30mm	TDHEX530ST
3mm	30mm	TDBHEX330S	5mm	50mm	TDHEX550ST
3mm	50mm	TDBHEX350S	6mm	50mm	TDHEX650ST
4mm	30mm	TDBHEX430S			
4mm	50mm	TDBHEX450S			
5mm	30mm	TDBHEX530S			
5mm	50mm	TDBHEX550S			
5mm	75mm	TDBHEX575S			
5mm	100mm	TDBHEX5100S			
5mm	150mm	TDBHEX5150S			
6mm	32mm	TDBHEX632S			
6mm	60mm	TDBHEX660S			
8mm	32mm	TDBHEX832S			
10mm	32mm	TDBHEX1032S			



Ø & PITCH	METRIC	Ø & PITCH	METRIC F	Ø	UNC	Ø	UNF
M2 x 0.4 PITCH	TDNM2C	M8.0 x 1.0 PITCH	TDNMF8.0X1.0C	1/4"	TDNC1/4C	3/16"	TDNF3/16C
M3 x 0.5 PITCH	TDNM3C	M10.0 x 1.0 PITCH	TDNMF10.0X1.0C	5/16"	TDNC5/16C	1/4"	TDNF1/4C
M4 x 0.7 PITCH	TDNM4C	M10.0 x 1.25 PITCH	TDNMF10.0X1.25C	3/8"	TDNC3/8C	5/16"	TDNF5/16C
M5 x 0.8 PITCH	TDNM5C	M12.0 x 1.25 PITCH	TDNMF12.0X1.25C	7/16"	TDNC7/16C	3/8"	TDNF3/8C
M6 x 1 PITCH	TDNM6C	M12.0 x 1.5 PITCH	TDNMF12.0X1.5C	1/2"	TDNC1/2C	7/16"	TDNF7/16C
M7 x 1 PITCH	TDNM7C	M14.0 x 1.25 PITCH	TDNMF14.0X1.25C	9/16"	TDNC9/16C	1/2"	TDNF1/2C
M8 x 1.25 PITCH	TDNM8C	M14.0 x 1.5 PITCH	TDNMF14.0X1.5C	5/8"	TDNC5/8C	9/16"	TDNF9/16C
M9 x 1.5 PITCH	TDNM9C	M16.0 x 1.5 PITCH	TDNMF16.0X1.5C	3/4"	TDNC3/4C	5/8"	TDNF5/8C
M10 x 1.5 PITCH	TDNM10C	M18.0 x 1.5 PITCH	TDNMF18.0X1.5C	7/8"	TDNC7/8C	3/4"	TDNF3/4C
M12 x 1.75 PITCH	TDNM12C	M20.0 x 1.5 PITCH	TDNMF20.0X1.5C	1"	TDNC1C	7/8"	TDNF7/8C
M14 x 2 PITCH	TDNM14C	M22.0 x 1.5 PITCH	TDNMF22.0X1.5C	1-1/8"	TDNC1-1/8C	1-12"	TDNF1X12C
M16 x 2 PITCH	TDNM16C	M24.0 x 2 PITCH	TDNMF24.0X1.5C	1-1/4"	TDNC1-1/4C	1-14"	TDNF1X14C
M18 x 2.5 PITCH	TDNM18C	M25.0 x 1.5 PITCH	TDNMF25.0X1.5C	1-3/8"	TDNC1-3/8C	1-1/8"	TDNF1-1/8C
M20 x 2.5 PITCH	TDNM20C			1-1/2"	TDNC1-1/2C	1-1/4"	TDNF1-1/4C
M22 x 2.5 PITCH	TDNM22C			1-3/4"	TDNC1-3/4C	1-3/8"	TDNF1-3/8C
M24 x 3 PITCH	TDNM24C			2"	TDNC2C		
M27 x 3 PITCH	TDNM27C						
M30 x 3.5 PITCH	TDNM30C						
M33 x 3.5 PITCH	TDNM33C						
M36 x 4 PITCH	TDNM36C						

STAY COMPLIANT
WITH FDG's C1 & C2 RATED
SEISMIC ANCHORS

Contact us today to find out more about this offering
or to place your next order on 0800 555 464



See Pages 91-104 for Anchors





SIZE & Ø	METRIC	SIZE & Ø	METRIC FINE
M2 x 1D	TDBM2x1	M8-1 x 1D	TDBMF8-1x1
M3 x 1D	TDBM3x1	M8-1 x 1.5D	TDBMF8-1x1.5
M4 x 1D	TDBM4x1	M10-1 x 1D	TDBMF10-1x1
M4 x 1.5D	TDBM4x1.5	M10-1 x 1.5D	TDBMF10-1x1.5
M5 x 1D	TDBM5x1	M10-1.25 x 1D	TDBMF10-1.25x1
M5 x 1.5D	TDBM5x1.5	M10-1.25 x 1.5D	TDBMF10-1.25x1.5
M6 x 1D	TDBM6x1	M12-1.25 x 1D	TDBMF12-1.25x1
M6 x 1.5D	TDBM6x1.5	M12-1.25 x 1.5D	TDBMF12-1.25x1.5
M7 x 1D	TDBM7x1	M12-1.25 x 2D	TDBMF12-1.25x2
M7 x 1.5D	TDBM7x1.5	M12-1.5 x 1D	TDBMF12-1.5x1
M8 x 1D	TDBM8x1	M12-1.5 x 1.5D	TDBMF12-1.5x1.5
M8 x 1.5D	TDBM8x1.5	M12-1.5 x 2D	TDBMF12-1.5x2
M9 x 1D	TDBM9x1	M14-1.25 x 1.5D	TDBMF14-1.25x1.5
M9 x 1.5D	TDBM9x1.5	M14-1.25 x 2D	TDBMF14-1.25x2
M10 x 1D	TDBM10x1	M14-1.5 x 1.5D	TDBMF14-1.5x1.5
M10 x 1.5D	TDBM10x1.5	M14-1.5 x 2D	TDBMF14-1.5x2
M10 x 2D	TDBM10x2	M16-1.5 x 2D	TDBMF16-1.5x2
M11 x 1D	TDBM11x1	M18-1.5 x 2D	TDBMF18-1.5x2
M11 x 1.5D	TDBM11x1.5	M20-2.5 x 2D	TDBMF20-2.5x2
M12 x 1D	TDBM12x1	M22-2.5 x 2D	TDBMF22-2.5x2
M12 x 1.5D	TDBM12x1.5	M24-2 x 2D	TDBMF24-2x2
M12 x 2D	TDBM12x2	M25-1.5 x 2D	TDBMF25-1.5x2
M14 x 1.5D	TDBM14x1.5		
M14 x 2D	TDBM14x2		
M16 x 1.5D	TDBM16x1.5		
M16 x 2D	TDBM16x2		
M18 x 2D	TDBM18x2		
M20 x 2D	TDBM20x2		
M22 x 2D	TDBM22x2		
M24 x 2D	TDBM24x2		



SIZE & Ø	UNC	SIZE & Ø	UNF
#5 x 1D	TDBDUNC#5-1C	#5 x 1D	TDBDUNF#5-1C
#6 x 1D	TDBDUNC#6-1C	#6 x 1D	TDBDUNF#6-1C
#8 x 1D	TDBDUNC#8-1C	#8 x 1D	TDBDUNF#8-1C
#10 x 1D	TDBDUNC#10-1C	#10 x 1D	TDBDUNF#10-1C
#12 x 1D	TDBDUNC#12-1C	#12 x 1D	TDBDUNF#12-1C
3/16" x 1D	TDBDUNC3/16-1C	3/16" x 1D	TDBDUNF3/16-1C
1/4" x 1D	TDBDUNC1/4-1C	1/4" x 1D	TDBDUNF1/4-1C
1/4" x 1.5D	TDBDUNC1/4-1.5C	1/4" x 1.5D	TDBDUNF1/4-1.5C
5/16" x 1D	TDBDUNC5/16-1C	5/16" x 1D	TDBDUNF5/16-1C
5/16" x 1.5D	TDBDUNC5/16-1.5C	5/16" x 1.5D	TDBDUNF5/16-1.5C
3/8" x 1D	TDBDUNC3/8-1C	3/8" x 1D	TDBDUNF3/8-1C
3/8" x 1.5D	TDBDUNC3/8-1.5C	3/8" x 1.5D	TDBDUNF3/8-1.5C
7/16" x 1D	TDBDUNC7/16-1C	7/16" x 1D	TDBDUNF7/16-1C
7/16" x 1.5D	TDBDUNC7/16-1.5C	7/16" x 1.5D	TDBDUNF7/16-1.5C
1/2" x 1D	TDBDUNC1/2-1C	1/2" x 1D	TDBDUNF1/2-1C
1/2" x 1.5D	TDBDUNC1/2-1.5C	1/2" x 1.5D	TDBDUNF1/2-1.5C
1/2" x 2D	TDBDUNC1/2-2C	1/2" x 2D	TDBDUNF1/2-2C
9/16" x 1.5D	TDBDUNC9/16-1.5C	9/16" x 1.5D	TDBDUNF9/16-1.5C
9/16" x 2D	TDBDUNC9/16-2C	9/16" x 2D	TDBDUNF9/16-2C
5/8" x 1.5D	TDBDUNC5/8-1.5C	5/8" x 1.5D	TDBDUNF5/8-1.5C
5/8" x 2D	TDBDUNC5/8-2C	5/8" x 2D	TDBDUNF5/8-2C
3/4" x 2D	TDBDUNC3/4-2C	3/4" x 2D	TDBDUNF3/4-2C
7/8" x 2D	TDBDUNC7/8-2C	7/8" x 2D	TDBDUNF7/8-2C
1" x 2D	TDBDUNC1-2C	1" x 2D	TDBDUNF1-2C



FDG
FASTENERS DIRECT GLOBAL

**KEEPING BUSINESS'S
MOVING & MAKING**

FDGNZ.COM





METRIC				UNC			
Ø & PITCH	TAPER	INTER	BOTTOMING	Ø & TPI	TAPER	INTER	BOTTOMING
M2 x 0.4 PITCH	TTM2THH	TTM2IHH	TTM2BHH	#5 x 40 TPI	TTC#5THH	TTC#5IHH	TTC#5BHH
M2.5 x 0.45 PITCH	TTM2.5THH	TTM2.5IHH	TTM2.5BHH	#6 x 32 TPI	TTC#6THH	TTC#6IHH	TTC#6BHH
M3 x 0.5 PITCH	TTM3THH	TTM3IHH	TTM3BHH	#8 x 32 TPI	TTC#8THH	TTC#8IHH	TTC#8BHH
M3.5 x 0.6 PITCH	TTM3.5THH	TTM3.5IHH	TTM3.5BHH	#10 x 24 TPI	TTC#10THH	TTC#10IHH	TTC#10BHH
M4 x 0.7 PITCH	TTM4.5THH	TTM4IHH	TTM4BHH	#12 x 24 TPI	TTC#12THH	TTC#12IHH	TTC#12BHH
M4.5 x 0.75 PITCH	TTM4THH	TTM4.5IHH	TTM4.5BHH	3/16" x 24 TPI	TTC3/16THH	TTC3/16IHH	TTC3/16BHH
M5 x 0.8 PITCH	TTM5THH	TTM5IHH	TTM5BHH	1/4" x 20 TPI	TTC1/4THH	TTC1/4IHH	TTC1/4BHH
M6 x 1 PITCH	TTM6THH	TTM6IHH	TTM6BHH	5/16" x 18 TPI	TTC5/16THH	TTC5/16IHH	TTC5/16BHH
M7 x 1 PITCH	TTM7THH	TTM7IHH	TTM7BHH	3/8" x 16 TPI	TTC3/8THH	TTC3/8IHH	TTC3/8BHH
M8 x 1.25 PITCH	TTM8THH	TTM8IHH	TTM8BHH	7/16" x 14 TPI	TTC7/16THH	TTC7/16IHH	TTC7/16BHH
M9 x 1.25 PITCH	TTM9THH	TTM9IHH	TTM9BHH	1/2" x 13 TPI	TTC1/2THH	TTC1/2IHH	TTC1/2BHH
M10 x 1.5 PITCH	TTM10THH	TTM10IHH	TTM10BHH	9/16" x 12 TPI	TTC9/16THH	TTC9/16IHH	TTC9/16BHH
M12 x 1.75 PITCH	TTM12THH	TTM12IHH	TTM12BHH	5/8" x 11 TPI	TTC5/8THH	TTC5/8IHH	TTC5/8BHH
M14 x 2 PITCH	TTM14THH	TTM14IHH	TTM14BHH	3/4" x 10 TPI	TTC3/4THH	TTC3/4IHH	TTC3/4BHH
M16 x 2 PITCH	TTM16THH	TTM16IHH	TTM16BHH	7/8" x 9 TPI	TTC7/8THH	TTC7/8IHH	TTC7/8BHH
M18 x 2.5 PITCH	TTM18THH	TTM18IHH	TTM18BHH	1" x 8 TPI	TTC1THH	TTC1IHH	TTC1BHH
M20 x 2.5 PITCH	TTM20THH	TTM20IHH	TTM20BHH	1-1/8" x 7 TPI	TTC1-1/8THH	TTC1-1/8IHH	TTC1-1/8BHH
M22 x 2.5 PITCH	TTM22THH	TTM22IHH	TTM22BHH	1-1/4" x 7 TPI	TTC1-1/4THH	TTC1-1/4IHH	TTC1-1/4BHH
M24 x 3 PITCH	TTM24THH	TTM24IHH	TTM24BHH	1-1/2" x 6 TPI	TTC1-1/2THH	TTC1-1/2IHH	TTC1-1/2BHH
M30 x 3.5 PITCH	TTM30THH	TTM30IHH	TTM30BHH	1-3/4" x 5 TPI	TTC1-3/4THH	TTC1-3/4IHH	TTC1-3/4BHH
M33 x 3.5 PITCH	TTM33THH	TTM33IHH	TTM33BHH	2" x 4.5 TPI	TTC2THH	TTC2IHH	TTC2BHH
M36 x 4 PITCH	TTM36THH	TTM36IHH	TTM36BHH				



UNF				BSW			
Ø & TPI	TAPER	INTER	BOTTOMING	Ø & TPI	TAPER	INTER	BOTTOMING
#5 x 44 TPI	TTF#5THH	TTF#5IHH	TTF#5BHH	1/8" x 40 TPI	TTW1/8THH	TTW1/8IHH	TTW1/8BHH
#6 x 40 TPI	TTF#6THH	TTF#6IHH	TTF#6BHH	5/32" x 32 TPI	TTW5/32THH	TTW5/32IHH	TTW5/32BHH
#8 x 36 TPI	TTF#8THH	TTF#8IHH	TTF#8BHH	3/16" x 24 TPI	TTW3/16THH	TTW3/16IHH	TTW3/16BHH
#10 x 32 TPI	TTF#10THH	TTF#10IHH	TTF#10BHH	1/4" x 20 TPI	TTW1/4THH	TTW1/4IHH	TTW1/4BHH
#12 x 28 TPI	TTF#12THH	TTF#12IHH	TTF#12BHH	5/16" x 18 TPI	TTW5/16THH	TTW5/16IHH	TTW5/16BHH
3/16" x 32 TPI	TTF3/16THH	TTF3/16IHH	TTF3/16BHH	3/8" x 16 TPI	TTW3/8THH	TTW3/8IHH	TTW3/8BHH
1/4" x 28 TPI	TTF1/4THH	TTF1/4IHH	TTF1/4BHH	7/16" x 14 TPI	TTW7/16THH	TTW7/16IHH	TTW7/16BHH
5/16" x 24 TPI	TTF5/16THH	TTF5/16IHH	TTF5/16BHH	1/2" x 12 TPI	TTW1/2THH	TTW1/2IHH	TTW1/2BHH
3/8" x 24 TPI	TTF3/8THH	TTF3/8IHH	TTF3/8BHH	9/16" x 12 TPI	TTW9/16THH	TTW9/16IHH	TTW9/16BHH
7/16" x 20 TPI	TTF7/16THH	TTF7/16IHH	TTF7/16BHH	5/8" x 11 TPI	TTW5/8THH	TTW5/8IHH	TTW5/8BHH
1/2" x 20 TPI	TTF1/2THH	TTF1/2IHH	TTF1/2BHH	3/4" x 10 TPI	TTW3/4THH	TTW3/4IHH	TTW3/4BHH
9/16" x 18 TPI	TTF9/16THH	TTF9/16IHH	TTF9/16BHH	7/8" x 9 TPI	TTW7/8THH	TTW7/8IHH	TTW7/8BHH
5/8" x 18 TPI	TTF5/8THH	TTF5/8IHH	TTF5/8BHH	1" x 8 TPI	TTW1THH	TTW1IHH	TTW1BHH
3/4" x 16 TPI	TTF3/4THH	TTF3/4IHH	TTF3/4BHH	1-1/8" x 7 TPI	TTW1-1/8THH	TTW1-1/8IHH	TTW1-1/8BHH
7/8" x 14 TPI	TTF7/8THH	TTF7/8IHH	TTF7/8BHH	1-1/4" x 7 TPI	TTW1-1/4THH	TTW1-1/4IHH	TTW1-1/4BHH
1" x 12 TPI	TTF1THH	TTF1IHH	TTF1BHH	1-3/8" x 6 TPI	TTW1-3/8THH	TTW1-3/8IHH	TTW1-3/8BHH
1-1/8" x 12 TPI	TTF1-1/8THH	TTF1-1/8IHH	TTF1-1/8BHH	1-1/2" x 6 TPI	TTW1-1/2THH	TTW1-1/2IHH	TTW1-1/2BHH
1-1/4" x 12 TPI	TTF1-1/4THH	TTF1-1/4IHH	TTF1-1/4BHH	1-3/4" x 5 TPI	TTW1-3/4THH	TTW1-3/4IHH	TTW1-3/4BHH
1-1/2" x 12 TPI	TTF1-1/2THH	TTF1-1/2IHH	TTF1-1/2BHH	2" x 4.5 TPI	TTW2THH	TTW2IHH	TTW2BHH

Quick and Easy Ordering Online
with the **FDG Trade Store.**

TRADE.FDGNZ.COM





FLUTE HAND/MACHINE TAP & SPIRAL FLUTE TAP



METRIC FINE FLUTE HAND & MACHINE TAPS			
Ø & PITCH	TAPER	INTERMEDIATE	BOTTOMING
M8 x 1 PITCH	TTM8X1IHH	TTM8X1IHH	TTMF8X1BH
M10 x 1 PITCH	TTM10X1IHH	TTM10X1IHH	TTMF10X1BH
M10 x 1.25 PITCH	TTM10X1.25IHH	TTM10X1.25IHH	TTMF10X1.25BH
M12 x 1.25 PITCH	TTM12X1.25IHH	TTM12X1.25IHH	TTMF12X1.25BH
M12 x 1.5 PITCH	TTM12X1.5IHH	TTM12X1.5IHH	TTMF12X1.5BH
M14 x 1.25 PITCH	TTM14X1.25IHH	TTM14X1.25IHH	TTMF14X1.25BH
M14 x 1.5 PITCH	TTM14X1.5IHH	TTM14X1.5IHH	TTMF14X1.5BH
M16 x 1.5 PITCH	TTM16X1.5IHH	TTM16X1.5IHH	TTMF16X1.5BH
M18 x 1.5 PITCH	TTM18x1.5IHH	TTM18X1.5IHH	TTMF18X1.5BH
M20 x 1.5 PITCH	TTM20X1.5IHH	TTM20X1.5IHH	TTMF20X1.5BH
M22 x 1.5 PITCH	TTM22X1.5IHH	TTM22X1.5IHH	TTMF22X1.5BH
M24 x 2 PITCH	TTM24X2IHH	TTM24X2IHH	TTMF24X2BH
M25 x 1.5 PITCH	TTM25X1.5IHH	TTM25X1.5IHH	TTMF25X1.5BH
M32 x 1.5 PITCH	TTM32X1.5IHH	TTM32X1.5IHH	TTMF32X1.5BH



SPIRAL FLUTE TAP							
Ø & PITCH	METRIC	Ø & TPI	METRIC FINE	Ø & TPI	UNC	Ø & TPI	UNF
M3 x 0.5 PITCH	TTM3SSF	M5 x 0.5 TPI	TTMF5X0.5SSF	#6 x 32 TPI	TTC6GSSF	#5 x 44 TPI	TTF5GSSF
M4 x 0.7 PITCH	TTM4SSF	M6 x 0.75 TPI	TTMF6X0.75SSF	#8 x 32 TPI	TTC8GSSF	#6 x 40 TPI	TTF6GSSF
M5 x 0.8 PITCH	TTM5SSF	M8 x 1 TPI	TTMF8X1SSF	#10 x 24 TPI	TTC10GSSF	#8 x 36 TPI	TTF8GSSF
M6 x 1 PITCH	TTM6SSF	M10 x 1.0 TPI	TTMF10X1.0SSF	#12 x 24 TPI	TTC12GSSF	#10 x 32 TPI	TTF10GSSF
M7 x 1 PITCH	TTM7SSF	M10 x 1.25 TPI	TTMF10X1.25SSF	1/4 x 20 TPI	TTC1/4SSF	#12 x 28 TPI	TTF12GSSF
M8 x 1.25 PITCH	TTM8SSF	M12 x 1.25 TPI	TTMF12X1.25SSF	5/16 x 18 TPI	TTC5/16SSF	1/4 x 28 TPI	TTF1/4SSF
M9 x 1.25 PITCH	TTM9SSF	M12 x 1.5 TPI	TTMF12x1.5SSF	3/8 x 16 TPI	TTC3/8SSF	5/16 x 24 TPI	TTF5/16SSF
M10 x 1.5 PITCH	TTM10SSF			7/16 x 14 TPI	TTC7/16SSF	3/8 x 24 TPI	TTF3/8SSF
M11 x 1.5 PITCH	TTM11SSF			1/2 x 13 TPI	TTC1/2SSF	7/16 x 20 TPI	TTF7/16SSF
M12 x 1.75 PITCH	TTM12SSF			9/16 x 12 TPI	TTC9/16SSF	1/2 x 20 TPI	TTF1/2SSF
M14 x 2 PITCH	TTM14SSF			5/8 x 11 TPI	TTC5/8SSF	9/16 x 18 TPI	TTF9/16SSF
M16 x 2 PITCH	TTM16SSF			3/4 x 10 TPI	TTC3/4SSF	5/8 x 18 TPI	TTF5/8SSF
M18 x 2.5 PITCH	TTM18SSF			7/8 x 9 TPI	TTC7/8SSF	3/4 x 16 TPI	TTF3/4SSF
M20 x 2.5 PITCH	TTM20SSF			1 x 8 TPI	TTC1SSF	7/8 x 14 TPI	TTF7/8SSF
M22 x 2.5 PITCH	TTM22SSF					1 x 12 TPI	TTF1SSF
M24 x 3 PITCH	TTM24SSF						



SPIRAL POINT TAP



Ø & PITCH	METRIC	Ø & TPI	UNC	Ø & TPI	UNF
M3 x 0.5 PITCH	TTM3SSP	#6 x 32 TPI	TTC6GSSP	#5 x 44 TPI	TTF5GSSP
M3.5 x 0.6 PITCH	TTM3.5SSP	#8 x 32 TPI	TTC8GSSP	#6 x 40 TPI	TTF6GSSP
M4 x 0.7 PITCH	TTM04SSP	#10 x 24 TPI	TTC10GSSP	#8 x 36 TPI	TTF8GSSP
M5 x 0.8 PITCH	TTM05SSP	#12 x 24 TPI	TTC12GSSP	#10 x 32 TPI	TTF10GSSP
M6 x 1 PITCH	TTM6SSP	1/4 x 20 TPI	TTC1/4SSP	#12 x 28 TPI	TTF12GSSP
M7 x 1 PITCH	TTM7SSP	5/16 x 18 TPI	TTC5/16SSP	1/4 x 28 TPI	TTF1/4SSP
M8 x 1.25 PITCH	TTM8SSP	3/8 x 16 TPI	TTC3/8SSP	5/16 x 24 TPI	TTF5/16SSP
M9 x 1.25 PITCH	TTM9SSP	7/16 x 14 TPI	TTC7/16SSP	3/8 x 24 TPI	TTF3/8SSP
M10 x 1.5 PITCH	TTM10SSP	1/2 x 13 TPI	TTC1/2SSP	7/16 x 20 TPI	TTF7/16SSP
M11 x 1.5 PITCH	TTM11SSP	9/16 x 12 TPI	TTC9/16SSP	1/2 x 20 TPI	TTF1/2SSP
M12 x 1.75 PITCH	TTM12SSP	5/8 x 11 TPI	TTC5/8SSP	9/16 x 18 TPI	TTF9/16SSP
M14 x 2 PITCH	TTM14SSP	3/4 x 10 TPI	TTC3/4SSP	5/8 x 18 TPI	TTF5/8SSP
M16 x 2 PITCH	TTM16SSP	7/8 x 9 TPI	TTC7/8SSP	3/4 x 16 TPI	TTF3/4SSP
M18 x 2.5 PITCH	TTM18SSP	1 x 8 TPI	TTC1SSP	7/8 x 14 TPI	TTF7/8SSP
M20 x 2.5 PITCH	TTM20SSP			1 x 12 TPI	TTF1SSP
M22 x 2.5 PITCH	TTM22SSP				
M24 x 3 PITCH	TTM24SSP				
M27 x 3 PITCH	TTM27SSP				
M30 x 3.5 PITCH	TTM30SSP				
M33 x 3.5 PITCH	TTM33SSP				
M36 x 4 PITCH	TTM36SSP				



FASTENERS DIRECT GLOBAL

THE RIGHT PRODUCT, AT THE RIGHT TIME, AT A FAIR PRICE

FDGNZ.COM





CYLINDRICAL BURR WITH SMOOTH END					
Ø x L	METRIC	Ø x L	IMPERIAL	Ø x L	LONG IMPERIAL
1.5mm x 38mm	TBURRSA-41MDC	1/16" x 1-1/2"	TBURRSA-41DC	1/4" x 6-1/2"	TBURRSA-1L6
3.0mm x 38mm	TBURRSA-43MDC	3/32" x 1-1/2"	TBURRSA-42DC	3/8" x 6-3/4"	TBURRSA-3L6
6.3mm x 50mm	TBURRSA-51MDC	1/8" x 1-1/2"	TBURRSA-43DC	1/2" x 7"	TBURRSA-5L6
4.7mm x 50mm	TBURRSA-14MDC	5/32" x 1-1/2"	TBURRSA-52DC		
6.0mm x 50mm	TBURRSA-1MDC	3/16" x 1-1/2"	TBURRSA-53DC		
8.0mm x 63mm	TBURRSA-2MDC	1/4" x 2"	TBURRSA-51DC		
9.5mm x 63mm	TBURRSA-3MDC	1/8" x 2"	TBURRSA-11DC		
12.7mm x 68mm	TBURRSA-5MDC	3/16" x 2"	TBURRSA-14DC		
16.0mm x 68mm	TBURRSA-6MDC	1/4" x 2"	TBURRSA-1DC		
25.4mm x 68mm	TBURRSA-9MDC	5/16" x 2-3/4"	TBURRSA-2DC		
		3/8" x 2-3/4"	TBURRSA-3DC		
		7/16" x 3"	TBURRSA-4DC		
		1/2" x 3"	TBURRSA-5DC		
		5/8" x 3"	TBURRSA-6DC		
		3/4" x 3"	TBURRSA-7DC		
		1" x 3"	TBURRSA-9DC		



ALUMINIUM CUT WITH SMOOTH END			
Ø x L	METRIC	Ø x L	IMPERIAL
6.0mm x 50mm	TBURRSA-1MAL	1/4" x 2"	TBURRSA-1AL
9.5mm x 63mm	TBURRSA-3MAL	3/8" x 2-3/4"	TBURRSA-3AL
12.7mm x 68mm	TBURRSA-5MAL	1/2" x 3"	TBURRSA-5AL
		5/8" x 3"	TBURRSA-6AL
		3/4" x 3"	TBURRSA-7AL



CYLINDRICAL BURR WITH END CUT			
Ø x L	METRIC	Ø x L	IMPERIAL
4.7" x 50mm	TBURRSB-14MDC	1/4" x 2"	TBURRSB-51DC
6.0" x 50mm	TBURRSB-1MDC	1/8" x 2"	TBURRSB-11DC
8.0" x 63mm	TBURRSB-2MDC	3/16" x 2"	TBURRSB-14DC
9.5" x 63mm	TBURRSB-3MDC	1/4" x 2"	TBURRSB-1DC
11.0" x 68mm	TBURRSB-4MDC	5/16" x 2-3/4"	TBURRSB-2DC
12.7" x 68mm	TBURRSB-5MDC	3/8" x 2-3/4"	TBURRSB-3DC
16.0" x 68mm	TBURRSB-6MDC	7/16" x 3"	TBURRSB-4DC
19.0" x 8mm	TBURRSB-7MDC	1/2" x 3"	TBURRSB-5DC
		5/8" x 3"	TBURRSB-6DC
		3/4" x 3"	TBURRSB-7DC

ALUMINIUM CUT WITH END CUT	
Ø x L	IMPERIAL
3/8" x 2"	TBURRSB-3AL
5/8" x 3"	TBURRSB-5AL





M18 FUEL™ 1/4" DIE GRINDER

UP TO 20 MINUTES GRINDING

M-M18FDG-0

Check out our wide range of Milwaukee on page 288



CYLINDRICAL BURR WITH BALLNOSE					
Ø x L	METRIC	Ø x L	IMPERIAL	Ø x L	LONG IMPERIAL
2.5mm x 38mm	TBURRSC-41MDC	3/32" x 1-1/2"	TBURRSC-41DC	1/4" x 6-1/2"	TBURRSC-1L6
3.0mm x 38mm	TBURRSC-42MDC	1/8" x 1-1/2"	TBURRSC-42DC	3/8" x 6-3/4"	TBURRSC-3L6
4.7mm x 50mm	TBURRSC-14MDC	5/32" x 1-1/2"	TBURRSC-52DC	1/2" x 7"	TBURRSC-5L6
6.0mm x 50mm	TBURRSC-1MDC	3/16" x 1-1/2"	TBURRSC-53DC		
8.0mm x 63mm	TBURRSC-2MDC	1/4" x 2"	TBURRSC-51DC		
9.5mm x 63mm	TBURRSC-3MDC	1/8" x 2"	TBURRSC-11DC		
11.0mm x 68mm	TBURRSC-4MDC	3/16" x 2"	TBURRSC-14DC		
12.7mm x 68mm	TBURRSC-5MDC	1/4" x 2"	TBURRSC-1DC		
16.0 mmx 68mm	TBURRSC-6MDC	5/16" x 2-3/4"	TBURRSC-2DC		
19.0mm x 68mm	TBURRSC-7MDC	3/8" x 2-3/4"	TBURRSC-3DC		
		7/16" x 3"	TBURRSC-4DC		
		1/2" x 3"	TBURRSC-5DC		
		5/8" x 3"	TBURRSC-6DC		
		3/4" x 3"	TBURRSC-7DC		
		3/4" x 3"	TBURRSA-7DC		



ALUMINIUM CUT WITH BALLNOSE			
Ø x L	METRIC	Ø x L	IMPERIAL
6.0mm x 50mm	TBURRSC-1MAL	1/4" x 2"	TBURRSC-1AL
9.5mm x 63mm	TBURRSC-3MAL	3/8" x 2-3/4"	TBURRSC-3AL
12.7mm x 68mm	TBURRSC-5MAL	1/2" x 3"	TBURRSC-5AL
		5/8" x 3"	TBURRSC-6AL
		3/4" x 3"	TBURRSC-7AL



BALL BURR			
Ø x L	METRIC	Ø x L	IMPERIAL
3.0mm x 38mm	TBURRSD-42MDC	3/32" x 1-1/2"	TBURRSD-41DC
3.0mm x 50mm	TBURRSD-11MDC	1/8" x 1-1/2"	TBURRSD-42DC
6.0mm x 50mm	TBURRSD-1MDC	3/16" x 1-1/2"	TBURRSD-53DC
8.0mm x 50mm	TBURRSD-2MDC	1/4" x 1-11/64"	TBURRSD-51DC
9.5mmx 52mm	TBURRSD-3MDC	1/8" x 2"	TBURRSD-11DC
12.7mm x 54mm	TBURRSD-5MDC	3/16" x 2"	TBURRSD-14DC
16mm x 58mm	TBURRSD-6MDC	1/4" x 2"	TBURRSD-1DC
		5/16" x 2-1/4"	TBURRSD-2DC
		3/8" x 2-5/16"	TBURRSD-3DC
		7/16" x 2-3/8"	TBURRSD-4DC
		1/2" x 2-7/16"	TBURRSD-5DC
		5/8" x 2-9/16"	TBURRSD-6DC
		3/4" x 2-11/16"	TBURRSD-7DC
		1" x 2-15/16"	TBURRSD-9DC



ALUMINIUM CUT WITH BALL BURR			
Ø x L	METRIC	Ø x L	IMPERIAL
9.5mm x 52mm	TBURRSD-3MAL	1/4" x 2"	TBURRSD-1AL
12.7mm x 54mm	TBURRSD-5MAL	3/8" x 2-5/16"	TBURRSD-3AL
		1/2" x 2-7/16"	TBURRSD-5AL
		5/8" x 2-9/16"	TBURRSD-6AL



BALL BURR LONG SERIES			
Ø x L	METRIC	Ø x L	IMPERIAL
9.5mm x 161mm	TBURRSD-3ML6	1/4" x 6-1/8"	TBURRSD-1L6
12.7mm x 164mm	TBURRSD-5ML6	3/8" x 6-1/4"	TBURRSD-3L6
		1/2" x 6-3/8"	TBURRSD-5L6



ALPHA - SE SERIES BURR



OVAL BURR			
Ø x L	METRIC	Ø x L	IMPERIAL
6.3mm x 47mm	TBURRSE-51MDC	1/8" x 1-1/2"	TBURRSE-41DC
6.0mm x 50mm	TBURRSE-1MDC	3/16" x 1-1/2"	TBURRSE-53DC
9.5mm x 60mm	TBURRSE-3MDC	1/4" x 1-7/8"	TBURRSE-51DC
12.7mm x 65mm	TBURRSE-5MDC	1/4" x 2"	TBURRSE-1DC
		3/8" x 2-5/8"	TBURRSE-3DC
		1/2" x 2-7/8"	TBURRSE-5DC
		5/8" x 3"	TBURRSE-6DC
		3/4" x 3"	TBURRSE-7DC



ALUMINIUM CUT WITH OVAL BURR			
Ø x L	METRIC	Ø x L	IMPERIAL
9.5mm x 60mm	TBURRSE-3MAL	3/8" x 2-5/8"	TBURRSE-3AL
12.7mm x 66mm	TBURRSE-5MAL	1/2" x 2-7/8"	TBURRSE-5AL
		5/8" x 3"	TBURRSE-6AL



LONG SERIES WITH OVAL BURR			
Ø x L	METRIC	Ø x L	IMPERIAL
6.3mm x 111mm	TBURRSE-1ML4	1/4" x 4-3/8"	TBURRSE-1L4
12.7mm x 177mm	TBURRSE-5ML6	3/8" x 6-5/8"	TBURRSE-3L6
		1/2" x 6-7/8"	TBURRSE-5L6

RANGE OF
QUALITY
BURR SETS
AT FDG



Contact us today to place
your order on 0800 555 464



ALPHA - SF SERIES BURR



TREE RADIUS NOSE BURR			
Ø x L	METRIC	Ø x L	IMPERIAL
6.3mm x 50mm	TBURRSF-51MDC	1/8" x 1-1/2"	TBURRSF-41DC
6.0mm x 50mm	TBURRSF-1MDC	1/8" x 1-1/2"	TBURRSF-42DC
9.5mm x 63mm	TBURRSF-3MDC	3/16" x 1-1/2"	TBURRSF-53DC
12.7mm x 68mm	TBURRSF-5MDC	1/4" x 2"	TBURRSF-51DC
16.0mm x 68mm	TBURRSF-6MDC	1/4" x 2"	TBURRSF-1DC
19.0mm x 68mm	TBURRSF-7MDC	3/8" x 2-3/4"	TBURRSF-3DC
16mm x 58mm	TBURRSF-6MDC	7/16" x 3"	TBURRSF-4DC
		1/2" x 2-3/4"	TBURRSF-13DC
		1/2" x 3"	TBURRSF-5DC
		5/8" x 3"	TBURRSF-6DC
		3/4" x 3-1/4"	TBURRSF-14DC
		3/4" x 3"	TBURRSF-7DC
		3/4" x 3-1/2"	TBURRSF-15DC



ALUMINIUM CUT WITH TREE RADIUS NOSE BURR			
Ø x L	METRIC	Ø x L	IMPERIAL
6.0mm x 50mm	TBURRSF-1MAL	1/2" x 2"	TBURRSF-1AL
9.5mm x 63mm	TBURRSF-3MAL	3/8" x 2-3/4"	TBURRSF-3AL
		1/2" x 3"	TBURRSF-5AL
		5/8" x 3"	TBURRSF-6AL



LONG SERIES WITH TREE RADIUS NOSE BURR			
Ø x L	METRIC	Ø x L	IMPERIAL
6.0mm x 163mm	TBURRSF-1ML6	1/4" x 6-1/2"	TBURRSF-1L6
9.5mm x 171mm	TBURRSF-3ML6	3/8" x 6-3/4"	TBURRSF-3L6
12.7mm x 177mm	TBURRSF-5ML6	1/2" x 7"	TBURRSF-5L6



SG - TREE POINTED NOSE BURR			
Ø x L	METRIC	Ø x L	IMPERIAL
6.3mm x 50mm	TBURRSG-51MDC	1/8" x 1-1/2"	TBURRSG-41DC
6.0mm x 50mm	TBURRSG-1MDC	1/8" x 1-1/2"	TBURRSG-42DC
8.0mm x 63mm	TBURRSG-2MDC	1/8" x 1-1/2"	TBURRSG-43DC
9.5mm x 63mm	TBURRSG-3MDC	1/8" x 1-1/2"	TBURRSG-44DC
12.7mm x 68mm	TBURRSG-5MDC	3/16" x 1-1/2"	TBURRSG-53DC
		1/4" x 2"	TBURRSG-51DC
		1/4" x 2"	TBURRSG-1DC
		5/16" x 2-3/4"	TBURRSG-2DC
		3/8" x 2-3/4"	TBURRSG-3DC
		1/2" x 2-3/4"	TBURRSG-13DC
		1/2" x 1"	TBURRSG-5DC
		5/8" x 1"	TBURRSG-6DC
		3/4" x 1"	TBURRSG-7DC



SH - FLAME BURR			
Ø x L	METRIC	Ø x L	IMPERIAL
8.0mm x 63mm	TBURRSH-2MDC	1/8" x 1-1/2	TBURRSH-41DC
12.7mm x 75mm	TBURRSH-5MDC	1/8" x 1-1/2	TBURRSH-53DC
16.0mm x 79mm	TBURRSH-6MDC	3/16" x 2-3/4	TBURRSH-2DC
19.0mm x 84mm	TBURRSH-7MDC	1/4" x 3-1/4	TBURRSH-5DC
		1/4" x 3-7/16	TBURRSH-6DC
		5/16" x 3-5/8	TBURRSH-7DC



SL - ANGLE BURR			
Ø x L	METRIC	Ø x L	IMPERIAL
6.0mm x 50mm	TBURRSL-1MDC	1/8" x 1-1/2	TBURRSL-41DC
8.0mm x 66mm	TBURRSL-2MDC	1/8" x 1-1/2	TBURRSL-42DC
9.5mm x 71mm	TBURRSL-3MDC	3/16" x 1-1/2	TBURRSL-53DC
12.7mm x 72mm	TBURRSL-4MDC	1/4" x 2	TBURRSL-1DC
		5/16" x 2-7/8	TBURRSL-2DC
		3/8" x 3-1/16	TBURRSL-3DC
		1/2" x 3-1/8	TBURRSL-4DC
		5/8" x 3-5/16	TBURRSL-6DC
		3/4" x 3-1/2	TBURRSL-7DC



SL - ANGLE BURR IMPERIAL					
Ø x L	LONG SERIES	Ø x L	ALUMINIUM CUT	Ø x L	DOUBLE ENDED
1/4" x 6-5/8"	TBURRSL-1L6	12.7 x 72	TBURRSL-4MAL	1/4" x 2"	TBURRSK-1SC
3/8" x 7	TBURRSL-3L6	3/8" x 3-1/16"	TBURRSL-3AL	3/8" x 2-5/16"	TBURRSK-3SC
1/2" x 7-1/8"	TBURRSL-4L6	1/2" x 3-1/8"	TBURRSL-4AL		
		5/8" x 3-5/16"	TBURRSL-6AL		



SM - POINTED CONE BURR				SM - INVERTED TAPPER BURR			
Ø x L	METRIC	Ø x L	IMPERIAL	Ø x L	METRIC	Ø x L	IMPERIAL
4.7mm x 38mm	TBURRSM-53MDC	1/8" x 1-1/2"	TBURRSM-41DC	6.0mm x 50mm	TBURRSN-1MDC	1/8" x 1-1/2"	TBURRSN-42DC
6.0mm x 50mm	TBURRSM-1MDC	1/8" x 1-1/2"	TBURRSM-42DC			3/16" x 1-1/2"	TBURRSN-53DC
6.0mm x 50mm	TBURRSM-2MDC	1/8" x 1-1/2"	TBURRSM-43DC			1/4" x 1-3/4"	TBURRSN-51DC
6.0mm x 50mm	TBURRSM-3MDC	3/16" x 1-1/2"	TBURRSM-53DC			1/4" x 2"	TBURRSN-1DC
9.5mm x 60mm	TBURRSM-4MDC	1/4" x 2"	TBURRSM-51DC			3/8" x 2-3/8"	TBURRSN-2DC
12.7mm x 66mm	TBURRSM-5MDC	1/4" x 2"	TBURRSM-1DC			1/2" x 2-1/2"	TBURRSN-3DC
16.0mm x 68mm	TBURRSM-6MDC	1/4" x 2"	TBURRSM-2DC			1/2" x 2-1/2"	TBURRSN-4DC
		1/4" x 2"	TBURRSM-3DC			5/8" x 2-5/8"	TBURRSN-5DC
		3/8" x 2-5/8"	TBURRSM-4DC			5/8" x 2-3/4"	TBURRSN-6DC
		1/2" x 2-7/8"	TBURRSM-5DC				
		5/8" x 3"	TBURRSM-6DC				



FDG
FASTENERS DIRECT GLOBAL

**IS THERE SOMETHING ELSE
YOU ARE LOOKING FOR?**

GIVE US A CALL ON 0800 555 464



CRC Coloured Zinc's unique formulation combines superior rust inhibiting properties of zinc with a tough but flexible enamel coating. The coloured satin finish comes in recognised safety colours which resists undercutting and blistering from corrosion by forming an effective corrosion barrier. MPI Approved C23.



CRC BLACK ZINC AEROSOL		
CODE	SIZE	PACK QTY
048000056	400ml	6

Recommended as a top coat for added corrosion control, on fabricated metals, engine parts, starter motors, radiators and much more. Coloured zincs are quick drying, primer less topcoats, reinforced with zinc complex.



CRC BLUE ZINC		
CODE	SIZE	PACK QTY
048000058	400ml	6

CRC Blue Zinc provides a satin top-coat finish but unlike standard paint systems, resists undercutting and blistering from corrosion by forming an effective corrosion barrier. Ideal for use on scaffolding, garage doors, warehouse racking, fabricated metals, agricultural & factory machinery .



CRC ORANGE ZINC AEROSOL		
CODE	SIZE	PACK QTY
048000344	400ml	6

Used on safety barriers, fork hoists, construction & mining equipment, fabricated metals and much more. High levels of anti-corrosive zinc complexes are embedded in a resin system which forms a quick-drying highly-protective enamel coating with excellent adhesion to bare metal.

CRC RED ZINC AEROSOL

CODE	SIZE	PACK QTY
048000398	400ml	6

CRC Red Zinc provides a satin top-coat finish but unlike standard paint systems, resists undercutting and blistering from corrosion by forming an effective corrosion barrier. Used on fabricated metals and surfaces where a red finish is desirable.



CRC YELLOW ZINC AEROSOL

CODE	SIZE	PACK QTY
048000495	400ml	6

CRC Yellow Zinc provides a satin top-coat finish but unlike standard paint systems, resists undercutting and blistering from corrosion by forming an effective corrosion barrier. Used on safety barriers, fork hoists, construction & mining equipment, fabricated metals and much more.



CRC CLEAR ZINC AEROSOL

CODE	SIZE	PACK QTY
048000614	400ml	6

CRC Clear Zinc's advanced protective coating technology protects surfaces from chemical, environmental and ultraviolet damage preventing rust, oxidation, corrosion, staining, and fading, for up to 27 months. CRC Clear Zinc is an easy to use, long lasting, high performance protective clear coating that can be applied to almost any surface.




CRC ZINC IT AEROSOL

CODE	SIZE	PACK QTY
048000497	350g	6

Easy to apply, CRC ZINC IT is a single component zinc rich compound with a special epoxy binder and contains 93% of the highest purity zinc in the dried film, to give galvanic rust prevention. This galvanic rust protection offers the same advantages as hot-dip galvanizing.


CRC BRIGHT ZINC AEROSOL

CODE	SIZE	PACK QTY
048000070	400ml	6

Quick dry coating that combines rust inhibiting properties of Zinc with a flexible enamel coating. CRC Bright Zinc provides a gloss top-coat finish but unlike standard paint systems, resists undercutting and blistering from corrosion. It is ideal for touch-up and repair of damaged galvanised surfaces and effective long-term rust protection with the bright look of a newly galvanised surface.


CRC SILICONE AEROSOL 808

CODE	SIZE	PACK QTY
048000018	500mls	6

CRC 808 Silicone is a multi-purpose silicone spray for general lubrication. It leaves a thin, clear, odourless film that lubricates, waterproofs and revives without damaging treated surfaces or leaving stains. CRC 808 Silicone eliminates squeaking and binding caused by friction and is ideal for use on metals, plastics, rubber, fabrics, wood, glass, and painted surfaces.

CRC CDT CUTTING OIL AEROSOL

CODE	SIZE	PACK QTY
048000085	400ml	6

CRC CDT Cutting compounds are superior neat cutting, drilling tapping, and reaming lubricants, formulated for hand and machine cutting on all types of metal. They significantly reduce friction and wear, increase cutting speeds, protect and extend tool life, and ensure consistent, high quality surface finish. Recommended for metal cutting operations, drilling, tapping, reaming and general workshop applications.


CRC CDT CUTTING LIQUID

CODE	SIZE	PACK QTY
048000086	5l	6

CRC CDT Cutting Liquid is a superior cutting, drilling, tapping, and reaming lubricant, formulated for hand and machine cutting on all types of metal. May also be used as an extreme pressure additive booster for standard neat cutting oils, and for difficult cutting operations such as broaching and gear manufacturing on the toughest metals. NZSFA Approved C12.


CRC 5.56 INDUSTRIAL

CODE	SIZE	PACK QTY
048000014	550mls	6

CRC 5.56 Industrial is a high performance variant of CRC 5.56 fortified with PTFE for additional lubricating performance and non-flammable making it safe for use in industrial applications. The presence of PTFE provides effective lubrication and performs extremely well when frequent start/stop or alternating movements occur. Superior penetrating power breaks through rust and corrosion, loosens rusted parts, displaces water from wet equipment and cleans away scale and dirt.



CRC Industrial Food Grade products have been developed to conform with the highest standards of relevant food authorities, including MPI, NZ AsureQuality and NSF International. CRC Industries follows strict guidelines in all areas of research, development and production, making CRC Food Grade range The Professional's Choice.



CRC FOOD GRADE 5.56

CODE	SIZE	PACK QTY
048000183	400ml	6

A multi-use product ideal for the food industry CRC Food Grade 5.56 Lubricant Aerosol is an effective and efficient multi-use product that penetrates, lubricates and loosens rusted parts, prevents corrosion and displaces moisture. The highly refined white mineral oil forms a thin film that lubricates moving parts for smooth action and silences annoying squeaks and squeals.



CRC FOOD GRADE MACHINE OIL

CODE	SIZE	PACK QTY
048000200	312gm	6

CRC Food Grade Machine Oil is a highly refined machine oil engineered to provide exceptional lubrication characteristics and high levels of wear and corrosion protection. For use in circulation systems lubricating gears and bearings on all food processing equipment.



CRC FOOD GRADE SILICONE

CODE	SIZE	PACK QTY
048000205	300gm	6

CRC Food Grade Silicone is a multi-purpose dry film silicone lubricant for use on food processing and handling equipment. It forms a colourless, odourless film that does not attract dust or product debris. It lubricates and protects in most metal and non metal applications without damaging treated surfaces.

CRC FOODGRADE WHITE CHAIN & DRIVE LUBE

CODE	SIZE	PACK QTY
048000231	400ml	6

CRC Food Grade White Chain & Drive Lube is an extreme pressure lubricant formulated with PTFE for heavy-duty lubrication of chains, pins and sprockets. The high viscosity lubricant with excellent adhesive properties forms a tough film that remains in place during extreme wear without risking contamination of food and other clean environments.



CRC FOODGRADE DRY LUBE

CODE	SIZE	PACK QTY
048000230	400ml	6

CRC Food Grade Dry Lube is ideal for sliding mechanisms and on extreme heavy loads to reduce wear and prevent galling or seizing. For mechanisms that are operated at infrequent intervals or are lubricated for life. Wide temperature range from -20°C to +250°C. MPI Approved C15. CRC Food Grade Dry Lube is ideal for sliding mechanisms and on extreme heavy loads to reduce wear and prevent galling or seizing.



CRC SILICONE AEROSOL 5.56

CODE	SIZE	PACK QTY
048000005	550mls	6

CRC 5.56 forms a thin film that lubricates moving parts for smooth action and silences annoying squeaks and squeals. Superior penetrating power breaks through rust and corrosion, loosens rusted parts, displaces water from wet equipment and cleans away scale and dirt. It protects metals from corrosion caused by humidity, salt air and other corrosive atmospheres.





CRC AEROSOL BRAKLEEN

CODE	SIZE	PACK QTY
048000062	600gm	6

CRC Brakleen Brake and Parts Cleaner formulated to quickly and safely remove brake fluid, grease, oil and other contaminant from brake linings, pads, drums and callipers. Recommended for the cleaning and effective removal of grease and oil from mechanical brake linings, drums, brake shoes, disc brake pads, discs, wedge brakes, springs, callipers, clutches, clutch discs, chains, wire ropes, dies, moulds, parts and bearings.



CRC PAINT MARKER PEN

CODE	COLOUR	PACK QTY
048000358	BLACK	6
048000359	BLUE	6
048000360	GOLD	6
048000361	GREEN	6
048000362	ORANGE	6
048000363	RED	6
048000364	SILVER	6
048000365	WHITE	6
048000366	YELLOW	6

CRC Paint Marker Pen uses solvent based paint formula for durable marking on multiple surfaces in all weather conditions. It shows excellent coverage and is an ideal product for every toolbox. Fast drying and can be used on Wood, metal, concrete, stone, bricks, rubber, glass, textile, paper, enamel, plastic, cardboard, some tiles, etc.

COMPLETE

CRC

RANGE

AVAILABLE




 Norton Quick Change discs are ideal for sanding small surface areas. These small abrasive discs are available in different sizes and grades and perfect for general use applications, including blending, breaking edges, removing parting lines and machine marks. Essential for the tool box.

ORANGE FIBRE DISC F980

CODE	SIZE	GRIT	PACK QTY
036500244	115 x 22mm	P36	12
036500245	115 x 22mm	P60	12
036500246	115 x 22mm	P80	12
036500247	115 x 22mm	P120	12
036500248	125 x22mm	P24	12
036500249	125 x 22mm	P36	12
036500250	125 x 22mm	P60	12
036500251	125 x 22mm	P80	12
036500252	125 x 22mm	P120	12
036500253	180 x 22mm	P24	12
036500254	180 x 22mm	P36	12
036500255	180 x 22mm	P60	12



Enhanced grain retention for longer product life & aggression.
Increase of cut rate and life over competitive/blended/low ratio ceramic alumina disc.
Reduced loading and glazing on stainless steel, heat, titanium and super alloy.
Norton Fibre discs feature a full resin bond system with heavy duty fibre backing for increased strength, durability and tear resistance.
Great for Welding foundry and transport markets, metal fabrication and those doing weld grinding, light deburring and material removal.

CERAMIC RAPID STRIP DEPRESSED CENTRE

CODE	SIZE	PACK QTY
036500343	100 x 16mm	12
036500344	115 x 22mm	12
036500345	125 x 22mm	12
036500346	180 X 22mm	12



The Norton Blaze Rapid Stripping discs can be used for multiple applications, from heavy corrosion and rust removal, to thick coatings on metal components.

Benefits include:

- It does not shed on rust encrusted pieces.
- Does not load and clog with soft metals, sticky coating or adhesives.
- Rapid and efficiently stripping and cleaning.
- Will not damage the metal surface.
- Norton Blaze is also ideal as a paint stripping disc.



The Maxabrase range of cutting and grinding discs are made to perform when cutting and grinding mild-steel and stainless steel. Tested under European testing criteria and manufactured to meet EN 12413 Standards you can have confidence when using Maxabrase discs for your next job. Long lasting, with a fibreglass backing, these are a must have for your tool kit.



Made in Europe

GOLD SERIES CUTTING DISCS

CODE	SIZE	MAX RPM	PACK QTY
036503065	75 x 1.0mm	20,370	25
036503064	100 x 1.0mm	15,300	25
036503063	115 x 1.0mm	13,300	25
036503062	115 x 1.6mm	13,300	25
036503061	125 x 1.0mm	12,250	25
036503060	125 x 1.6mm	12,250	25
036503086	125 x 2.5mm	12,250	25
036503058	180 x 1.6mm	8,500	25
036503057	180 x 2.5mm	8,500	25
036503056	230 x 1.9mm	6,650	25

- High quality Stainless steel grade cutting discs.
- Lower machine load extends tool life.
- Narrow cutting joints.
- Stainless steel and general metal cutting.
- Xtra Life, Xtra Balance, OSA Approved.



Made in Europe

SILVER SERIES CUTTING DISCS

CODE	SIZE	MAX RPM	PACK QTY
036503055	100 x 1.0mm	15,300	50
036503054	100 x 2.4mm	15,300	50
036503053	115 x 1.0mm	13,300	50
036503050	125 x 1.0mm	12,250	50
036503048	125 x 1.6mm	12,250	50
036503059	125 x 2.5mm	12,250	50
036503092	180 x 2.0mm	8,500	25
036503045	230 x 2.0mm	6,650	25
036503044	230 x 2.4mm	6,650	25
036503043	300 x 4.0mm	6,400	10
036503042	355 x 2.8mm	4,350	10
036503041	400 x 4.0mm	4,800	5

- Excellent quality Stainless Steel grade cutting disc.
- MPA tested in Hanover Germany.
- Manufactured to EN12413 Standards.
- Well balanced discs.



SILVER SERIES GRINDING DISCS

CODE	SIZE	MAX RPM	PACK QTY
036503093	100 x 6.0mm	15,300	10
036502947	115 x 6.0mm	13,300	10
036502946	125 x 6.0mm	12,250	10
036502945	180 x 6.0mm	8,500	10
036503094	230 x 6.0mm	6,650	10

- High Quality industrial grade grinding discs.
- MPA Tested in Hannover Germany.
- Manufactured to EN12413 Standards.
- Depressed centre, suitable for all general purpose grinding.
- Well balanced and long lasting.



SILVER SERIES FLAP DISCS

CODE	SIZE	GRIT	MAX RPM	PACK QTY
036503018	100mm	Z40	15,300	10
036503017	100mm	Z60	15,300	10
036503016	100mm	Z80	15,300	10
036503019	100mm	Z120	15,300	10
036503014	115mm	Z40	13,300	10
036503013	115mm	Z60	13,300	10
036503012	115mm	Z80	13,300	10
036503015	115mm	Z120	13,300	10
036503010	125mm	Z40	12,250	10
036503009	125mm	Z60	12,250	10
036503008	125mm	Z80	12,250	10
036503011	125mm	Z120	12,250	10
036503006	178mm	Z40	8,500	10
036503005	178mm	Z60	8,500	10
036503004	178mm	Z80	8,500	10
036503007	178mm	Z120	8,500	10

- The ultimate performer on mild steel and stainless steel.
- Up to 15% more abrasive than other brands.
- Type 29 (15%) style with built-in grinding angle.
- Strong fibreglass backing wears as disc is consumed.





BOSTIK MS SAFE CLEAR PAINTABLE			
CODE	COLOUR	SIZE	PACK QTY
048200008	BLACK	300ml Cartridge	12
048200009	WHITE	300ml Cartridge	12
048200010	GREY	300ml Cartridge	12
048200014	BLACK	600ml Sausage	12
048200015	WHITE	600ml Sausage	12
048200016	GREY	600ml Sausage	12

Bostik MS Safe Seal is a multipurpose odour free, isocyanate free & solvent free sealant for construction & building. Safe Seal is fully paintable according to DIN 52452, PT4.

Recommended Uses:

- Sealing expansion joints
- Sealing in general construction
- Sealing most building materials



BOSTIK FR DUCT SEALER FAST DRY GREY			
CODE	COLOUR	SIZE	PACK QTY
CSBADS-FC-317G	GREY	375ml Cartridge	20

Bostik FR Duct sealer is a non-slump, fast drying adhesive/sealer. Once fully dried FR Duct Sealer remains fully flexible performing over a wide temperature range on both internal and external surfaces.

Key Features:

- Good adhesion to wide range of substrates
- Fast drying
- Non slump
- Flexible
- Paintable

M18 FUEL™ 26MM SDS PLUS ROTARY HAMMER KIT

M-M18CH-502C





SIKAFLEX AT-FACADE

CODE	COLOUR	SIZE	PACK QTY
48300101	WHITE	300ml Cartridge	12
48300099	GREY	300ml Cartridge	12
48300100	BLACK	300ml Cartridge	12
48300097	WHITE	600ml Sausage	20
48300096	GREY	600ml Sausage	20
48300098	BLACK	600ml Sausage	20

Sikaflex® AT Facade is designed for joint sealing of movement and connection joints, porous and non-porous substrates such as concrete, brick, steel metals.

Key Features:

- Green Star NZ Credit approval & BRANZ Appraised
- Movement capability ± 25% (ISO 9047)
- Very good workability
- Good weathering
- Solvent-free

SIKA SUPERGRIP 30 MINUTE

CODE	SIZE	PACK QTY
48300184	310ml Cartridge	12

Sika SuperGrip is a versatile, ready to use, fast curing, general-purpose construction adhesive. It can be used for the bonding of timber, MDF, marble, stone, concrete, glass, fibre cement, tiles, rubber and metals.

Key Features:

- Bonds almost anything, including LOSP treated timber
- 100% waterproof
- Incredibly strong
- Non drip and non shrinkage
- Interior and exterior use





SIKAFLEX®-11 FC

CODE	COLOUR	SIZE	PACK QTY
48300088	BLACK	310ml Cartridge	12
48300089	GREY	310ml Cartridge	12
48300090	WHITE	310ml Cartridge	12

Sikaflex®-11 FC is a one-component, gun-grade, adhesive and sealing compound of permanent elasticity. This dual-purpose material is based on a special moisture-cured polyurethane with an accelerated curing time that meets ASTM C920 Type S, Grade NS, Class 12.5 for internal and external applications.

Key Features:

- Will not sag in vertical or overhead applications
- May be over painted
- Fast curing with excellent ageing, weathering and chemical resistance.
- Suitable to use for sealing applications in construction and engineering sites

SIKAFLEX®-221 ONE-COMPONENT ADHESIVE

CODE	COLOUR	SIZE	PACK QTY
CSS221BS	BLACK	600ml Sausage	20
CSS221GY	GREY	600ml Sausage	20
CSS221WS	WHITE	600ml Sausage	20

Sikaflex®-221 is a high-quality multi-purpose non-sag one-part polyurethane sealant that cures on exposure to atmospheric moisture to form a durable elastomer. Sikaflex®-221 is manufactured in accordance with the ISO 9001/14001 quality assurance system.

Key Features:

- Resistant to ageing and weathering
- Approved for contact with foodstuff
- Can be over painted, and sanded
- One-part formulation, elastic
- Non-corrosive, low odour

