



RIVETS

<u>Truss Head Stainless/Steel</u>	264
<u>Truss Head Large Flange</u>	264
<u>Truss Head Aluminium/Steel</u>	265
<u>Truss Head Monel</u>	266
<u>Countersunk Head</u>	267
<u>Bulb Lok</u>	268-269
<u>SR Series</u>	270-272
<u>Rivnuts</u>	274-277
<u>Rivnut Plus Nuts</u>	277



RIVET BLIND STAINLESS/STAINLESS

Ø x L	GRIP RANGE	4 (3.2mm)	5 (4.0mm)	6 (4.8mm)
3.2mm x 6.3mm	1.6-3.2	RV73STST4-2		
3.2mm x 7.9mm	3.2-4.8	RV73STST4-3		
3.2mm x 9.5mm	4.8-6.4	RV73STST4-4		
3.2mm x 12.7mm	7.9-9.5	RV73STST4-6		
3.2mm x 16.3mm	9.5-12.7	RV73STST4-8		
4.0mm x 7mm	1.6-3.2		RV73STST5-2	
4.0mm x 10.3mm	4.8-6.4		RV73STST5-4	
4.0mm x 13.5mm	7.9-9.5		RV73STST5-6	
4.8mm x 8mm	1.6-3.2			RV73STST6-2
4.8mm x 9.5mm	3.2-4.8			RV73STST6-4
4.8mm x 14.7mm	7.9-9.5			RV73STST6-6
4.8mm x 17mm	9.5-12.7			RV73STST6-8
4.8mm x 21mm	12.7-15.9			RV73STST6-10
4.8mm x 24mm	15.9-19.0			RV73STST6-12
4.8mm x 30.6mm	22.2-25.4			RV73STST6-16

RIVET LARGE FLANGE BLIND ALUMINIUM/STEEL

Ø x L	GRIP RANGE	4 (3.2mm)	5 (4.0mm)	6 (4.8mm)	8 (6.4mm)
3.2mm x 9.5mm	4.8-6.4	RV73ASL4-4			
3.2mm x 11.1mm	7.9-9.5	RV73ASL4-6			
3.2mm x 21mm	12.7-15.9	RV73ASL4-10			
4.0mm x 11.1mm	4.8-6.4		RV73ASL5-4		
4.0mm x 13.5mm	7.9-9.5		RV73ASL5-6		
4.8mm x 11.1mm	4.8-6.4			RV73ASL6-4	
4.8mm x 13mm	6.4-7.9			RV73ASL6-5	
4.8mm x 14.2mm	7.9-9.5			RV73ASL6-6	
4.8mm x 17.9mm	9.5-12.7			RV73ASL6-8	
4.8mm x 21mm	12.7-15.9			RV73ASL6-10	
4.8mm x 24mm	15.9-19.0			RV73ASL6-12	
4.8mm x 27mm	19.0-22.0			RV73ASL6-14	
4.8mm x 30mm	22.2-25.4			RV73ASL6-16	
6.4mm x 14.2mm	6.4-9.5				RV73ASL8-6

RIVET TRUSS HEAD BLIND ALUMINIUM/STEEL

Ø x L	GRIP RANGE	4 (3.2mm)	5 (4.0mm)	6 (4.8mm)	8 (6.4mm)
3.2mm x 4.7mm	up to 1.6	RV73AS4-1			
3.2mm x 6.3mm	1.6-3.2	RV73AS4-2			
3.2mm x 7.9mm	3.2-4.8	RV73AS4-3			
3.2mm x 9.5mm	4.8-6.4	RV73AS4-4			
3.2mm x 11mm	6.4-7.9	RV73AS4-5			
3.2mm x 12.7mm	7.9-9.5	RV73AS4-6			
3.2mm x 16.4mm	9.5-12.7	RV73AS4-8			
3.2mm x 20.1mm	12.7-15.9	RV73AS4-10			
3.2mm x 23.3mm	15.9-19.0	RV73AS4-12			
4.0mm x 5mm	up to 1.6		RV73AS5-1		
4.0mm x 7mm	1.6-3.2		RV73AS5-2		
4.0mm x 8.7mm	3.2-4.8		RV73AS5-3		
4.0mm x 10.3mm	4.8-6.4		RV73AS5-4		
4.0mm x 11.9mm	6.4-7.9		RV73AS5-5		
4.0mm x 13.5mm	7.9-9.5		RV73AS5-6		
4.0mm x 17.1mm	9.5-12.7		RV73AS5-8		
4.0mm x 21mm	12.7-15.9		RV73AS5-10		
4.8mm x 8mm	1.6-3.2			RV73AS6-2	
4.8mm x 9.8mm	3.2-4.8			RV73AS6-3	
4.8mm x 11mm	4.8-6.4			RV73AS6-4	
4.8mm x 13mm	6.4-7.9			RV73AS6-5	
4.8mm x 14.2mm	7.9-9.5			RV73AS6-6	
4.8mm x 17.9mm	9.5-12.7			RV73AS6-8	
4.8mm x 21mm	12.7-15.9			RV73AS6-10	
4.8mm x 24mm	15.9-19.0			RV73AS6-12	
4.8mm x 27mm	19.0-22.2			RV73AS6-14	
4.8mm x 30.6mm	22.2-25.4			RV73AS6-16	
6.4mm x 11mm	4.8-6.4				RV73AS8-4
6.4mm x 15.8mm	7.9-9.5				RV73AS8-6
6.4mm x 25mm	15.9-19.0				RV73AS8-8
6.4mm x 30.5mm	19.0-25.0				RV73AS8-12
6.4mm x 19mm	9.8-12.7				RV73AS8-16



RIVET BLIND TRUSS HEAD MONEL

Ø x L	GRIP RANGE	4 (3.2mm)	5 (4.0mm)	6 (4.8mm)
3.2mm x 5.30mm	up to 1.6	RV73MS4-1		
3.2mm x 7mm	1.6-3.2	RV73MS4-2		
3.2mm x 8.5mm	3.2-4.8	RV73MS4-3		
3.2mm x 10.10mm	4.8-6.4	RV73MS4-4		
3.2mm x 11.70mm	6.4-7.9	RV73MS4-5		
3.2mm x 12.7mm	7.9-9.5	RV73MS4-6		
3.2mm x 17mm	9.5-12.7	RV73MS4-8		
4mm x 7.2mm	1.6-3.2		RV73MS5-2	
4mm x 9.2mm	3.2-5.8		RV73MS5-3	
4mm x 10.7mm	4.8-6.4		RV73MS5-4	
4mm x 12.2mm	6.4-7.9		RV73MS5-5	
4mm x 13.9mm	7.9-9.5		RV73MS5-6	
4mm x 17.6mm	9.5-12.7		RV73MS5-8	
4.8mm x 8.2mm	1.6-3.2			RV73MS6-2
4.8mm x 9.8mm	3.2-4.8			RV73MS6-3
4.8mm x 11.4mm	4.8-6.4			RV73MS6-4
4.8mm x 13mm	6.4-7.9			RV73MS6-5
4.8mm x 14.6mm	7.9-9.5			RV73MS6-6
4.8mm x 17.7mm	9.5-12.7			RV73MS6-8
4.8mm x 19.6mm	12.7-15.9			RV73MS6-10
4.8mm x 24mm	15.9-19.0			RV73MS6-12

RIVET BLIND COUNTERSUNK HEAD ALUMINIUM/STEEL

Ø x L	GRIP RANGE	4 (3.2mm)	5 (4.0mm)	6 (4.8mm)
3.2mm x 9.5mm	4.8-6.4	RV72AS4-4		
3.2mm x 11.7mm	6.4-7.9	RV72AS4-5		
3.2mm x 12.7mm	7.9-9.8	RV72AS4-6		
3.2mm x 16.1mm	9.8-12.7	RV72AS4-8		
4.0mm x 7.9mm	3.2-5.8		RV72AS5-3	
4.0mm x 10.3mm	4.8-6.4		RV72AS5-4	
4.0mm x 11.9mm	6.4-7.9		RV72AS5-5	
4.0mm x 13.5mm	7.9-9.5		RV72AS5-6	
4.8mm x 8.2mm	1.6-3.2			RV72AS6-2
4.8mm x 11mm	4.8-6.4			RV72AS6-4
4.8mm x 14.2mm	7.9-9.5			RV72AS6-6
4.8mm x 17.9mm	9.5-12.7			RV72AS6-8
4.8mm x 21mm	12.7-15.9			RV72AS6-10

RIVET BLIND COUNTERSUNK HEAD STAINLESS/STAINLESS

Ø x L	GRIP RANGE	4 (3.2mm)	5 (4.0mm)	6 (4.8mm)
3.2mm x 6.3mm	1.6-3.2	RV72STST4-2		
3.2mm x 10.9mm	4.8-6.4	RV72STST4-4		
4.0mm x 9.5mm	4.8-6.4		RV72STST5-4	
4.8mm x 9.5mm	4.8-6.4			RV72STST6-4
4.8mm x 14.7mm	7.9-9.5			RV72STST6-6



“ MODFRAME FOR *HEAVY-DUTY* PIPEWORK, HVAC & CABLE MANAGEMENT”


www.fdgznz.com



Bulb-Lok rivet is our highest strength structural rivet. The blindside upset is bulbed which helps spread the clamp force so that the joint material is not deformed. The dual locking grooves on the mandrel provide excellent resistance to vibration as well as impressive shear strength and weather tightness.

MATERIAL: Body: Carbon Steel
MANDREL: Zinc Plated Cr VI Free

FINISH: Body: Zinc Plated Cr VI Free
MANDREL: Carbon Steel



STEEL RIVET / STEEL MANDREL / DOME HEAD

Ø	PART CODE	GRIP	HOLE	SHEAR	TENSILE	A	B	C	D	E
4.8mm	BLDRC-0611	1.50 - 3.50	5.0	6.9	3.5	4.8	9.0	10	1.5	3.2
4.8mm	BLDRC-0614	3.50 - 6.00	5.0	6.9	3.5	4.8	12.0	10	1.5	3.2
4.8mm	BLDRC-0618	6.00 - 8.50	5.0	6.9	3.5	4.8	15.0	10	1.5	3.2
6.4mm	BLDR-08105XG	2.00 - 4.50	6.8	10.8	7.9	6.5	10.5	13.0	3.0	4.2
6.4mm	BLDR-08125XG	3.00 - 6.50	6.8	12.2	7.9	6.5	12.5	13.0	3.0	4.2
6.4mm	BLDR-08145XG	5.00 - 8.50	6.8	13.7	7.9	6.5	14.5	13.0	3.0	4.2
6.4mm	BLDR-08165XG	7.00 - 10.5	6.8	14.2	7.9	6.5	16.5	13.0	3.0	4.2
6.4mm	BLDR-08185XG	9.00 - 12.5	6.8	15.4	7.9	6.5	17.5	13.0	3.0	4.2
6.4mm	BLDR-08205XG	11.0 - 14.5	6.8	15.4	7.9	6.5	20.5	13.0	3.0	4.2
6.4mm	BLDR-08225XG	13.0 - 16.5	6.8	15.4	7.9	6.5	22.5	13.0	3.0	4.2
7.8mm	BLDR-10135XG	4.00 - 7.00	8.0	13.8	9.1	7.8	13.5	16.0	3.7	5.2
7.8mm	BLDR-10165XG	7.00 - 10.0	8.0	15.7	9.1	7.8	16.5	16.0	3.7	5.2
7.8mm	BLDR-10195XG	10.0 - 13.0	8.0	15.7	9.1	7.8	19.5	16.0	3.7	5.2
7.8mm	BLDR-10225XG	13.0 - 16.0	8.0	15.7	9.1	7.8	22.5	16.0	3.7	5.2
7.8mm	BLDR-10255XG	16.0 - 19.0	8.0	15.7	9.1	7.8	25.5	16.0	3.7	5.2
7.8mm	BLDR-10285XG	19.0 - 22.0	8.0	15.7	9.1	7.8	28.5	16.0	3.7	5.2

STEEL RIVET / STEEL MANDREL / LARGE FLANGE


Ø	PART CODE	GRIP	HOLE	SHEAR	TENSILE	A	B	C	D	E
6.4mm	BLDR-08265LF	18.8 - 20.8	6.8	11.4	7.9	6.5	26.5	19.0	3.0	4.2
6.4mm	BLDR-08285LF	20.8 - 22.8	6.8	11.4	7.9	6.5	28.5	19.0	3.0	4.2



BulbLok rivet is our highest strength structural rivet. The blindside upset is bulbed which helps spread the clamp force so that the joint material is not deformed. The dual locking grooves on the mandrel provide excellent resistance to vibration as well as impressive shear strength and weather tightness.

MATERIAL: Austenitic Stainless Steel AISI 304Cu
MANDREL: Austenitic Stainless Steel AISI 304Cu

FINISH: Body: Natural
MANDREL: Natural



STAINLESS STEEL RIVET / STAINLESS STEEL MANDREL / DOME HEAD

Ø	PART CODE	GRIP	HOLE	SHEAR	TENSILE	A	B	C	D	E
4.8mm	BLDU-06090	1.5-3.50	5.0	6.1	5.0	4.8	9.0	9.8	2.2	3.0
4.8mm	BLDU-06115	3.5-6.00	5.0	6.9	5.0	4.8	11.5	9.8	2.2	3.0
4.8mm	BLDU-06140	6.0-8.50	5.0	6.9	5.0	4.8	14.0	9.8	2.2	3.0
4.8mm	BLDU-06165	8.5-11.0	5.0	6.9	5.0	4.8	16.5	9.8	2.2	3.0
6.4mm	BLDU-08105XG	2.00-4.50	6.8	14.1	8.3	6.4	10.5	12.0	3.0	4.2
6.4mm	BLDU-08125XG	4.00-6.50	6.8	14.5	8.3	6.4	12.5	12.0	3.0	4.2
6.4mm	BLDU-08145XG	5.00-8.50	6.8	14.5	8.3	6.4	14.5	12.0	3.0	4.2
6.4mm	BLDU-08165XG	7.00-10.5	6.8	14.5	8.3	6.4	16.5	12.0	3.0	4.2
6.4mm	BLDU-08185XG	9.00-12.5	6.8	14.5	8.3	6.4	18.2	12.0	3.0	4.2
6.4mm	BLDU-08205XG	11.0-14.5	6.8	14.5	8.3	6.4	20.5	12.0	3.0	4.2
6.4mm	BLDU-08225XG	13.0-16.0	6.8	14.5	8.3	6.4	22.5	12.0	3.0	4.2
7.8mm	BLDU-10135XG	4.00-7.00	8.0	20.1	12.7	7.8	13.5	16.0	3.8	5.1
7.8mm	BLDU-10165XG	7.00-10.0	8.0	21.6	12.7	7.8	16.5	16.0	3.8	5.1
7.8mm	BLDU-10195XG	10.0-13.0	8.0	21.6	12.7	7.8	19.5	16.0	3.8	5.1
7.8mm	BLDU-10225XG	13.0-16.0	8.0	21.6	12.7	7.8	22.5	16.0	3.8	5.1

STAINLESS STEEL RIVET / STAINLESS STEEL MANDREL / 100° COUNTERSUNK HEAD

Ø	PART CODE	GRIP	HOLE	SHEAR	TENSILE	A	B	C	D	E
6.4mm	BL100-U8135	4.8-7.80	6.8	10.8	8.3	6.4	13.5	10.0	2.0	4.2
6.4mm	BL100-U8155	6.80-9.80	6.8	12.8	8.3	6.4	15.5	10.0	2.0	4.2
6.4mm	BL100-U8175	8.80-11.8	6.8	13.7	8.3	6.4	17.5	10.0	2.0	4.2




SR Series rivets are blind rivets with a mechanically locked mandrel. They are optimal for structural or demanding applications. Installed easily from one side, the rivet features impressive installed values, excellent hole fill, generous grip range, pressure tight seal and flush breaking mandrel regardless of material thickness.

MATERIAL: Body: Aluminium 5000

FINISH: Body: Clear Chromate

MANDREL: Aluminium 7000

MANDREL: Clear Chromate



ALUMINIUM RIVET / ALUMINIUM MANDREL / DOME HEAD

Ø	PART CODE	GRIP	HOLE	SHEAR	TENSILE	A	B	C	D	E
4.8mm	SRDB-0604	1.60-6.35	5.0	3.1	2.2	4.8	10.5	9.8	2.1	3.0
4.8mm	SRDB-0607XG	1.60-11.1	5.0	3.1	2.2	4.8	4.0	9.8	2.1	3.0
6.4mm	SRDB-0806	2.00-9.50	6.8	5.9	4.4	6.4	14.2	13.3	2.8	4.0
6.4mm	SRDB-0810XG	3.00-16.0	6.8	5.9	4.4	6.4	20.5	13.3	2.8	4.0
9.5mm	SRDB-1212	3.00-16.0	9.8	13.9	8.3	9.5	21.3	20.0	4.0	5.9

ALUMINIUM RIVET / ALUMINIUM MANDREL / 100° COUNTERSUNK HEAD

Ø	PART CODE	GRIP	HOLE	SHEAR	TENSILE	A	B	C	D	E
4.8mm	SR100-B605	3.20-8.00	5.0	3.1	2.2	4.8	11.7	8.9	1.9	2.9
4.8mm	SR100-B608	7.00-12.7	5.0	3.1	2.2	4.8	14.5	8.9	1.9	2.9
6.4mm	SR100-B807	3.20-11.1	6.8	5.9	4.4	6.4	18.7	11.0	2.2	3.9
6.4mm	SR100-B812	10.5-18.4	6.8	5.9	4.4	6.4	23.1	11.0	2.2	3.9

ALUMINIUM RIVET / ALUMINIUM MANDREL / LARGE FLANGE

Ø	PART CODE	GRIP	HOLE	SHEAR	TENSILE	A	B	C	D	E
4.8mm	SRTB-0604	1.60-6.35	5.0	3.1	2.2	4.8	10.5	12.7	1.9	2.9
4.8mm	SRTB-0607XG	5.40-11.1	5.0	3.1	2.2	4.8	14.5	12.7	1.9	2.9
6.4mm	SRTB-0806	2.00-9.50	6.8	5.9	4.4	6.4	14.2	19.1	2.8	4.0




The SR Series rivets are blind rivets with a mechanically locked mandrel. They are optimal for structural or demanding applications. Installed easily from one side, the rivet features impressive installed values, excellent hole fill, generous grip range, pressure tight seal and flush breaking mandrel regardless of material thickness.

MATERIAL: Body: Low Carbon Steel

FINISH: Body: Clear Zinc Plated Cr

MANDREL: Medium Carbon Steel

MANDREL: Clear Zinc Plated



STEEL RIVET / STEEL MANDREL / DOME HEAD

Ø	PART CODE	GRIP	HOLE	SHEAR	TENSILE	A	B	C	D	E
4.8mm	SRDR-0604	1.60-6.35	5	6.4	4.9	4.8	10.5	9.8	2.1	3
4.8mm	SRDR-0607XG	1.60-11.1	5	6.4	4.9	4.8	14.5	9.8	2.1	3
6.4mm	SRDR-0806	2.00-9.50	6.8	12.2	9.8	6.4	14.2	13.3	2.8	4
6.4mm	SRDR-0810XG	2.00-16.0	6.8	12.2	9.8	6.4	20.5	13.3	2.8	4
6.4mm	SRDR-0814XG	9.00-22.5	6.8	12.2	9.8	6.4	26.7	13.3	2.8	4
6.4mm	SRDR-0818	21.0-28.5	6.8	12.2	9.8	6.4	33.3	13.3	2.8	4
6.4mm	SRDR-0822	25.4-35.0	6.8	12.2	9.8	6.4	39	13.3	2.8	4
7.8mm	SRDR-1010	3.50-16.0	8	13.7	9.8	7.8	21	16	3.5	5.1
9.5mm	SRDR-1212	3.00-15.8	9.8	26.7	17.8	9.5	21.3	20	4	5.8
9.5mm	SRDR-1218	16.0-29.0	9.8	26.7	17.8	9.5	35.6	20	4	5.8
9.5mm	SRDR-1224	25.4-38.1	9.8	26.7	17.8	9.5	45	20	4	5.8
12.7mm	SRDR-1612	3.50-16.0	13.4	44.4	31.1	12.7	27.7	25.1	6.1	7.8

STEEL RIVET / STEEL MANDREL / 100° COUNTERSUNK HEAD

Ø	PART CODE	GRIP	HOLE	SHEAR	TENSILE	A	B	C	D	E
4.8mm	SR100-R605	3.20-8.00	5	6.4	4.9	4.8	14.1	8.9	1.8	3
4.8mm	SR100-R608	7.00-12.7	5	6.4	4.9	4.8	17.1	8.9	1.8	3
6.4mm	SR100-R807	3.20-11.1	6.8	12.2	9.8	6.4	18.7	11	2	4
6.4mm	SR100-R812	10.5-18.4	6.8	12.2	9.8	6.4	23.1	11	2	4
6.4mm	SR100-R816	12.0-25.4	6.8	12.2	9.8	6.4	29	11	2	4
9.5mm	SR100-R1212	6.00-19.0	9.8	26.7	17.8	9.5	21.3	20	4	5.8

STEEL RIVET / STEEL MANDREL / LARGE FLANGE

Ø	PART CODE	GRIP	HOLE	SHEAR	TENSILE	A	B	C	D	E
4.8mm	SRTR-0604	1.60-6.35	5	6.4	4.9	4.8	10.5	12.7	1.9	2.9
4.8mm	SRTR-0607	5.40-11.1	5	6.4	4.9	4.8	14.5	12.7	1.9	2.9




SR Series rivets are blind rivets with a mechanically locked mandrel. They are optimal for structural or demanding applications. Installed easily from one side, the rivet features impressive installed values, excellent hole fill, generous grip range, pressure tight seal and flush breaking mandrel regardless of material thickness.

MATERIAL: Body: Stainless Steel 300

FINISH: Body: Passivated

MANDREL: Stainless Steel 300

MANDREL: Dry Lubricated



STAINLESS STEEL RIVET STAINLESS STEEL MANDREL DOME HEAD										
Ø	PART CODE	GRIP	HOLE	SHEAR	TENSILE	A	B	C	D	E
4.8mm	SRDU-0604	1.60 - 6.40	5.0	6.2	4.4	4.8	10.5	9.8	2.1	3.0
4.8mm	SRDU-0607XG	1.60 - 11.1	5.0	6.2	4.4	4.8	14.5	9.8	2.1	3.0
6.4mm	SRDU-0806	2.00 - 9.50	6.8	11.1	8.3	6.4	14.2	13.3	2.8	4.0
6.4mm	SRDU-0810XG	2.00 - 15.9	6.8	11.1	8.3	6.4	20.5	13.3	2.8	4.0
6.4mm	SRDU-0814	14.0 - 22.0	6.8	11.1	8.3	6.4	26.6	13.3	2.8	4.0
7.8mm	SRDU-1010	4.00 - 16.0	8.0	17.7	11.8	7.8	21.0	16.0	3.5	5.1
9.5mm	SRDU-1212	3.00 - 16.0	9.8			9.5	21.3	20.0	3.5	5.8

STAINLESS STEEL RIVET / STAINLESS STEEL MANDREL / 100° COUNTERSUNK HEAD										
Ø	PART CODE	GRIP	HOLE	SHEAR	TENSILE	A	B	C	D	E
4.8mm	SR100-U606	3.20 - 8.00	5.0	6.2	4.4	4.8	14.7	8.9	1.8	3.0
4.8mm	SR100-U609	7.00 - 12.7	5.0	6.2	4.4	4.8	17.1	8.9	1.8	3.0
6.4mm	SR100-U808	3.20 - 11.1	6.8	11.1	8.3	6.4	18.7	11.0	2.0	4.0
6.4mm	SR100-U812	10.5 - 18.4	6.8	11.1	8.3	6.4	23.1	11.0	2.0	4.0

ASSORTED TOOLS

FDG offer a Range of Rivet & Rivnut setting tools. Let's Chat, we are here to help!





Ø	GRIP RANGE	ALUMINIUM
3mm	0.25-1.80	RNLF3-5SGAL
4mm	0.25-2.50	RNLF4-6LGAL
4mm	2.50-3.50	RNLF4-6SGAL
5mm	0.25-2.50	RNLF5-7SGAL
5mm	2.50-3.50	RNLF5-7MGAL
5mm	3.00-5.00	RNLF5-7LGAL
6mm	0.25-2.50	RNLF6-9SGAL
6mm	2.50-3.50	RNLF6-9MGAL
6mm	3.00-5.00	RNLF6-9LGAL
8mm	0.25-2.50	RNLF8-11SGAL
8mm	2.50-3.50	RNLF8-11MGAL
8mm	3.00-5.00	RNLF8-11LGAL
10mm	1.00-2.50	RNLF10-13MGAL
10mm	2.50-4.00	RNLF10-13LGAL

Ø	GRIP RANGE	ZINC
3mm	0.50-2.00	RNLF3-5SGZ
4mm	0.50-2.50	RNLF4-6SGZ
4mm	2.50-4.00	RNLF4-6LGZ
5mm	0.70-3.00	RNLF5-7SGZ
5mm	2.50-4.50	RNLF5-7LGZ
6mm	0.50-3.00	RNLF6-9SGZ
6mm	3.00-5.00	RNLF6-9LGZ
8mm	1.00-3.00	RNLF8-11SGZ
8mm	3.00-5.50	RNLF8-11LGZ
10mm	1.10-4.00	RNLF10-13SGZ
10mm	4.50-6.00	RNLF10-13LGZ
12mm	1.00-4.00	RNLF12-16SGZ
12mm	4.00-7.00	RNLF12-16LGZ
16mm	1.00-5.00	RNLF16-21SGZ

Ø	GRIP RANGE	ZINC
4mm	0.50-2.50	RNCSKH4-6SGZ
4mm	2.50-4.00	RNCSKH4-6LGZ
5mm	0.50-3.00	RNCSKH5-7SGZ
5mm	3.00-4.50	RNCSKH5-7LGZ
6mm	0.60-3.00	RNCSKH6-9SGZ
6mm	3.00-5.50	RNCSKH6-9LGZ
8mm	0.70-3.00	RNCSKH8-11SGZ
8mm	3.00-5.50	RNCSKH8-11LGZ
10mm	1.00-4.50	RNCSKH10-13SGZ
12mm	1.40-4.00	RNCSKH12-16SGZ
12mm	3.50-6.50	RNCSKH12-16MGZ

Ø	GRIP RANGE	304 STAINLESS
4mm	0.50-2.50	RNCSKH4-6SGA2
5mm	0.50-3.00	RNCSKH5-7SGA2
5mm	3.00-4.50	RNCSKH5-7LGA2
6mm	0.50-3.00	RNCSKH6-9SGA2
6mm	3.00-5.00	RNCSKH6-9LGA2
8mm	0.60-3.00	RNCSKH8-11SGA2
8mm	3.00-5.50	RNCSKH8-11LGA2
10mm	1.00-3.50	RNCSKH10-13SGA2
12mm	1.00-3.50	RNCSKH12-16SGA2



Ø	GRIP RANGE	ALUMINIUM
3mm	0.80-1.50	RNCSK3-5SGAL
4mm	0.80-2.50	RNCSK4-6LGAL
4mm	2.50-3.50	RNCSK4-6SGAL
5mm	0.80-2.50	RNCSK5-7SGAL
5mm	2.50-3.50	RNCSK5-7MGAL
6mm	0.80-2.50	RNCSK6-9LGAL
6mm	2.50-4.00	RNCSK6-9SGAL
8mm	1.00-2.50	RNCSK8-11MGAL
8mm	2.50-4.00	RNCSK8-11LGAL
10mm	1.00-2.50	RNCSK10-13SGAL
10mm	2.50-4.00	RNCSK10-13MGAL

Ø	GRIP RANGE	ZINC
3mm	0.50-2.00	RNCSK3-5SGZ
4mm	0.50-2.00	RNCSK4-6.75SGZ
4mm	2.50-3.30	RNCSK4-6.75LGZ
5mm	0.50-3.30	RNCSK5-7.6SGZ
5mm	3.30-5.70	RNCSK5-7.6LGZ
6mm	0.70-4.20	RNCSK6-10SGZ
6mm	4.20-6.60	RNCSK6-10LGZ
8mm	0.70-3.80	RNCSK8-13.5SGZ
8mm	3.80-7.90	RNCSK8-13.5LGZ
10mm	0.70-3.80	RNCSK10-13.5SGZ
10mm	3.80-7.90	RNCSK10-13.5LGZ
12mm	1.60-5.10	RNCSK12-17.45SGZ
12mm	5.10-8.90	RNCSK12-17.45MGZ
12mm	8.90-12.7	RNCSK12-17.45LGZ

Ø	GRIP RANGE	304 STAINLESS
3mm	0.50-2.00	RNCSK3-5SGA2
4mm	0.50-2.00	RNCSK4-6SGA2
4mm	2.50-4.00	RNCSK4-6LGA2
5mm	0.50-3.30	RNCSK5-7SGA2
5mm	3.00-4.50	RNCSK5-7LGA2
6mm	0.50-3.00	RNCSK6-9SGA2
6mm	3.00-5.00	RNCSK6-9LGA2
8mm	0.50-3.00	RNCSK8-11SGA2
8mm	3.00-5.50	RNCSK8-11LGA2
10mm	1.00-3.50	RNCSK10-13SGA2
10mm	3.50-6.60	RNCSK10-13LGA2
12mm	1.00-4.20	RNCSK12-16SGA2

RIVNUT SPLINED LARGE FLANGE		
Ø	GRIP RANGE	ZINC
3/16"	0.50-3.30	RNLFC3/16-7.52SGZ
1/4"	0.70-4.20	RNLFC1/4-9.91SGZ
5/16"	0.70-3.80	RNLFC5/16-13.46SGZ
3/8"	0.70-3.80	RNLFC3/8-13.46SGZ
7/16"	1.60-5.10	RNLFC7/16-17.45SGZ

PLUS NUTS		
Ø	GRIP RANGE	ZINC
5mm	0.50-4.45	RNPLUS5-7.5SGZ
5mm	4.45-8.10	RNPLUS5-7.5LGZ
6mm	0.05-7.10	RNPLUS6-10SGZ
6mm	7.10-12.7	RNPLUS6-10LGZ
8mm	0.50-7.10	RNPLUS8-12.5SGZ
8mm	7.10-12.7	RNPLUS8-12.5LGZ
10mm	0.50-7.10	RNPLUS10-15.1SGZ